

6. Neurosciences

Aguado, C., Colon, J., Ciruela, F., Schlaudraff, F., Cabanero, M.J., Perry, C., Watanabe, M., Liss, B., Wickman, K., and Lujan, R.:

Cell type-specific subunit composition of G protein-gated potassium channels in the cerebellum
J Neurochem 105(2): 497-511 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2007.05153.x/full>

Aguila J, Cheng S, Kee N, Cao M, Deng Q, Hedlund E:

Spatial transcriptomics and in silico random pooling identify novel markers of vulnerable and resistant dopamine neurons

bioRxiv 334417; Mar 2018; doi: <https://doi.org/10.1101/334417>

<https://www.biorxiv.org/content/early/2018/11/19/334417>

Aikawa H, Hayashi M, Ryu S, Yamashita M, Ohtsuka N, Nishidate M, Fujiwara Y, Hamada A:

Visualizing spatial distribution of alectinib in murine brain using quantitative mass spectrometry imaging

Sci Rep. 2016 Mar 30;6:23749. doi: 10.1038/srep23749.

<http://dx.doi.org/10.1038/srep23749>

Aizawa S, Gu T, Kaminoda A, Fujioka R, Ojima F, Sakata I, Sakai T, Ogoshi M, Takahashi S, Takeuchi S
Adenosine stimulates neuromedin U mRNA expression in the rat pars tuberalis

Mol Cell Endocrinol. 2019 Jul 22;496:110518. doi: 10.1016/j.mce.2019.110518.

<https://www.sciencedirect.com/science/article/pii/S0303720719302205#!>

Albino D, Brizzolara A, Moretti S, Falugi C, Mirisola V, Scaruffi P, Di Candia M, Truini M, Coco S, Bonassi S, Tonini GP:

Gene expression profiling identifies eleven DNA repair genes down-regulated during mouse neural crest cell migration

Int J Dev Biol. 2011;55(1):65-72.

<http://www.ijdb.ehu.es/web/paper.php?doi=10.1387/ijdb.092970da>

Albino D, Scaruffi P, Moretti S, Coco S, Truini M, Di Cristofano C, Cavazzana A, Stigliani S, Bonassi S, Tonini GP:

Identification of low intratumoral gene expression heterogeneity in neuroblastic tumors by genome-wide expression analysis and game theory

Cancer. 2008 Sep 15;113(6):1412-22.

<http://onlinelibrary.wiley.com/doi/10.1002/cncr.23720/abstract>

Anderson KD, Pan L, Yang XM, Hughes VC, Walls JR, Dominguez MG, Simmons MV, Burfeind P, Xue Y, Wei Y, Macdonald LE, Thurston G, Daly C, Lin HC, Economides AN, Valenzuela DM, Murphy AJ, Yancopoulos GD, Gale NW:

Angiogenic sprouting into neural tissue requires Gpr124, an orphan G protein-coupled receptor

Proc Natl Acad Sci U S A. 2011 Feb 15;108(7):2807-12

<http://www.pnas.org/content/108/7/2807.short>

André EM, Daviaud N, Sindji L, Cayon J, Perrot R, Montero-Menei CN:

A novel ex vivo Huntington's disease model for studying GABAergic neurons and cell grafts by laser microdissection

PLoS One. 2018 Mar 5;13(3):e0193409. doi: 10.1371/journal.pone.0193409. eCollection 2018.

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0193409>

Andreska T, Rauskolb S, Scheffler N, Lüningschrör P, Sasi M, Signoret-Genest J, Behringer M, Blum R, Sauer M, Tovote P, Sendtner M:

Induction of BDNF expression in layer II/III and layer V neurons of the motor cortex is essential for motor learning

J Neurosci. 2020 Jul 10;JN-RM-0288-20. doi: 10.1523/JNEUROSCI.0288-20.2020.

<https://www.jneurosci.org/content/jneuro/early/2020/07/10/JNEUROSCI.0288-20.2020.full.pdf>

Aoyama M, Kakita H, Kato S, Tomita M, Asai K:

Region-specific expression of a water channel protein, aquaporin 4, on brain astrocytes

J Neurosci Res. 2012 Aug 18. doi: 10.1002/jnr.23117.

<http://dx.doi.org/10.1002/jnr.23117>

Arcila ML, Betizeau M, Cambronnie XA, Guzman E, Doerflinger N, Bouhallier F, Zhou H, Wu B, Rani N, Bassett DS, Borello U, Huissoud C, Goodman RH, Dehay C, Kosik K:

Novel Primate miRNAs Coevolved with Ancient Target Genes in Germinal Zone-Specific Expression Patterns

Neuron. 2014 Feb 25. pii: S0896-6273(14)00022-1. doi: 10.1016/j.neuron.2014.01.017.

<http://www.sciencedirect.com/science/article/pii/S0896627314000221>

Arion D, Corradi JP, Tang S, Datta D, Boothe F, He A, Cacace AM, Zaczek R, Albright CF, Tseng G, Lewis DA :

Distinctive transcriptome alterations of prefrontal pyramidal neurons in schizophrenia and schizoaffective disorder

Mol Psychiatry. 2015 Jan 6. doi: 10.1038/mp.2014.171.

<http://dx.doi.org/10.1038/mp.2014.171>

Aung HH, Altman R, Nyunt T, Kim J, Nuthikattu S, Budamagunta M, Voss JC, Wilson D, Rutledge JC, Villablanca AC:

Induction of Lipotoxic Brain Microvascular Injury is Mediated by Activating Transcription Factor 3-Dependent Inflammatory and Oxidative Stress Pathways

The Journal of Lipid Research, jlr.M061853. Apr 17, doi: 10.1194/jlr.M061853

<http://www.jlr.org/content/early/2016/04/17/jlr.M061853.abstract>

Ayoub AE, Dominguez MH, Benoit J, Ortega JA, Radonjic N, Zecevic N, Rakic P:

Coordination of Neuron Production in Mouse and Human Cerebral Cortex by the Homolog of Drosophila Mastermind Protein

Brain Behav Evol. 2019 Aug 15;93(2-3):152-165. doi: 10.1159/000500494.

<https://www.karger.com/Article/PDF/500494>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing

Proc Natl Acad Sci U S A. 2011 Aug 22

<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Baj G, Del Turco D, Schlaudraff J, Torelli L, Deller T, Tongiorgi E:

Regulation of the spatial code for BDNF mRNA isoforms in the rat hippocampus following pilocarpine-treatment: A systematic analysis using laser microdissection and quantitative real-time PCR

Hippocampus. 2013 Feb 25. doi: 10.1002/hipo.22100.

<http://onlinelibrary.wiley.com/doi/10.1002/hipo.22100/abstract>

Bakken TE, Miller JA, Ding SL, Sunkin SM, Smith KA, Ng L, Szafer A, Dalley RA, Royall JJ, Lemon T, Shapouri S, Aiona K, Arnold J, Bennett JL, Bertagnolli D, Bickley K, Boe A, Brouner K, Butler S, Byrnes E, Caldejon S, Carey A, Cate S, Chapin M, Chen J, Dee N, Desta T, Dolbear TA, Dotson N, Ebbert A, Fulfs E, Gee G, Gilbert TL, Goldy J, Gourley L, Gregor B, Gu G, Hall J, Haradon Z, Haynor DR, Hejazinia N, Hoerder-Suabedissen A, Howard R, Jochim J, Kinnunen M, Kriedberg A, Kuan CL, Lau C, Lee CK, Lee F,

Luong L, Mastan N, May R, Melchor J, Mosqueda N, Mott E, Ngo K, Nyhus J, Oldre A, Olson E, Parente J, Parker PD, Parry S, Pendergraft J, Potekhina L, Reding M, Riley ZL, Roberts T, Rogers B, Roll K, Rosen D, Sandman D, Sarreal M, Shapovalova N, Shi S, Sjoquist N, Sodt AJ, Townsend R, Velasquez L, Wagley U, Wakeman WB, White C, Bennett C, Wu J, Young R, Youngstrom BL, Wohnoutka P, Gibbs RA, Rogers J, Hohmann JG, Hawrylycz MJ, Hevner RF, Molnár Z, Phillips JW, Dang C, Jones AR, Amaral DG, Bernard A, Lein ES:

A comprehensive transcriptional map of primate brain development

Nature. 2016 Jul 13. doi: 10.1038/nature18637.

<http://dx.doi.org/10.1038/nature18637>

Baldassari S, Ribierre T, Marsan E, Adle-Biassette H, Ferrand-Sorbets S, Bulteau C, Dorison N, Fohlen M, Polivka M, Weckhuysen S, Dorfmueller G, Chipaux M, Baulac S:

Dissecting the genetic basis of focal cortical dysplasia: a large cohort study

Acta Neuropathol. 2019 Aug 23. doi: 10.1007/s00401-019-02061-5.

<https://link.springer.com/content/pdf/10.1007%2Fs00401-019-02061-5.pdf>

Ban N, Siegfried CJ, Lin JB, Shui YB, Sein J, Pita-Thomas W, Sene A, Santeford A, Gordon M, Lamb R, Dong Z, Kelly SC, Cavalli V, Yoshino J, Apte RS:

GDF15 is elevated in mice following retinal ganglion cell death and in glaucoma patients

JCI Insight. 2017 May 4;2(9). pii: 91455. doi: 10.1172/jci.insight.91455.

<https://insight.jci.org/articles/view/91455/pdf>

Bandyopadhyay U, Cotney J, Nagy M, Oh S, Leng J, Mahajan M, Mane S, Fenton WA, Noonan JP, Horwich AL:

RNA-Seq Profiling of Spinal Cord Motor Neurons from a Presymptomatic SOD1 ALS Mouse

PLoS ONE 8(1): e53575. doi:10.1371/journal.pone.0053575

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0053575>

Bandyopadhyay U, Fenton WA, Horwich AL, Nagy M:

Production of RNA for transcriptomic analysis from mouse spinal cord motor neuron cell bodies by laser capture microdissection

J Vis Exp. 2014 Jan 13;(83). doi: 10.3791/51168.

<http://dx.doi.org/10.3791/51168>

Baquedano MS, Garrido NP, Goñi J, Saraco N, Aliberti P, Berensztein E, Rivarola MA, Belgorosky A:

DNA methylation is not involved in specific down-regulation of HSD3B2, NR4A1 and RARβ genes in androgen-secreting cells of human adrenal cortex

Molecular and Cellular Endocrinology, 23 Sep 2016, ISSN 0303-7207

<http://dx.doi.org/10.1016/j.mce.2016.09.024>

Bas Orth C., Vlachos A., Del Turco D., Burbach G.J., Haas C.A., Mundel P., Feng G., Frotscher M., and Deller T.:

Lamina-specific distribution of Synaptopodin, an actin-associated molecule essential for the spine apparatus, in identified principal cell dendrites of the mouse hippocampus

J Comp Neurol 487(3): 227-239 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/cne.20539/full>

Becker D, Deller T, Vlachos A:

Tumor necrosis factor (TNF)-receptor 1 and 2 mediate homeostatic synaptic plasticity of denervated mouse dentate granule cells

Sci Rep. 2015 Aug 6;5:12726. doi: 10.1038/srep12726.

<http://dx.doi.org/10.1038/srep12726>

Becker D, Zahn N, Deller T, and Vlachos A:

Tumor necrosis factor alpha maintains denervation-induced homeostatic synaptic plasticity of mouse dentate granule cells

Front. Cell. Neurosci. | doi: 10.3389/fncel.2013.00257

<http://www.nature.com/srep/2015/150806/srep12726/pdf/srep12726.pdf>

Bender A, Desplats P, Spencer B, Rockenstein E, Adame A, Elstner M, Laub C, Mueller S, Koob AO, Mante M, Pham E, Klopstock T, Masliah E:

TOM40 mediates mitochondrial dysfunction induced by α -synuclein accumulation in Parkinson's disease

PLoS One. 2013 Apr 23;8(4):e62277.

<http://dx.plos.org/10.1371/journal.pone.0062277>

Bender, A., Krishnan, K.J., Morris, C.M., Taylor, G.A., Reeve, A.K., Perry, R.H., Jaros, E., Hersheson, J.S., Betts, J., Klopstock, T., Taylor, R.W., and Turnbull, D.M.:

High levels of mitochondrial DNA deletions in substantia nigra neurons in aging and Parkinson disease

Nat Genet 38(5): 515-517 (2006)

<http://www.nature.com/ng/journal/v38/n5/full/ng1769.html>

Benkert J, Hess S, Roy S, Beccano-Kelly D, Wiederspohn N, Duda J, Simons C, Patil K, Gaifullina A, Mannal N, Dragicevic E, Spaich D, Müller S, Nemeth J, Hollmann H, Deuter N, Mousba Y, Kubisch C, Poetschke C, Striessnig J, Pongs O, Schneider T, Wade-Martins R, Patel S, Parlato R, Frank T, Kloppenburg P & Liss B:

Cav2.3 channels contribute to dopaminergic neuron loss in a model of Parkinson's disease

Nat Commun 10, 5094 (8 Nov 2019) doi:10.1038/s41467-019-12834-x

<https://www.nature.com/articles/s41467-019-12834-x>

Benner S, Endo T, Endo N, Kakeyama M, Tohyama C:

Early deprivation induces competitive subordination in C57BL/6 male mice

Physiol Behav. 2014 Jul 30;137C:42-52. doi: 10.1016/j.physbeh.2014.06.018.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9384\(14\)00355-2](http://linkinghub.elsevier.com/retrieve/pii/S0031-9384(14)00355-2)

Benner S, Kakeyama M, Endo T, Yoshioka W, Tohyama C:

Application of NeuroTrace staining in the fresh frozen brain samples to laser microdissection combined with quantitative RT-PCR analysis

BMC Res Notes. 2015 Jun 20;8:252. doi: 10.1186/s13104-015-1222-9.

<http://www.biomedcentral.com/1756-0500/8/252>

Benoit J, Ayoub AE, Rakic P:

Transcriptomics of critical period of visual cortical plasticity in mice

Proc Natl Acad Sci U S A. 2015 Jun 15. pii: 201509323.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=26080443>

Bernard A, Lubbers LS, Tanis KQ, Luo R, Podtelezhnikov AA, Finney EM, McWhorter MM, Serikawa K, Lemon T, Morgan R, Copeland C, Smith K, Cullen V, Davis-Turak J, Lee CK, Sunkin SM, Loboda AP, Levine DM, Stone DJ, Hawrylycz MJ, Roberts CJ, Jones AR, Geschwind DH, Lein ES:

Transcriptional architecture of the primate neocortex

Neuron. 2012 Mar 22;73(6):1083-99.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00225-5](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00225-5)

Betts, J., Jaros, E., Perry, R.H., Schaefer, A.M., Taylor, R.W., Abdel-All, Z., Lightowers, R.N., and Turnbull, D.M.:

Molecular neuropathology of MELAS: level of heteroplasmy in individual neurones and evidence of extensive vascular involvement

Neuropathol Appl Neurobiol 32(4): 359-373 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2006.00731.x/full>

Blaudin de Thé FX:

Engrailed, an anti-ageing homeoprotein

thesis, 2015

<http://www.theses.fr/2015PA066204>

Blaudin de Thé FX, Rekaik H, Peze-Heidsieck E, Massiani-Beaudoin O, Joshi RL, Fuchs J, Prochiantz A:

Engrailed homeoprotein blocks degeneration in adult dopaminergic neurons through LINE-1 repression

EMBO J. 2018 Jun 25. pii: e97374. doi: 10.15252/embj.201797374.

<http://emboj.embopress.org/cgi/pmidlookup?view=long&pmid=29941661>

Boehm, C., Newrzella, D., Herberger, S., Schramm, N., Eisenhardt, G., Schenk, V., Sonntag-Buck, V., and Sorgenfrei, O.:

Effects of antidepressant treatment on gene expression profile in mouse brain: cell type-specific transcription profiling using laser microdissection and microarray analysis

J Neurochem (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.03750.x/full>

Bohm, C., Newrzella, D., and Sorgenfrei, O.:

Laser microdissection in CNS research

Drug Discov Today 10(17): 1167-1174 (2005)

[http://dx.doi.org/10.1016/S1359-6446\(05\)03555-5](http://dx.doi.org/10.1016/S1359-6446(05)03555-5)

Bolis, A., Coviello, S., Bussini, S., Dina, G., Pardini, C., Previtali, S.C., Malaguti, M., Morana, P., Del Carro, U., Feltri, M.L., Quattrini, A., Wrabetz, L., and Bolino, A.:

Loss of Mtmr2 phosphatase in Schwann cells but not in motor neurons causes Charcot-Marie-Tooth type 4B1 neuropathy with myelin outfoldings

J Neurosci 25(37): 8567-8577 (2005)

<http://www.jneurosci.org/content/25/37/8567.long>

Boon BDC, Bulk M, Jonker AJ, Morrema THJ, van den Berg E, Popovic M, Walter J, Kumar S, van der Lee SJ, Holstege H, Zhu X, Van Nostrand WE, Natté R, van der Weerd L, Bouwman FH, van de Berg WDJ, Rozemuller AJM, Hoozemans JJM:

The coarse-grained plaque: a divergent A β plaque-type in early-onset Alzheimer's disease

Acta Neuropathol. 2020 Sep 14. doi: 10.1007/s00401-020-02198-8.

<https://link.springer.com/article/10.1007/s00401-020-02198-8>

Boonstra, R., Koning, A., Mastik, M., van den Berg, A., and Poppema, S.:

Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q

Virchows Arch 443(2): 164-169 (2003)

<http://www.springerlink.com/content/b1am9dkhxtu33uch/>

Bouçanova F, Pollmeier G, Sandor K, Morado Urbina C, Nijssen J, Médard JJ, Bartesaghi L, Pellerin L, Svensson CI, Hedlund E, Chrast R:

Disrupted function of lactate transporter MCT1, but not MCT4, in Schwann cells affects the maintenance of motor end-plate innervation

Glia. 2020 Jul 20. doi: 10.1002/glia.23889.

<https://onlinelibrary.wiley.com/doi/pdf/10.1002/glia.23889>

Brilli E, Reitano E, Conti L, Conforti P, Gulino R, Consalez GG, Cesana E, Smith A, Rossi F, Cattaneo E:

Neural stem cells engrafted in the adult brain fuse with endogenous neurons

Stem Cells Dev. 2013 Feb 15;22(4):538-47. doi: 10.1089/scd.2012.0530.

<http://dx.doi.org/10.1089/scd.2012.0530>

Burbach, G.J., Dehn, D., Del Turco, D., and Deller, T.:

Quantification of layer-specific gene expression in the hippocampus: effective use of laser microdissection in combination with quantitative RT-PCR

J Neurosci Methods 131(1-2): 83-91 (2003)

[http://dx.doi.org/10.1016/S0165-0270\(03\)00232-2](http://dx.doi.org/10.1016/S0165-0270(03)00232-2)

Burbach, G.J., Dehn, D., Del Turco, D., Staufenbiel, M., and Deller, T.:

Laser microdissection reveals regional and cellular differences in GFAP mRNA upregulation following brain injury, axonal denervation, and amyloid plaque deposition

Glia 48(1): 76-84 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20057/full>

Burbach, G.J., Dehn, D., Nagel, B., Del Turco, D., and Deller, T.:

Laser microdissection of immunolabeled astrocytes allows quantification of astrocytic gene expression

J Neurosci Methods 138(1-2): 141-148 (2004)

<http://dx.doi.org/10.1016/j.jneumeth.2004.03.022>

Burbach, G.J., Hellweg, R., Haas, C.A., Del Turco, D., Deicke, U., Abramowski, D., Jucker, M., Staufenbiel, M., and Deller, T.:

Induction of brain-derived neurotrophic factor in plaque-associated glial cells of aged APP23 transgenic mice

J Neurosci 24(10): 2421-2430 (2004)

<http://www.jneurosci.org/content/24/10/2421.long>

Cahill JF, Kertesz V, Porta T, Yves LeBlanc JC, Heeren RMA, Van Berkel GJ:

Solvent Effects on Differentiation of Mouse Brain Tissue Using Laser Microdissection 'Cut and Drop' Sampling with Direct Mass Spectral Analysis

Rapid Commun Mass Spectrom. 2018 Jan 3. doi: 10.1002/rcm.8053.

<http://onlinelibrary.wiley.com/doi/10.1002/rcm.8053/full>

Campbell GR, Reeve A, Ziabreva I, Polvikoski TM, Taylor RW, Reynolds R, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and depletion within paraspinal muscles

Neuropathol Appl Neurobiol. 2012 Jul 5. doi: 10.1111/j.1365-2990.2012.01290.x

<http://dx.doi.org/10.1111/j.1365-2990.2012.01290.x>

Campbell GR, Ziabreva I, Reeve AK, Krishnan KJ, Reynolds R, Howell O, Lassmann H, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and neurodegeneration in multiple sclerosis

Ann Neurol 69(3):481-92 (2011)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22109/full>

Cao J, Ni J, Ma W, Shiu V, Milla LA, Park S, Spletter ML, Tang S, Zhang J, Wei X, Kim SK, Scott MP:
Insight into Insulin Secretion from Transcriptome and Genetic Analysis of Insulin-Producing Cells of Drosophila

Genetics. 2014 Feb 20.

<http://www.genetics.org/content/early/2014/02/18/genetics.113.160663.full.pdf+html>

Castelli MP, Spiga S, Perra A, Madeddu C, Mulas G, Ennas MG, Gessa GL:

α 2A adrenergic receptors highly expressed in mesoprefrontal dopamine neurons

Neuroscience. 2016 Jun 27. pii: S0306-4522(16)30276-7. doi: 10.1016/j.neuroscience.2016.06.037.

[http://linkinghub.elsevier.com/retrieve/pii/S0306-4522\(16\)30276-7](http://linkinghub.elsevier.com/retrieve/pii/S0306-4522(16)30276-7)

Cebrián C, Zucca FA, Mauri P, Steinbeck JA, Studer L, Scherzer CR, Kanter E, Budhu S, Mandelbaum J, Vonsattel JP, Zecca L, Loike JD, Sulzer D:

MHC-I expression renders catecholaminergic neurons susceptible to T-cell-mediated degeneration
Nat Commun. 2014 Apr 16;5:3633. doi: 10.1038/ncomms4633.

<http://dx.doi.org/10.1038/ncomms4633>

Chandler DJ, Gao WJ, Waterhouse BD:

Heterogeneous organization of the locus coeruleus projections to prefrontal and motor cortices

Proc Natl Acad Sci U S A. 2014 Apr 21.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24753596>

Chatzi C, Zhang G, Hendricks W, Chen Y, Schnell E, Goodman RH, Westbrook GL:

Exercise-induced enhancement of synaptic function triggered by the inverse BAR protein, Mtss1L
bioRxiv, Feb. 9, 2019, <http://dx.doi.org/10.1101/545582>doi:

<https://www.biorxiv.org/content/biorxiv/early/2019/02/09/545582.full.pdf>

Chen H, Dzitoyeva S, Manev H:

5-Lipoxygenase in mouse cerebellar Purkinje cells

Neuroscience. 2010 Dec 1;171(2):383-9

<http://dx.doi.org/10.1016/j.neuroscience.2010.09.019>

Chiba Y, Yamada T, Tsukita S, Takahashi K, Munakata Y, Shirai Y, Kodama S, Asai Y, Sugisawa T, Uno K, Sawada S, Imai J, Nakamura K, Katagiri H:

Dapagliflozin, a Sodium-Glucose Co-Transporter 2 Inhibitor, Acutely Reduces Energy Expenditure in BAT via Neural Signals in Mice

PLoS One. 2016 Mar 10;11(3):e0150756. doi: 10.1371/journal.pone.0150756. eCollection 2016.

<http://dx.plos.org/10.1371/journal.pone.0150756>

Choi, J.Y., Beaman-Hall, C.M., and Vallano, M.L.:

Granule neurons in cerebellum express distinct splice variants of the inositol trisphosphate receptor that are modulated by calcium

Am J Physiol Cell Physiol 287(4): C971-980 (2004)

<http://ajpcell.physiology.org/content/287/4/C971.long>

Chrobok L, Northeast RC, Myung J, Cunningham PS, Petit C, Piggins HD:

Timekeeping in the hindbrain: a multi-oscillatory circadian centre in the mouse dorsal vagal complex

Commun Biol. 2020 May 8;3(1):225. doi: 10.1038/s42003-020-0960-y.

<https://www.nature.com/articles/s42003-020-0960-y.pdf>

Chung DW:

Role of ERBB4 Splicing in Parvalbumin Interneuron Maturation and Schizophrenia

Thesis, 2016

http://d-scholarship.pitt.edu/29076/1/CHUNG_THESIS_Final_Revised_Final_1.pdf

Chung SH, Shen W:

Laser capture microdissection: from its principle to applications in research on neurodegeneration

Neural Regeneration Research, June 2015, Volume 10, Issue 6

<http://www.sjzsyj.org/CN/article/openArticlePDF.jsp?id=1385>

Cifuentes M, Baeza V, Arrabal PM, Visser R, Grondona JM, Saldivia N, Martínez F, Nualart F, Salazar K:

Expression of a Novel Ciliary Protein, IIG9, During the Differentiation and Maturation of Ependymal Cells

Mol Neurobiol. 2017 Feb 13. doi: 10.1007/s12035-017-0434-5.

<https://dx.doi.org/10.1007/s12035-017-0434-5>

Coco, S., Defferrari, R., Scaruffi, P., Cavazzana, A., Di Cristofano, C., Longo, L., Mazzocco, K., Perri, P., Gambini, C., Moretti, S., Bonassi, S., and Tonini, G.P.:

Genome analysis and gene expression profiling of neuroblastoma and ganglioneuroblastoma reveal differences between neuroblastic and Schwannian stromal cells

J Pathol 207(3): 346-357 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1843/full>

Comba A, Dunn PJ, Kish PE, Kadiyala P, Kahana A, Castro MG, Lowenstein PR:

Laser Capture Microdissection of Glioma Subregions for Spatial and Molecular Characterization of Intratumoral Heterogeneity, Oncostreams, and Invasion

J Vis Exp. 2020 Apr 12;(158). doi: 10.3791/60939.

<https://www.jove.com/video/60939/laser-capture-microdissection-glioma-subregions-for-spatial-molecular>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Cuadrado E, Rosell A, Penalba A, Slevin M, Alvarez-Sabín J, Ortega-Aznar A, Montaner J:

Vascular MMP-9/TIMP-2 and neuronal MMP-10 up-regulation in human brain after stroke: a combined laser microdissection and protein array study

J Proteome Res. 2009 Jun;8(6):3191-7. doi: 10.1021/pr801012x.

<http://dx.doi.org/10.1021/pr801012x>

Danzi MC, Motti D, Avison DJ, Bixby JL, Lemmon VP:

Treatment with analgesics after mouse sciatic nerve injury does not alter expression of wound healing-associated genes

NEURAL REGENERATION RESEARCH, January 2016, Volume 11, Issue 1

http://www.nrronline.org/temp/NeuralRegenRes111144-2061052_054330.pdf

Datson NA, Meijer L, Steenberg PJ, Morsink MC, van der Laan S, Meijer OC, and de Kloet ER:

Expression profiling in laser-microdissected hippocampal subregions in rat brain reveals large subregion-specific differences in expression

Eur J Neurosci 20(10): 2541-2554 (2004)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1460-9568.2004.03738.x/full>

Datta D, Arion D, Corradi JP and Lewis AL:

Altered expression of CDC42 signaling pathway components in cortical layer 3 pyramidal cells in schizophrenia

Biological Psychiatry, 2015 Apr 10; doi: 10.1016/j.biopsych.2015.03.030

<http://www.biologicalpsychiatryjournal.com/article/S0006-3223%2815%2900285-1/abstract>

Datta D, Arion D and Lewis DA:

Developmental Expression Patterns of GABAA Receptor Subunits in Layer 3 and 5 Pyramidal Cells of Monkey Prefrontal Cortex

Cereb. Cortex (2014) doi: 10.1093/cercor/bhu040; March 7, 2014

<http://cercor.oxfordjournals.org/content/early/2014/03/06/cercor.bhu040.abstract>

Datta D, Arion D, Roman KM, Volk DW, Lewis DA:

Altered Expression of ARP2/3 Complex Signaling Pathway Genes in Prefrontal Layer 3 Pyramidal Cells in Schizophrenia

Am J Psychiatry. 2016 Aug 13;appiajp201616020204.

http://psychiatryonline.org/doi/abs/10.1176/appi.ajp.2016.16020204?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

de Campo DM, Cameron JL, Miano JM, Lewis DA, Mirnics K, Fudge JL:

Maternal deprivation alters expression of neural maturation gene *tbr1* in the amygdala paralaminar nucleus in infant female macaques

Dev Psychobiol. 2016 Dec 4. doi: 10.1002/dev.21493.

<http://dx.doi.org/10.1002/dev.21493>

De Paola E, Forcina L, Pelosi L, Pisu S, La Rosa P, Cesari E, Nicoletti C, Madaro L, Mercatelli N, Biamonte F, Nobili A, D'Amelio M, De Bardi M, Volpe E, Caporossi D, Sette C, Musarò A, Paronetto MP:
Sam68 splicing regulation contributes to motor unit establishment in the postnatal skeletal muscle
Life Sci Alliance. 2020 Aug 4;3(10):e201900637. doi: 10.26508/lsa.201900637.

<https://www.life-science-alliance.org/content/lsa/3/10/e201900637.full.pdf>

de Retana SF, Marazuela P, Solé M, Colell G, Bonaterra A, Sánchez-Quesada JL, Montaner J, MasPOCH D, Cano-Sarabia M, Hernández-Guillamon M:

Peripheral administration of human recombinant ApoJ/clusterin modulates brain beta-amyloid levels in APP23 mice

Alzheimers Res Ther. 2019 May 10;11(1):42. doi: 10.1186/s13195-019-0498-8.

<https://alzres.biomedcentral.com/articles/10.1186/s13195-019-0498-8>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion
Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Del Turco D, Paul MH, Schlaudraff J, Hick M, Endres K, Müller UC, and Deller T:

Region-Specific Differences in Amyloid Precursor Protein Expression in the Mouse Hippocampus
Front. Mol. Neurosci., 29 November 2016

<http://dx.doi.org/10.3389/fnmol.2016.00134>

Del Turco D, Schlaudraff J, Bonin M, Deller T:

Upregulation of APP, ADAM10 and ADAM17 in the Denervated Mouse Dentate Gyrus

PLoS ONE 9(1): e84962. doi:10.1371/journal.pone.0084962

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0084962>

Delvaux E, Mastroeni D, Nolz J, Coleman PD:

Novel method to ascertain chromatin accessibility at specific genomic loci from frozen brain homogenates and laser capture microdissected defined cells

Neuroepigenetics, 17 Mar 2016, doi:10.1016/j.nepig.2016.03.001

<http://www.sciencedirect.com/science/article/pii/S2214784515300128>

Deng W, Xing C, David R, Mastroeni D, Ning MM, Lo EH, Coleman PD:

AmpliSeq Transcriptome of Laser Captured Neurons from Alzheimer Brain: Comparison of Single Cell Versus Neuron Pools

Aging and Disease, Volume 10, Number 6; xxx-xx, December 2019

<http://dx.doi.org/10.14336/AD.2019.0225>

Dienel SJ, Bazmi HH, Lewis DA:

Development of transcripts regulating dendritic spines in layer 3 pyramidal cells of the monkey prefrontal cortex: Implications for the pathogenesis of schizophrenia

Neurobiol Dis. 2017 May 30. pii: S0969-9961(17)30125-0. doi: 10.1016/j.nbd.2017.05.016.

[https://linkinghub.elsevier.com/retrieve/pii/S0969-9961\(17\)30125-0](https://linkinghub.elsevier.com/retrieve/pii/S0969-9961(17)30125-0)

Diodato A, Ruinart de Brimont M, Yim YS, Derian N, Perrin S, Pouch J, Klatzmann D, Garel S, Choi GB, Fleischmann A:

Molecular signatures of neural connectivity in the olfactory cortex

Nat Commun. 2016 Jul 18;7:12238. doi: 10.1038/ncomms12238.

<http://www.nature.com/ncomms/2016/160718/ncomms12238/full/ncomms12238.html>

Doi M, Murai I, Kunisue S, Setsu G, Uchio N, Tanaka R, Kobayashi S, Shimatani H, Hayashi H, Chao HW, Nakagawa Y, Takahashi Y, Hotta Y, Yasunaga J, Matsuoka M, Hastings MH, Kiyonari H, Okamura H:

Gpr176 is a Gz-linked orphan G-protein-coupled receptor that sets the pace of circadian behaviour

Nat Commun. 2016 Feb 17;7:10583. doi: 10.1038/ncomms10583.

<http://dx.doi.org/10.1038/ncomms10583>

Dornieden S, Müller-Schiffmann A, Sticht H, Jiang N, Cinar Y, Wördehoff M, Korth C, Funke SA, Willbold D:

Characterization of a single-chain variable fragment recognizing a linear epitope of a β : a biotechnical tool for studies on Alzheimer's disease?

PLoS One. 2013;8(3):e59820. doi: 10.1371/journal.pone.0059820.

<http://dx.plos.org/10.1371/journal.pone.0059820>

Doucet-Beaupré H, Gilbert C, Profes MS, Chabrat A, Pacelli C, Giguère N, Rioux V, Charest J, Deng Q, Laguna A, Ericson J, Perlmann T, Ang SL, Cicchetti F, Parent M, Trudeau LE, Lévesque M :

Lmx1a and Lmx1b regulate mitochondrial functions and survival of adult midbrain dopaminergic neurons

Proc Natl Acad Sci U S A. 2016 Jul 12. pii: 201520387.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=27407143>

Dragicevic E, Poetschke C, Duda J, Schlaudraff F, Lammel S, Schiemann J, Fauler M, Hetzel A, Watanabe M, Lujan R, Malenka RC, Striessnig J, Liss B:

Cav1.3 channels control D2-autoreceptor responses via NCS-1 in substantia nigra dopamine neurons

Brain. 2014 Jun 16. pii: awu131.

<http://brain.oxfordjournals.org/content/early/2014/06/16/brain.awu131.full>

Drexel M, Puhakka N, Kirchmair E, Hörtnagl H, Pitkänen A, Sperk G:

Expression of GABA receptor subunits in the hippocampus and thalamus after experimental traumatic brain injury

Neuropharmacology. 2014 Sep 16. pii: S0028-3908(14)00306-2. doi: 10.1016/j.neuropharm.2014.08.023.

<http://www.sciencedirect.com/science/article/pii/S0028390814003062>

Drummond E, Nayak S, Faustin A, Pires G, Hickman RA, Askenazi M, Cohen M, Haldiman T, Kim C, Han X, Shao Y, Safar JG, Ueberheide B, Wisniewski T:

Proteomic differences in amyloid plaques in rapidly progressive and sporadic Alzheimer's disease

Acta Neuropathol. 2017 Mar 4. doi: 10.1007/s00401-017-1691-0.

<https://dx.doi.org/10.1007/s00401-017-1691-0>

Drummond E, Nayak S, Pires G, Ueberheide B, Wisniewski T:

Isolation of Amyloid Plaques and Neurofibrillary Tangles from Archived Alzheimer's Disease Tissue Using Laser-Capture Microdissection for Downstream Proteomics

Methods Mol Biol. 2018;1723:319-334. doi: 10.1007/978-1-4939-7558-7_18

https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_18

Drummond ES, Nayak S, Ueberheide B, Wisniewski T:

Proteomic analysis of neurons microdissected from formalin-fixed, paraffin-embedded Alzheimer's disease brain tissue

Sci Rep. 2015 Oct 21;5:15456. doi: 10.1038/srep15456.

<http://dx.doi.org/10.1038/srep15456>

Duda J, Fauler M, Gründemann J, Liss B:

Cell-Specific RNA Quantification in Human SN DA Neurons from Heterogeneous Post-mortem Midbrain Samples by UV-Laser Microdissection and RT-qPCR

Methods Mol Biol. 2018;1723:335-360. doi: 10.1007/978-1-4939-7558-7_19.

https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_19

Dzitoyeva S, Chen H, Manev H:

Effect of aging on 5-hydroxymethylcytosine in brain mitochondria

Neurobiol Aging. 2012 Mar 22. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0197-4580\(12\)00151-0](http://linkinghub.elsevier.com/retrieve/pii/S0197-4580(12)00151-0)

Elstner M, Morris CM, Heim K, Bender A, Mehta D, Jaros E, Klopstock T, Meitinger T, Turnbull DM, Prokisch H:

Expression analysis of dopaminergic neurons in Parkinson's disease and aging links transcriptional dysregulation of energy metabolism to cell death

Acta Neuropathol. 2011 Jul;122(1):75-86

<http://www.springerlink.com/content/e2w286484498651g/>

Elstner M, Morris CM, Heim K, Lichtner P, Bender A, Mehta D, Schulte C, Sharma M, Hudson G, Goldwurm S, Giovanetti A, Zeviani M, Burn DJ, McKeith IG, Perry RH, Jaros E, Krüger R, Wichmann HE, Schreiber S, Campbell H, Wilson JF, Wright AF, Dunlop M, Pistis G, Toniolo D, Chinnery PF, Gasser T, Klopstock T, Meitinger T, Prokisch H, Turnbull DM:

Single-cell expression profiling of dopaminergic neurons combined with association analysis identifies pyridoxal kinase as Parkinson's disease gene

Ann Neurol 66(6):792-8 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.21780/full>

Elstner M, Muller SK, Leidolt L, Laub C, Krieg L, Schlaudraff F, Liss B, Morris C, Turnbull DM, Masliah E, Prokisch H, Klopstock T, Bender A:

Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions

Mol Brain. 2011 Dec 21;4(1):43.

<http://www.molecularbrain.com/content/4/1/43/abstract>

Enwright III JF, Huo Z, Arion D, Corradi JP, Tseng G, Lewis DA:

Transcriptome Alterations of Prefrontal Cortical Parvalbumin Neurons in Schizophrenia

Mol Psychiatry. 2018 Jul;23(7):1606-1613. doi: 10.1038/mp.2017.216.

<http://dx.doi.org/10.1038/mp.2017.216>

Farini D, Cesari E, Weatheritt RJ, La Sala G, Naro C, Pagliarini V, Bonvissuto D, Medici V, Guerra M, Di Pietro C, Rizzo FR, Musella A, Carola V, Centonze D, Blencowe BJ, Marazziti D, Sette C:

A Dynamic Splicing Program Ensures Proper Synaptic Connections in the Developing Cerebellum

Cell Rep. 2020 Jun 2;31(9):107703. doi: 10.1016/j.celrep.2020.107703.

[https://linkinghub.elsevier.com/retrieve/pii/S2211-1247\(20\)30673-2](https://linkinghub.elsevier.com/retrieve/pii/S2211-1247(20)30673-2)

Fededa JP, Esk C, Mierzwa B, Stanyte R, Yuan S, Zheng H, Ebnet K, Yan W, Knoblich JA, Gerlich DW:

MicroRNA-34/449 controls mitotic spindle orientation during mammalian cortex development

EMBO J. 2016 Oct 5. pii: e201694056.

<http://emboj.embopress.org/cgi/pmidlookup?view=long&pmid=27707753>

Feldkirchner S, Schessl J, Müller S, Schoser B, Hanisch FG:

Patient-specific protein aggregates in myofibrillar myopathies: laser microdissection and differential proteomics for identification of plaque components

Proteomics. 2012 Dec;12(23-24):3598-609. doi: 10.1002/pmic.201100559.

<http://dx.doi.org/10.1002/pmic.201100559>

Figueroa JJ, Peter Bosch E, Dyck PJ, Singer W, Vrana JA, Theis JD, Dogan A, Klein CJ:
Amyloid-like IgM deposition neuropathy: a distinct clinico-pathologic and proteomic profiled disorder

J Peripher Nerv Syst. 2012 Jun;17(2):182-90. doi: 10.1111/j.1529-8027.2012.00406.x.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1529-8027.2012.00406.x/abstract>

Fink KL, López-Giráldez F, Kim IJ, Strittmatter SM, Cafferty WB :
Identification of Intrinsic Axon Growth Modulators for Intact CNS Neurons after Injury

Cell Rep. 2017 Mar 14;18(11):2687-2701. doi: 10.1016/j.celrep.2017.02.058.
[https://linkinghub.elsevier.com/retrieve/pii/S2211-1247\(17\)30256-5](https://linkinghub.elsevier.com/retrieve/pii/S2211-1247(17)30256-5)

Ford, C.P. and Williams, J.T.:
Mesoprefrontal dopamine neurons distinguish themselves

Neuron 57(5): 631-632 (2008)
<http://www.cell.com/neuron/retrieve/pii/S0896627308001815>

Frank, S., Burbach, G.J., Bonin, M., Walter, M., Streit, W., Bechmann, I., and Deller, T.:
TREM2 is upregulated in amyloid plaque-associated microglia in aged APP23 transgenic mice

Glia (2008)
<http://onlinelibrary.wiley.com/doi/10.1002/glia.20710/full>

Frank S, Copanaki E, Burbach GJ, Müller UC, Deller T:
Differential regulation of toll-like receptor mRNAs in amyloid plaque-associated brain tissue of aged APP23 transgenic mice

Neurosci Lett. 453(1):41-4 (2009)
<http://dx.doi.org/10.1016/j.neulet.2009.01.075>

Fuchs A, Kutterer S, Mühlhling T, Duda J, Schütz B, Liss B, Keller BU, Roeper J:
Selective mitochondrial Ca²⁺ uptake deficit in disease endstage vulnerable motoneurons of the SOD1G93A mouse model of amyotrophic lateral sclerosis

J Physiol. 2013 Feb 11. [Epub ahead of print]
<http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2012.247981/abstract>

Fujimura RK, Reiner T, Ma F, Phillips V, de las Pozas A, Dickson DW, Roos BA, Howard GA, Perez-Stable C:

Changes in the Expression of Genes Associated with Intraneuronal Amyloid- β and Tau in Alzheimer's Disease

J Alzheimers Dis. 2010;19(1):97-109
<http://iospress.metapress.com/content/851u86918j027n36/>

Fujimura M, Usuki F:
In situ different antioxidative systems contribute to the site-specific methylmercury neurotoxicity in mice

Toxicology. 2017 Oct 13;392:55-63. doi: 10.1016/j.tox.2017.10.004.
[https://linkinghub.elsevier.com/retrieve/pii/S0300-483X\(17\)30307-4](https://linkinghub.elsevier.com/retrieve/pii/S0300-483X(17)30307-4)

Fujimura M, Usuki F:
Low in situ expression of antioxidative enzymes in rat cerebellar granular cells susceptible to methylmercury

Arch Toxicol. 2013 Jul 6.
<http://dx.doi.org/10.1007/s00204-013-1089-2>

Fukazawa, Y., Saitoh, Y., Ozawa, F., Ohta, Y., Mizuno, K., and Inokuchi, K.:
Hippocampal LTP is accompanied by enhanced F-actin content within the dendritic spine that is essential for late LTP maintenance in vivo

Neuron 38(3): 447-460 (2003)

<http://www.cell.com/neuron/retrieve/pii/S089662730300206X>

Gabery S, Salinas CG, Paulsen SJ, Ahnfelt-Rønne J, Alanentalo T, Baquero AF, Buckley ST, Farkas E, Fekete C, Frederiksen KS, Helms HCC, Jeppesen JF, John LM, Pyke C, Nøhr J, Lu TT, Poley-Wolf J, Prevot V, Raun K, Simonsen L, Sun G, Szilvásy-Szabó A, Willenbrock H, Secher A, Knudsen LB :

Semaglutide lowers body weight in rodents via distributed neural pathways

JCI Insight. 2020 Mar 26;5(6). pii: 133429. doi: 10.1172/jci.insight.133429.

<https://insight.jci.org/articles/view/133429/pdf>

García-Berrocoso T, Llombart V, Colàs-Campàs L, Hainard A, Licker V, Penalba A, Ramiro L, Simats A, Bustamante A, Martínez-Saez E, Canals F, Sanchez JC, Montaner J:

Single Cell Immuno-laser Microdissection Coupled to Label-free Proteomics to Reveal the Proteotypes of Human Brain Cells After Ischemia

Mol Cell Proteomics. 2017 Nov 13. pii: mcp.RA117.000419. doi: 10.1074/mcp.RA117.000419.

<http://www.mcponline.org/cgi/pmidlookup?view=long&pmid=29133510>

Garcia-Ovejero D, Arevalo-Martin A, Paniagua-Torija B, Florensa-Vila J, Ferrer I, Grassner L, Molina-Holgado E:

The ependymal region of the adult human spinal cord differs from other species and shows ependymoma-like features

Brain. 2015 Apr 15. pii: awv089.

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=25882650>

Garcia-Ovejero D, Paniagua-Torija B, Arevalo-Martin A, Navarro-Galve B, Molina-Holgado E:

Laser-Capture Microdissection for the Analysis of Rat and Human Spinal Cord Ependyma by qPCR

Methods Mol Biol. 2018;1723:285-318. doi: 10.1007/978-1-4939-7558-7_17.

https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_17

Garst-Orozco J, Malik R, Lanz TA, Weber ML, Xi H, Arion D, Enwright JF 3rd, Lewis DA, O'Donnell P, Sohal VS, Buhl DL:

GluN2D-mediated excitatory drive onto medial prefrontal cortical PV+ fast-spiking inhibitory interneurons

PLoS One. 2020 Jun 4;15(6):e0233895. doi: 10.1371/journal.pone.0233895. eCollection 2020.

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0233895>

Gąska M, Kuśmider M, Solich J, Faron-Górecka A, Krawczyk MJ, Kułakowski K, Dziedzicka-Wasylewska M:

Analysis of region-specific changes in gene expression upon treatment with citalopram and desipramine reveals temporal dynamics in response to antidepressant drugs at the transcriptome level

Psychopharmacology (Berl). 2012 May 1. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00213-012-2714-0>

Gill BC, Balog BM, Dissaranan C, Jiang HH, Steward JB, Lin DL, Damaser MS

Neurotrophin therapy improves recovery of the neuromuscular continence mechanism following simulated birth injury in rats

NeuroUrol Urodyn. 2012 May 11. doi: 10.1002/nau.22264

<http://dx.doi.org/10.1002/nau.22264>

Glaschke A, Weiland J, Del Turco D, Steiner M, Peichl L, Glösmann M:

Thyroid Hormone Controls Cone Opsin Expression in the Retina of Adult Rodents

J Neurosci. 31(13):4844-51. (2011)

<http://www.jneurosci.org/content/31/13/4844.long>

Gonzalez-Fernandez C, Arevalo-Martin A, Paniagua-Torija B, Ferrer I, Rodriguez FJ, Garcia-Ovejero D:

Wnts Are Expressed in the Ependymal Region of the Adult Spinal Cord

Mol Neurobiol. 2016 Oct 8.

<http://dx.doi.org/10.1007/s12035-016-0132-8>

Green H, Zhang X, Tiklova K, Volakakis N, Brodin L, Berg L, Greengard P, Perlmann T, Svenningsson P:

Alterations of p11 in brain tissue and peripheral blood leukocytes in Parkinson's disease

Proc Natl Acad Sci U S A. 2017 Jan 30. pii: 201621218. doi: 10.1073/pnas.1621218114.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=28137881>

Grinberg YY1, Zitzow LA2, Kraig RP:

Intranasally administered IGF-1 inhibits spreading depression in vivo

Brain Res. 2017 Dec 15;1677:47-57. doi: 10.1016/j.brainres.2017.09.022. Epub 2017 Sep 23.

[https://linkinghub.elsevier.com/retrieve/pii/S0006-8993\(17\)30419-5](https://linkinghub.elsevier.com/retrieve/pii/S0006-8993(17)30419-5)

Grundemann, J., Schlaudraff, F., Haeckel, O., and Liss, B.:

Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease

Nucleic Acids Res 36(7): e38 (2008)

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Gründemann J, Schlaudraff F, Liss B:

UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains

Methods Mol Biol. 2011;755:363-74

<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Grycz K, Głowacka A, Ji B, Czarkowska-Bauch J, Gajewska-Woźniak O, Skup M

Early pre- and postsynaptic decrease in glutamatergic and cholinergic signaling after spinalization is not modified when stimulating proprioceptive input to the ankle extensor α -motoneurons: Anatomical and neurochemical study

PLoS One. 2019 Sep 26;14(9):e0222849. doi: 10.1371/journal.pone.0222849. eCollection 2019.

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0222849>

Hara M, Kobayakawa K, Ohkawa Y, Kumamaru H, Yokota K, Saito T, Kijima K, Yoshizaki S, Harimaya K, Nakashima Y, Okada S:

Interaction of reactive astrocytes with type I collagen induces astrocytic scar formation through the integrin-N-cadherin pathway after spinal cord injury

Nat Med. 2017 Jul;23(7):818-828. doi: 10.1038/nm.4354.

<http://www.nature.com/articles/nm.4354>

Hasselblatt, M., Bohm, C., Tatenhorst, L., Dinh, V., Newrzella, D., Keyvani, K., Jeibmann, A., Buerger, H., Rickert, C.H., and Paulus, W.:

Identification of novel diagnostic markers for choroid plexus tumors: a microarray-based approach

Am J Surg Pathol 30(1): 66-74 (2006)

<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2006&issue=01000&article=00010&type=abstract>

Haulcomb MM, Mesnard NA, Batka RJ, Alexander TD, Sanders VM, Jones KJ:

Axotomy-induced target disconnection promotes an additional death mechanism involved in motoneuron degeneration in ALS transgenic mice

J Comp Neurol. 2014 Jan 15. doi: 10.1002/cne.23538.

<http://onlinelibrary.wiley.com/doi/10.1002/cne.23538/abstract>

Hawrylycz MJ, Lein ES, Guillozet-Bongaarts AL, Shen EH, Ng L, Miller JA, van de Lagemaat LN, Smith KA, Ebbert A, Riley ZL, Abajian C, Beckmann CF, Bernard A, Bertagnolli D, Boe AF, Cartagena PM, Chakravarty MM, Chapin M, Chong J, Dalley RA, Daly BD, Dang C, Datta S, Dee N, Dolbeare TA, Faber V, Feng D, Fowler DR, Goldy J, Gregor BW, Haradon Z, Haynor DR, Hohmann JG, Horvath S, Howard RE, Jeromin A, Jochim JM, Kinnunen M, Lau C, Lazarz ET, Lee C, Lemon TA, Li L, Li Y, Morris JA, Overly CC, Parker PD, Parry SE, Reding M, Royall JJ, Schulkin J, Sequeira PA, Slaughterbeck CR, Smith SC, Sodt AJ, Sunkin SM, Swanson BE, Vawter MP, Williams D, Wahnoutka P, Zielke HR, Geschwind DH, Hof PR, Smith SM, Koch C, Grant SG, Jones AR:

An anatomically comprehensive atlas of the adult human brain transcriptome

Nature. 2012 Sep 20;489(7416):391-9. doi: 10.1038/nature11405.

<http://www.nature.com/nature/journal/v489/n7416/full/nature11405.html>

Hawrylycz M, Miller JA, Menon V, Feng D, Dolbeare T, Guillozet-Bongaarts AL, Jegga AG, Aronow BJ, Lee CK, Bernard A, Glasser MF, Dierker DL, Menche J, Szafer A, Collman F, Grange P, Berman KA, Mihalas S, Yao Z, Stewart L, Barabási AL, Schulkin J, Phillips J, Ng L, Dang C, Haynor DR, Jones A, Van Essen DC, Koch C, Lein E :

Canonical genetic signatures of the adult human brain

Nat Neurosci. 2015 Nov 16. doi: 10.1038/nn.4171.

<http://dx.doi.org/10.1038/nn.4171>

Hawrylycz M, Ng L, Feng D, Sunkin S, Szafer A, Dang C:

The Allen Brain Atlas

Springer Handbook of Bio-/Neuroinformatics, 2014, pp 1111-1126

http://link.springer.com/chapter/10.1007/978-3-642-30574-0_62#

Hayden EY, Putman J, Nunez S, Shin WS, Oberoi M, Charreton M, Dutta S, Li Z, Komuro Y, Joy MT, Bitan G, MacKenzie-Graham A, Jiang L, Hinman JD:

Ischemic axonal injury up-regulates MARK4 in cortical neurons and primes tau phosphorylation and aggregation

Acta Neuropathol Commun. 2019 Aug 20;7(1):135. doi: 10.1186/s40478-019-0783-6.

<https://actaneurocomms.biomedcentral.com/track/pdf/10.1186/s40478-019-0783-6>

Heine S, Michalakakis S, Kallenborn-Gerhardt W, Lu R, Lim HY, Weiland J, Del Turco D, Deller T, Tegeder I, Biel M, Geisslinger G, Schmidtko A:

CNGA3: A Target of Spinal Nitric Oxide/cGMP Signaling and Modulator of Inflammatory Pain Hypersensitivity

J Neurosci. 2011 Aug 3;31(31):11184-92

<http://www.jneurosci.org/content/31/31/11184.long>

Henriques A, Kastner S, Chatzikonstantinou E, Pitzer C, Plaas C, Kirsch F, Wafzig O, Carola K, Spoelgen R, Gonzalez_de_aguilera J, Gretz N and Schneider A:

Gene expression changes in spinal motoneurons of the SOD1G93A transgenic model for ALS after treatment with G-CSF

Front. Cell. Neurosci. 8:464. (2014) doi:10.3389/fncel.2014.00464

<http://journal.frontiersin.org/Journal/10.3389/fncel.2014.00464/abstract>

Henriques A, Kastner S, Wafzig O, Gonzalez De Aguilera JL, Schneider A :

Analytical sequence to study G-CSF effect on the transcriptome of isolated spinal motor neurons from SOD1 G93A mice, an animal model for amyotrophic lateral sclerosis

Genomics Data 28 Feb 2015, doi:10.1016/j.gdata.2015.02.003

<http://www.sciencedirect.com/science/article/pii/S2213596015000161>

Hermkens DMA, Stam OCG, de Wit NM, Fontijn RD, Jongejan A, Moerland PD, Mackaaij C, Waas ISE, Daemen MJAP, de Vries HE:

Profiling the unique protective properties of intracranial arterial endothelial cells

Acta Neuropathol Commun. 2019 Oct 14;7(1):151. doi: 10.1186/s40478-019-0805-4.
<https://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-019-0805-4>

Hideyama T, Teramoto S, Hachiga K, Yamashita T, Kwak S:
Co-Occurrence of TDP-43 Mislocalization with Reduced Activity of an RNA Editing Enzyme, ADAR2, in Aged Mouse Motor Neurons
PLoS One. 2012;7(8):e43469.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043469>

Hinna KH, Rich K, Fex-Svenningsen Å, Benedikz E:
The Rat Homolog of the Schizophrenia Susceptibility Gene ZNF804A Is Highly Expressed during Brain Development, Particularly in Growth Cones
PLoS One. 2015 Jul 6;10(7):e0132456. doi: 10.1371/journal.pone.0132456. eCollection 2015.
<http://dx.plos.org/10.1371/journal.pone.0132456>

Hoftman GD, Dienel SJ, Bazmi HH, Zhang Y, Chen KLewis DA:
Altered Gradients of Glutamate and GABA Transcripts in the Cortical Visuospatial Working Memory Network in Schizophrenia
Biological Psychiatry, 06 Dec 2017, <http://dx.doi.org/10.1016/j.biopsych.2017.11.029>
[http://www.biologicalpsychiatryjournal.com/article/S0006-3223\(17\)32250-3/fulltext](http://www.biologicalpsychiatryjournal.com/article/S0006-3223(17)32250-3/fulltext)

Hommel, J.D., Sears, R.M., Georgescu, D., Simmons, D.L., and DiLeone, R.J.:
Local gene knockdown in the brain using viral-mediated RNA interference
Nat Med 9(12): 1539-1544 (2003)
<http://www.nature.com/nm/journal/v9/n12/full/nm964.html>

Hondius DC, Eigenhuis KN, Morrema THJ, van der Schors RC, van Nierop P, Bugiani M, Li KW, Hoozemans JJM, Smit AB, Rozemuller AJM:
Proteomics analysis identifies new markers associated with capillary cerebral amyloid angiopathy in Alzheimer's disease
Acta Neuropathol Commun. 2018 Jun 4;6(1):46. doi: 10.1186/s40478-018-0540-2.
<https://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-018-0540-2>

Hondius DC, Hoozemans JJM, Rozemuller AJM, Li KW, Smit AB:
A Laser Microdissection-Liquid Chromatography-Tandem Mass Spectrometry Workflow for Post-mortem Analysis of Brain Tissue
Methods Mol Biol. 2018;1723:371-383. doi: 10.1007/978-1-4939-7558-7_21.
https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_21

Hondius DC, Hoozemans JJM, Rozemuller AJM, Li KW, Smit AB:
Laser Microdissection for Spatial Proteomics of Postmortem Brain Tissue
Neuroproteomics, 2019, Springer New York CY
https://link.springer.com/protocol/10.1007/978-1-4939-9662-9_4

Hondius DC, van Nierop P, Li KW, Hoozemans JJ, van der Schors RC, van Haastert ES, van der Vies SM, Rozemuller AJ, Smit AB:
Profiling the human hippocampal proteome at all pathologic stages of Alzheimer's disease
Alzheimers Dement. 2016 Jun;12(6):654-68. doi: 10.1016/j.jalz.2015.11.002.
[http://linkinghub.elsevier.com/retrieve/pii/S1552-5260\(15\)02987-8](http://linkinghub.elsevier.com/retrieve/pii/S1552-5260(15)02987-8)

Huang P, Li H, Gao W, Cai Z, Tian R:
A Fully Integrated Spintip-Based Approach for Sensitive and Quantitative Profiling of Region-Resolved in Vivo Brain Glycoproteome
Anal Chem. 2019 Jul 16;91(14):9181-9189. doi: 10.1021/acs.analchem.9b01930.
<https://dx.doi.org/10.1021/acs.analchem.9b01930>

Hurley JH, Kunkler PE, Zhang L, Knopp KL, Oxford GS:

Role of Intraganglionic Transmission in the Trigeminovascular Pathway

Mol Pain. 2019 Feb 20;1744806919836570. doi: 10.1177/1744806919836570.

http://journals.sagepub.com/doi/full/10.1177/1744806919836570?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Hutson TH, . Kathe C, Palmisano I, Bartholdi K, Hervera A , De Virgiliis F, McLachlan E, Zhou L, Kong G, Barraud Q, Danzi MC, Medrano-Fernandez A, Lopez-Atalaya J, Boutillier AL, Sinha SH, Singh AK, Chaturbedy P, Moon LDF, Kundu TK, Bixby JL, Lemmon VP, Barco A, Courtine G, and Di Giovanni S:

Environmental enrichment induces axon regeneration and recovery after peripheral and spinal injuries via activity mediated CBP-dependent histone acetylation: a druggable pathway

Researchgate, #332345556

https://www.researchgate.net/profile/Lawrence_Moon/publication/332345556_Cbp-dependent_histone_acetylation_mediates_axon_regeneration_induced_by_environmental_enrichment_in_rodent_spinal_cord_injury_models/links/5cbe2279a6fdcc1d49a86753/Cbp-dependent-histone-acetylation-mediates-axon-regeneration-induced-by-environmental-enrichment-in-rodent-spinal-cord-injury-models.pdf

Huusko N, Pitkänen A:

Parvalbumin Immunoreactivity and Expression of GABA_A Receptor Subunits in the Thalamus after Experimental TBI

Neuroscience, 4 March 2014

<http://dx.doi.org/10.1016/j.neuroscience.2014.02.026>

Ichikawa T, Arai M, Miyashita M, Arai M, Obata N, Nohara I, Ohshima K, Niizato K, Okazaki Y, Doi N, Itokawa M:

Maternal inheritance and heteroplasmy of mtDNA mutations

Molecular Genetics and Metabolism, Available online 8 October 2011, ISSN 1096-7192, 10.1016/j.ymgme.2011.09.034.

<http://www.sciencedirect.com/science/article/pii/S1096719211003453>

Ikeshima-Kataoka H, Abe Y, Abe T, Yasui M:

Immunological function of aquaporin-4 in stab-wounded mouse brain in concert with a pro-inflammatory cytokine inducer, osteopontin

Mol Cell Neurosci. 2013 Feb 18. pii: S1044-7431(13)00020-1. doi: 10.1016/j.mcn.2013.02.002.

[http://linkinghub.elsevier.com/retrieve/pii/S1044-7431\(13\)00020-1](http://linkinghub.elsevier.com/retrieve/pii/S1044-7431(13)00020-1)

Inoue Y, Ueda M, Tasaki M, Takeshima A, Nagatoshi A, Masuda T, Misumi Y, Kosaka T, Nomura T, Mizukami M, Matsumoto S, Yamashita T, Takahashi H, Kakita A, Ando Y:

Sushi repeat-containing protein 1: a novel disease-associated molecule in cerebral amyloid angiopathy

Acta Neuropathol. 2017 May 6. doi: 10.1007/s00401-017-1720-z.

<https://dx.doi.org/10.1007/s00401-017-1720-z>

Ishii K, Kubo K, Endo T, Yoshida K, Benner S, Ito Y, Aizawa H, Aramaki M, Yamanaka A, Tanaka K, Takata N, Tanaka KF, Mimura M, Tohyama C, Kakeyama M, Nakajima K:

Neuronal Heterotopias Affect the Activities of Distant Brain Areas and Lead to Behavioral Deficits

J Neurosci. 2015 Sep 9;35(36):12432-45. doi: 10.1523/JNEUROSCI.3648-14.2015.

<http://www.jneurosci.org/cgi/pmidlookup?view=long&pmid=26354912>

Jaillard C, Mouret A, Niepon ML, Clérin E, Yang Y, Lee-Rivera I, Ait-Ali N, Millet-Puel G, Cronin T, Sedmak T, Raffelsberger W, Kinzel B, Trembleau A, Poch O, Bennett J, Wolfrum U, Lledo PM, Sahel JA, Lévillard T:

Nxn12 splicing results in dual functions in neuronal cell survival and maintenance of cell integrity

Hum Mol Genet. 2012 Feb 15. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/02/15/hmg.dds050.abstract>

Kadkhodaei B, Alvarsson A, Schintu N, Ramsköld D, Volakakis N, Joodmardi E, Yoshitake T, Kehr J, Decressac M, Björklund A, Sandberg R, Svenningsson P, Perlmann T :

Transcription factor Nurr1 maintains fiber integrity and nuclear-encoded mitochondrial gene expression in dopamine neurons

Proc Natl Acad Sci U S A. 2013 Jan 22.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23341612>

Kallenborn-Gerhardt W, Lu R, Lorenz J, Gao W, Weiland J, Del Turco D, Deller T, Laube B, Betz H, Geisslinger G, Schmidtko A:

Prolonged zymosan-induced inflammatory pain hypersensitivity in mice lacking glycine receptor alpha2

Behav Brain Res. 2012 Jan 1;226(1):106-11.

[http://linkinghub.elsevier.com/retrieve/pii/S0166-4328\(11\)00658-9](http://linkinghub.elsevier.com/retrieve/pii/S0166-4328(11)00658-9)

Kanaan, A., Farahani, R., Douglas, R.M., Lamanna, J.C., and Haddad, G.G.:

Effect of chronic continuous or intermittent hypoxia and reoxygenation on cerebral capillary density and myelination

Am J Physiol Regul Integr Comp Physiol 290(4): R1105-1114 (2006)

<http://ajpregu.physiology.org/content/290/4/R1105.long>

Kanaya M, Higo S, Ozawa H:

Neurochemical Characterization of Neurons Expressing Estrogen Receptor β in the Hypothalamic Nuclei of Rats Using in Situ Hybridization and Immunofluorescence

Int J Mol Sci. 2019 Dec 23;21(1). pii: E115. doi: 10.3390/ijms21010115.

<http://www.mdpi.com/resolver?pii=ijms21010115>

Kassis H, Shehadah A, Li C, Zhang Y, Cui Y, Roberts C, Sadry N, Liu X, Chopp M, Zhang ZG :

Class IIa histone deacetylases affect neuronal remodeling and functional outcome after stroke

Neurochem Int. 2016 Apr 18. pii: S0197-0186(16)30056-0. doi: 10.1016/j.neuint.2016.04.006.

[http://linkinghub.elsevier.com/retrieve/pii/S0197-0186\(16\)30056-0](http://linkinghub.elsevier.com/retrieve/pii/S0197-0186(16)30056-0)

Katsel P, Byne W, Roussos P, Tan W, Siever L, Haroutunian V:

Astrocyte and Glutamate Markers in the Superficial, Deep, and White Matter Layers of the Anterior Cingulate Gyrus in Schizophrenia

Neuropsychopharmacology. 2011 May;36(6):1171-7

<http://www.nature.com/npp/journal/v36/n6/full/npp2010252a.html>

Katz IK, Lamprecht R:

Fear conditioning leads to alteration in specific genes' expression in cortical and thalamic neurons that project to the lateral amygdala

J Neurochem. 2014 Oct 28. doi: 10.1111/jnc.12983.

<http://dx.doi.org/10.1111/jnc.12983>

Kelai, S., Maussion, G., Noble, F., Boni, C., Ramoz, N., Moalic, J.M., Peuchmaur, M., Gorwood, P., and Simonneau, M.:

Nrxn3 upregulation in the globus pallidus of mice developing cocaine addiction

Neuroreport 19(7): 751-755 (2008)

<http://journals.lww.com/neuroreport/pages/articleviewer.aspx?year=2008&issue=05070&article=00009&type=abstract>

Kelaï S, Ramoz N, Moalic JM, Noble F, Mechawar N, Imbeaud S, Turecki G, Simonneau M, Gorwood P, Maussion G :

Netrin G1: its downregulation in the nucleus accumbens of cocaine-conditioned mice and genetic association in human cocaine dependence

Addict Biol. 2017 Jan 11. doi: 10.1111/adb.12485.

<http://dx.doi.org/10.1111/adb.12485>

Kennard JT, Guévremont D, Mason-Parker SE, Abraham WC, Williams JM:

Redistribution of Ionotropic Glutamate Receptors Detected by Laser Microdissection of the Rat Dentate Gyrus 48 h following LTP Induction *In Vivo*

PLoS One. 2014 Mar 25;9(3):e92972. doi: 10.1371/journal.pone.0092972. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0092972#pone-0092972-g005>

Khan AM, Grant AH, Martinez A, Burns GAPC, Thatcher BS, Anekonda VT, Thompson BW, Roberts ZS, Moralejo DH, Blevins JE:

Mapping Molecular Datasets Back to the Brain Regions They are Extracted from: Remembering the Native Countries of Hypothalamic Expatriates and Refugees

Adv Neurobiol. 2018;21:101-193. doi: 10.1007/978-3-319-94593-4_6.

<https://www.biorxiv.org/content/early/2018/06/13/307652>

Kim W, Lee Y, McKenna ND, Yi M, Simunovic F, Wang Y, Kong B, Rooney RJ, Seo H, Stephens R, Sonntag KC:

miR-126 contributes to Parkinson disease by dysregulating IGF-1/PI3K signaling

Neurobiology of Aging, 0197-4580

<http://www.neurobiologyofaging.org/article/S0197-4580%2814%2900038-4/abstract>

Khodosevich K, Alfonso J, Monyer H:

Dynamic changes in the transcriptional profile of subventricular zone-derived postnatally born neuroblasts

Mech Dev. 2012 Dec 4. pii: S0925-4773(12)00114-1. doi: 10.1016/j.mod.2012.11.003.

<http://www.sciencedirect.com/science/article/pii/S0925477312001141>

Kley RA, Maerkens A, Olive M, Claeys KG, Hanisch F, van der Ven PFM, Fuerst DO, Mueller T, Marcus K, and Vorgerd M :

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9 , Page 874, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900418-X/abstract>

Kobayakawa K, Ohkawa Y, Yoshizaki S, Tamaru T, Saito T, Kijima K, Yokota K, Hara M, Kubota K, Matsumoto Y, Harimaya K, Ozato K, Masuda T, Tsuda M, Tamura T, Inoue K, Edgerton VR, Iwamoto Y, Nakashima Y, Okada S

Macrophage centripetal migration drives spontaneous healing process after spinal cord injury

Sci Adv. 2019 May 15;5(5):eaav5086. doi: 10.1126/sciadv.aav5086. eCollection 2019 May.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6270/>

Körber C, Dondzillo A, Eisenhardt G, Herrmannsdörfer F, Wafzig O, Kuner T:

Gene expression profile during functional maturation of a central mammalian synapse

Eur J Neurosci. 2014 Jul 3. doi: 10.1111/ejn.12661.

<http://dx.doi.org/10.1111/ejn.12661>

Komabayashi-Suzuki M, Yamanishi E, Watanabe C, Okamura M, Tabata H, Iwai R, Ajioka I, Matsushita J, Kidoya H, Takakura N, Okamoto T, Kinoshita K, Ichihashi M, Nagata KI, Ema M, Mizutani KI:

Spatiotemporally Dependent Vascularization Is Differently Utilized among Neural Progenitor Subtypes during Neocortical Development

Cell Rep. 2019 Oct 29;29(5):1113-1129.e5. doi: 10.1016/j.celrep.2019.09.048.

<https://www.sciencedirect.com/science/article/pii/S2211124719312367#!>

Koob AO, Bruns L, Prassler C, Masliah E, Klopstock T, Bender A:

Protein analysis through Western blot of cells excised individually from human brain and muscle tissue

Anal Biochem. 2012 Mar 5. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0003269712001431>

Kosloski LM, Kosmacek EA, Olson KE, Mosley RL, and Gendelman HE:

GM-CSF induces neuroprotective and anti-inflammatory responses in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine intoxicated mice

Journal of Neuroimmunology, 29 Oct 2013, ISSN 0165-5728

<http://dx.doi.org/10.1016/j.jneuroim.2013.10.009>

Kozlenkov A, Roussos P, Timashpolsky A, Barbu M, Rudchenko S, Bibikova M, Klotzle B, Byne W, Lyddon R, Di Narzo AF, Hurd YL, Koonin EV, Dracheva S :

Differences in DNA methylation between human neuronal and glial cells are concentrated in enhancers and non-CpG sites

Nucleic Acids Res. 2013 Sep 20.

<http://nar.oxfordjournals.org/content/early/2013/09/19/nar.gkt838.abstract>

Krabbe S, Duda J, Schiemann J, Poetschke C, Schneider G, Kandel ER, Liss B, Roeper J, Simpson EH:
Increased dopamine D2 receptor activity in the striatum alters the firing pattern of dopamine neurons in the ventral tegmental area

Proc Natl Acad Sci U S A. 2015 Feb 9. pii: 201500450.

<http://www.pnas.org/cgi/lookup?view=long&pmid=25675529>

Kruse LC, Walter NA, Buck KJ:

Mpdz Expression In The Caudolateral Substantia Nigra Pars Reticulata Is Crucially Involved In Alcohol Withdrawal

Genes Brain Behav. 2014 Aug 11. doi: 10.1111/gbb.12171.

<http://dx.doi.org/10.1111/gbb.12171>

Kumar D, Koyanagi I, Carrier-Ruiz A, Vergara P, Srinivasan S, Sugaya Y, Kasuya M, Yu TS, Vogt KE, Muratani M, Ohnishi T, Singh S, Teixeira CM, Chérasse Y, Naoi T, Wang SH, Nondhalee P, Osman BAH, Kaneko N, Sawamoto K, Kernie SG, Sakurai T, McHugh TJ, Kano M, Yanagisawa M, Sakaguchi M:

Sparse Activity of Hippocampal Adult-Born Neurons during REM Sleep Is Necessary for Memory Consolidation

Neuron. 2020 May 20:S0896-6273(20)30354-8. doi: 10.1016/j.neuron.2020.05.008.

https://pubmed.ncbi.nlm.nih.gov/?term=Kumar+D&cauthor_id=32502462

Ladyman SR, Augustine RA, Scherf E, Phillipps HR, Brown CH, Grattan DR:

Attenuated hypothalamic responses to alpha-melanocyte stimulating hormone during pregnancy in the rat

J Physiol. 2015 Nov 28. doi: 10.1113/JP271605.

<http://dx.doi.org/10.1113/JP271605>

Lammel, S., Hetzel, A., Hackel, O., Jones, I., Liss, B., and Roeper, J.:

Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system

Neuron 57(5): 760-773 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001074>

Landmann EM, Schellong K, Melchior K, Rodekamp E, Ziska T, Harder T, Plagemann A:

Short-term regulation of the hypothalamic melanocortinergic system under fasting and defined glucose-refeeding conditions in rats: A lasercapture microdissection (LMD)-based study

Neurosci Lett. 2012 Apr 25;515(1):87-91.

[http://linkinghub.elsevier.com/retrieve/pii/S0304-3940\(12\)00374-6](http://linkinghub.elsevier.com/retrieve/pii/S0304-3940(12)00374-6)

Lax NZ, Whittaker RG, Hepplewhite PD, Reeve AK, Blakely EL, Jaros E, Ince PG, Taylor RW, Fawcett PR, Turnbull DM:

Sensory neuropathy in patients harbouring recessive polymerase γ mutations

Brain. 2011 Dec 20., doi:10.1093/brain/awr326

<http://brain.oxfordjournals.org/cgi/doi/10.1093/brain/awr326>

Lee AWS, Hengstler H, Schwald K, Berriel-Diaz M, Loreth D, Kirsch M, Kretz O, Haas CA, de Angelis MH, Herzig S, Brümmendorf T, Klingenspor M, Rathjen FG, Rozman J, Nicholson G, Cox RD, Schäfer MKE:

Functional Inactivation of the Genome-Wide Association Study Obesity Gene Neuronal Growth Regulator 1 in Mice Causes a Body Mass Phenotype

PLoS ONE 7(7): e41537. doi:10.1371/journal.pone.0041537

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0041537>

Lee S, Toda T, Kiyama H, Yamashita T:

Weakened rate-dependent depression of Hoffmann's reflex and increased motoneuron hyperactivity after motor cortical infarction in mice

Cell Death Dis. 2014 Jan 16;5:e1007. doi: 10.1038/cddis.2013.544.

<http://www.nature.com/cddis/journal/v5/n1/pdf/cddis2013544a.pdf>

Lee Y, Stevens DA, Kang SU, Jiang H, Lee YI, Ko HS, Scarffe LA, Umanah GE, Kang H, Ham S, Kam TI, Allen K, Brahmachari S, Kim JW, Neifert S, Yun SP, Fiesel FC, Springer W, Dawson VL, Shin JH, Dawson TM:

PINK1 Primes Parkin-Mediated Ubiquitination of PARIS in Dopaminergic Neuronal Survival

Cell Rep. 2017 Jan 24;18(4):918-932. doi: 10.1016/j.celrep.2016.12.090.

<http://www.sciencedirect.com/science/article/pii/S2211124716318125>

Léger C, Dupré N, Aligny C, Bénard M, Lebon A, Henry V, Hauchecorne M, Galas L, Frebourg T, Leroux P, Vivien D, Lecointre M, Marret S, Gonzalez BJ

Glutamate controls vessel-associated migration of GABA interneurons from the pial migratory route via NMDA receptors and endothelial protease activation

Cell Mol Life Sci. 2019 Aug 7. doi: 10.1007/s00018-019-03248-5.

<https://dx.doi.org/10.1007/s00018-019-03248-5>

Lepagnol-Bestel AM, Maussion G, Boda B, Cardona A, Iwayama Y, Delezoide AL, Moalic JM, Muller D, Dean B, Yoshikawa T, Gorwood P, Buxbaum JD, Ramoz N, Simonneau M:

SLC25A12 expression is associated with neurite outgrowth and is upregulated in the prefrontal cortex of autistic subjects

Mol Psychiatry. 2008 Apr;13(4):385-97

<http://www.nature.com/mp/journal/v13/n4/full/4002120a.html>

Licht-Mayer S, Campbell GR, Canizares M, Mehta AR, Gane AB, McGill K, Ghosh A, Fullerton A, Menezes N, Dean J, Dunham J, Al-Azki S, Pryce G, Zandee S, Zhao C, Kipp M, Smith KJ, Baker D, Altmann D, Anderton SM, Kap YS, Laman JD, Hart BA, Rodriguez M, Watzlawick R, Schwab JM, Carter R, Morton N, Zagnoni M, Franklin RJM, Mitchell R, Fleetwood-Walker S, Lyons DA, Chandran S, Lassmann H, Trapp BD, Mahad DJ:

Enhanced axonal response of mitochondria to demyelination offers neuroprotection: implications for multiple sclerosis

Acta Neuropathol. 2020 Jun 22. doi: 10.1007/s00401-020-02179-x.

<https://link.springer.com/content/pdf/10.1007/s00401-020-02179-x.pdf>

Lieberman JA:

A framework for systematic promoter motif discovery and expression profiling from high dimensional brain transcriptome data

Thesis, 2013

http://academiccommons.columbia.edu/download/fedora_content/download/ac:166684/CONTENT/FINAL_A_framework_for_systematic_promoter_motif_discovery_and_expression_profiling_from_high_dimensional_brain_transcriptome_data.pdf

Liebe CH:

Klinische, histopathologische und genetische Charakterisierung der Myofibrillären Myopathien
PhD thesis (German language)

<http://darwin.bth.rwth-aachen.de/opus3/volltexte/2015/5290/pdf/5290.pdf>

Lin AC, Tan CL, Lin CL, Strohlic L, Huang YS, Richter JD, Holt CE:

Cytoplasmic polyadenylation and cytoplasmic polyadenylation element-dependent mRNA regulation are involved in *Xenopus* retinal axon development

Neural Dev. 2009 Mar 2;4:8. doi: 10.1186/1749-8104-4-8.

<http://www.neuraldevelopment.com/content/4/1/8>

Lin LC, Lewis DA, Sibille E:

A human-mouse conserved sex bias in amygdala gene expression related to circadian clock and energy metabolism

Mol Brain. 2011 May 4;4(1):18

<http://www.molecularbrain.com/content/4/1/18/abstract>

Lin LC, Sibille E:

Somatostatin, neuronal vulnerability and behavioral emotionality

Mol Psychiatry. 2015 Jan 20. doi: 10.1038/mp.2014.184.

<http://www.nature.com/mp/journal/vaop/ncurrent/full/mp2014184a.html>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:

K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons

Nat Neurosci 8(12): 1742-1751 (2005)

<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

Liss B, Simons C, Benkert J, Deuter N, Pongs O, Schneider T, Duda J:

NCS-1 deficiency affects mRNA-levels of genes involved in regulation of ATP-Synthesis and mitochondrial stress in highly vulnerable Substantia nigra dopaminergic neurons

Front. Mol. Neurosci. | doi: 10.3389/fnmol.2019.00252

<https://www.frontiersin.org/articles/10.3389/fnmol.2019.00252/abstract>

Liu F, Lou J, Zhao D, Li W, Zhao Y, Sun X, Yan C :

Dysferlinopathy: Mitochondrial Abnormalities in Human Skeletal Muscle

Int J Neurosci. 2015 May 22:1-22.

<http://informahealthcare.com/doi/abs/10.3109/00207454.2015.1034801>

Liu JY, Reeves C, Diehl B, Coppola A, Al-Hajri A, Hoskote C, Al Mughairy S, Tachrount M, Groves M, Michalak Z, Mills K, McEvoy AW, Miserocchi A, Sisodiya SM, Thom M:

Early lipofuscin accumulation in Frontal Lobe Epilepsy

Ann Neurol. 2016 Oct 20. doi: 10.1002/ana.24803

<http://onlinelibrary.wiley.com/doi/10.1002/ana.24803/epdf>

Liu XS, Chopp M, Wang XL, Zhang L, Hozeska-Solgot A, Tang T, Kassis H, Zhang RL, Chen C, Xu J, Zhang ZG:

MicroRNA-17/92 cluster mediates the proliferation and survival of neural progenitor cells after stroke

J Biol Chem. 2013 Mar 19.

<http://www.jbc.org/content/early/2013/03/19/jbc.M112.449025.full.pdf+html>

Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:

MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway

PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>

Liu Z, Brown A, Fisher D, Wu Y, Warren J, Cui X:

Tissue Specific Expression of Cre in Rat Tyrosine Hydroxylase and Dopamine Active Transporter-Positive Neurons

PLoS One. 2016 Feb 17;11(2):e0149379. doi: 10.1371/journal.pone.0149379. eCollection 2016.

<http://dx.plos.org/10.1371/journal.pone.0149379>

Liu Z, Xu J, Ma Q, Zhang X, Yang Q, Wang L, Cao Y, Xu Z, Tawfik A, Sun Y, Weintraub NL, Fulton DJ, Hong M, Dong Z, Smith LEH, Caldwell RB, Sodhi A, Huo Y:

Glycolysis links reciprocal activation of myeloid cells and endothelial cells in the retinal angiogenic niche

Sci Transl Med. 2020 Aug 5;12(555):eaay1371. doi: 10.1126/scitranslmed.aay1371.

<http://stm.sciencemag.org/cgi/pmidlookup?view=short&pmid=32759274>

Lobsiger CS, Boillée S, Cleveland DW:

Toxicity from different SOD1 mutants dysregulates the complement system and the neuronal regenerative response in ALS motor neurons

Proc Natl Acad Sci U S A. 2007 May 1;104(18):7319-26.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=17463094>

Lofqvist C, Willett KL, Aspegren O, Smith AC, Aderman CM, Connor KM, Chen J, Hellstrom A, Smith LE:

Quantification and localization of the IGF/insulin system expression in retinal blood vessels and neurons during oxygen-induced retinopathy in mice

Invest Ophthalmol Vis Sci 50(4):1831-7 (2009)

<http://www.iovs.org/content/50/4/1831.short>

Lotz, M., Gutle, D., Walther, S., Menard, S., Bogdan, C., and Hornef, M.W.:

Postnatal acquisition of endotoxin tolerance in intestinal epithelial cells

J Exp Med 203(4): 973-984 (2006)

<http://jem.rupress.org/content/203/4/973.long>

Loziuk P, Meier F, Johnson C, Ghashghaei HT, Muddiman DC:

TransOmic analysis of forebrain sections in Sp2 conditional knockout embryonic mice using IR-MALDESI imaging of lipids and LC-MS/MS label-free proteomics

Anal Bioanal Chem. 2016 Mar 4.

<http://dx.doi.org/10.1007/s00216-016-9421-3>

Lucchini V:

Il difetto ossidativo mitocondriale e le alterazioni del DNA mitocondriale in topi transgenici modello animale della Atassia Spinocerebellare di tipo 1

Tesi di Dottorato, PhD thesis

http://air.unimi.it/bitstream/2434/169922/4/phd_unimi_R08149.pdf

Luquin N, Sierra S, Rico AJ, Gómez-Bautista V, Roda E, Conte-Perales L, Franco R, McCormick P, Labandeira-García JL, Lanciego JL:

Unmasking adenosine 2A receptors (A(2A)Rs) in monkey basal ganglia output neurons using cholera toxin subunit B (CTB)

Neurobiol Dis. 2012 May 31;47(3):347-357

<http://www.sciencedirect.com/science/article/pii/S0969996112001921>

Lux TJ, Hu X, Ben-Kraiem A, Blum R, Tsung-Chieh Chen J, Rittner HL:

Regional Differences in Tight Junction Protein Expression in the Blood–DRG Barrier and Their Alterations after Nerve Traumatic Injury in Rats

Int. J. Mol. Sci. 2020, 21, 270; doi:10.3390/ijms21010270
<https://www.mdpi.com/1422-0067/21/1/270>

Ma P, Song NN, Li Y, Zhang Q, Zhang L, Zhang L, Kong Q, Ma L, Yang X, Ren B, Li C, Zhao X, Li Y, Xu Y, Gao X, Ding YQ, Mao B

Fine-Tuning of Shh/Gli Signaling Gradient by Non-proteolytic Ubiquitination during Neural Patterning

Cell Rep. 2019 Jul 9;28(2):541-553.e4. doi: 10.1016/j.celrep.2019.06.017.
[https://linkinghub.elsevier.com/retrieve/pii/S2211-1247\(19\)30783-1](https://linkinghub.elsevier.com/retrieve/pii/S2211-1247(19)30783-1)

Maerkens A, Kley RA, Schreiner A, Theis V, Mueller T, Vorgerd M, Marcus K:

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9, Page 821, October 2012
<http://www.nmd-journal.com/article/S0960-8966%2812%2900249-0/abstract>

Majak K, Dabrowski M, Pitkänen A:

Epileptogenesis alters gene expression pattern in rats subjected to amygdala-dependent emotional learning

Neuroscience. 2009 Mar 17;159(2):468-82
<http://dx.doi.org/10.1016/j.neuroscience.2008.12.060>

Manabe S, Iwasaki C, Hatano M, Kametani F, Yazaki M, Nitta K, Nagata M:

AL amyloidosis with non-amyloid forming monoclonal immunoglobulin deposition; a case mimicking AHL amyloidosis

BMC Nephrol. 2018 Nov 22;19(1):337. doi: 10.1186/s12882-018-1050-y.
<https://bmcnephrol.biomedcentral.com/articles/10.1186/s12882-018-1050-y>

Mariani E, Frabetti F, Tarozzi A, Pelleri MC, Pizzetti F, Casadei R:

Meta-Analysis of Parkinson's Disease Transcriptome Data Using TRAM Software: Whole Substantia Nigra Tissue and Single Dopamine Neuron Differential Gene Expression

PLoS One. 2016 Sep 9;11(9):e0161567. doi: 10.1371/journal.pone.0161567. eCollection 2016.

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0161567>

Martínez F, Cifuentes M, Tapia JC, Nualart F:

The median eminence as the hypothalamic area involved in rapid transfer of glucose to the brain: functional and cellular mechanisms

J Mol Med (Berl). 2019 Aug;97(8):1085-1097. doi: 10.1007/s00109-019-01799-5.
<https://dx.doi.org/10.1007/s00109-019-01799-5>

Mastroeni D, Nolz J, Khdour OM, Sekar S, Delvaux E, Cuyugan L, Liang WS, Hecht SM, Coleman PD:

Oligomeric amyloid β preferentially targets neuronal and not glial mitochondrial-encoded mRNAs

Alzheimer's & Dementia, 23 Jan 2018, ISSN 1552-5260, <https://doi.org/10.1016/j.jalz.2017.12.005>.
<https://www.sciencedirect.com/science/article/pii/S1552526017338761>

Mastroeni D, Nolz J, Sekar S, Delvaux E, Serrano G, Cuyugan L, Liang WS, Beach TG, Rogers J, Coleman PD:

Laser-captured microglia in the Alzheimer's and Parkinson's brain reveal unique regional expression profiles and suggest a potential role for hepatitis B in Alzheimer's brain

Neurobiology of Aging, 2017, ISSN 0197-4580, <https://doi.org/10.1016/j.neurobiolaging.2017.10.019>.
<http://www.sciencedirect.com/science/article/pii/S0197458017303585>

Mastroeni D, Sekar S, Nolz J, Delvaux E, Lunnon K, Mill J, Liang WS, Coleman PD :

ANK1 is up-regulated in laser captured microglia in Alzheimer's brain; the importance of addressing cellular heterogeneity

PLoS One. 2017 Jul 12;12(7):e0177814. doi: 10.1371/journal.pone.0177814. eCollection 2017.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177814>

Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:
Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord

Brain Res 1249:61-7 (2009)
<http://dx.doi.org/10.1016/j.brainres.2008.10.028>

Matsuda K, Brown CR, Foley B, Goeken R, Whitted S, Dang Q, Wu F, Plishka R, White AB, Hirsch VM:
Laser Capture Microdissection Assessment of Virus Compartmentalization in the CNS of Macaques Infected with Neurovirulent SIV

J Virol. 2013 May 29
<http://jvi.asm.org/cgi/pmidlookup?view=long&pmid=23720733>

Matsunaga E, Nambu S, Iriki A, Okanoya K:
Expression pattern of cadherins in the naked mole rat (*Heterocephalus glaber*) suggests innate cortical diversification of the cerebrum

J Comp Neurol. 2011 Jun 15;519(9):1736-47
<http://onlinelibrary.wiley.com/doi/10.1002/cne.22598/full>

Maussion G, Moalic JM, Simonneau M, Gorwood P, Ramoz N:
Increased expression of BDNF mRNA in the frontal cortex of autistic patients

Behav Brain Res. 2018 Jun 21. pii: S0166-4328(18)30230-4. doi: 10.1016/j.bbr.2018.06.023.
<https://www.sciencedirect.com/science/article/pii/S0166432818302304>

Mayer C, Jaglin XH, Cobbs LV, Bandler RC, Streicher C, Cepko CL, Hippenmeyer S, Fishell G:
Clonally Related Forebrain Interneurons Disperse Broadly across Both Functional Areas and Structural Boundaries

Neuron. 2015 Sep 2;87(5):989-98. doi: 10.1016/j.neuron.2015.07.011.
[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(15\)00633-9](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(15)00633-9)

Meltendorf C, Burbach GJ, Ohrloff C, Ghebremedhin E, Deller T:
Intrastromal Keratotomy with Femtosecond Laser Avoids Profibrotic TGF-beta 1 Induction

Invest Ophthalmol Vis Sci. 50(8): 3688-95 (2009)
<http://www.iovs.org/content/50/8/3688.long>

Mesci P, Zaïdi S, Lobsiger CS, Millecamps S, Escartin C, Seilhean D, Sato H, Mallat M, Boillée S:
System xC⁻ is a mediator of microglial function and its deletion slows symptoms in amyotrophic lateral sclerosis mice

Brain. 2014 Nov 10. pii: awu312.
<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=25384799>

Mesko MF, Salber D, Pozebon D, Dressler VL, Becker JS:
Evaluation of metal distributions in small samples of mouse brain lesions (hematoma) by inductively coupled plasma mass spectrometry after sampling by laser microdissection (LMD)

Int J of Mass Spec, Volume 307, Issues 1–3, 1 October 2011, Pages 137–141
<http://www.sciencedirect.com/science/article/pii/S138738061100159X>

Miller JA, Ding SL, Sunkin SM, Smith KA, Ng L, Szafer A, Ebbert A, Riley ZL, Royall JJ, Aiona K, Arnold JM, Bennet C, Bertagnolli D, Brouner K, Butler S, Caldejon S, Carey A, Cuhaciyan C, Dalley RA, Dee N, Dolbeare TA, Facer BA, Feng D, Fliss TP, Gee G, Goldy J, Gourley L, Gregor BW, Gu G, Howard RE, Jochim JM, Kuan CL, Lau C, Lee CK, Lee F, Lemon TA, Lesnar P, McMurray B, Mastan N, Mosqueda N,

Naluai-Cecchini T, Ngo NK, Nyhus J, Oldre A, Olson E, Parente J, Parker PD, Parry SE, Stevens A, Pletikos M, Reding M, Roll K, Sandman D, Sarreal M, Shapouri S, Shapovalova NV, Shen EH, Sjoquist N, Slaughterbeck CR, Smith M, Sodt AJ, Williams D, Zöllei L, Fischl B, Gerstein MB, Geschwind DH, Glass IA, Hawrylycz MJ, Hevner RF, Huang H, Jones AR, Knowles JA, Levitt P, Phillips JW, Sestan N, Wohnoutka P, Dang C, Bernard A, Hohmann JG, Lein ES:

Transcriptional landscape of the prenatal human brain

Nature. 2014 Apr 2. doi: 10.1038/nature13185.

<http://dx.doi.org/10.1038/nature13185>

Miller JA, Nathanson J, Franjic D, Shim S, Dalley RA, Shapouri S, Smith KA, Sunkin SM, Bernard A, Bennett JL, Lee CK, Hawrylycz MJ, Jones AR, Amaral DG, Sestan N, Gage FH, Lein ES:

Conserved molecular signatures of neurogenesis in the hippocampal subgranular zone of rodents and primates

Development. 2013 Oct 23.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=24154525>

Mishra PK, Teale JM:

Transcriptome analysis of the ependymal barrier during murine neurocysticercosis

J Neuroinflammation. 2012 Jun 25;9(1):141

<http://www.jneuroinflammation.com/content/9/1/141/abstract>

Mitrasinovic, O.M., Grattan, A., Robinson, C.C., Lapustea, N.B., Poon, C., Ryan, H., Phong, C., and Murphy, G.M., Jr.:

Microglia overexpressing the macrophage colony-stimulating factor receptor are neuroprotective in a microglial-hippocampal organotypic coculture system

J Neurosci 25(17): 4442-4451 (2005)

<http://www.jneurosci.org/content/25/17/4442.long>

Mitre M, Kranz TM, Marlin BJ, Schiavo JK, Erdjument-Bromage H, Zhang X, Minder J, Neubert TA, Hackett TA, Chao MV, and Froemke RC:

Sex-Specific Differences in Oxytocin Receptor Expression and Function for Parental Behavior

GENDER AND THE GENOME Volume 1, Number 4, 2017

<http://online.liebertpub.com/doi/pdfplus/10.1089/gg.2017.0017>

Miyashita T, Wintzer M, Kurotani T, Konishi T, Ichinohe N, Rockland KS:

Neurotrophin-3 Is Involved in the Formation of Apical Dendritic Bundles in Cortical Layer 2 of the Rat

Cereb Cortex 20(1):229-40 (2010)

<http://cercor.oxfordjournals.org/content/20/1/229.short>

Moradi M, Sivadasan R, Saal L, Lüningschrör P, Dombert B, Rathod RJ, Dieterich DC, Blum R, Sendtner M:

Differential roles of α -, β -, and γ -actin in axon growth and collateral branch formation in motoneurons

J Cell Biol. 2017 Feb 28. pii: jcb.201604117. doi: 10.1083/jcb.201604117.

<http://jcb.rupress.org/cgi/pmidlookup?view=long&pmid=28246119>

Molnár Z, Belgard TG:

Transcriptional profiling of layers of the primate cerebral cortex

Neuron. 2012 Mar 22;73(6):1053-5.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00230-9](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00230-9)

Moreno B, Jukes JP, Vergara-Irigaray N, Errea O, Villoslada P, Perry VH, Newman TA:

Systemic inflammation induces axon injury during brain inflammation

Ann Neurol., DOI: 10.1002/ana.22550

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22550/abstract>

Mühling T, Duda J, Weishaupt J, Ludolph AC and Liss B:

Elevated mRNA-levels of distinct mitochondrial and plasma membrane Ca²⁺ transporters in individual hypoglossal motor neurons of endstage SOD1 transgenic mice.

Front. Cell. Neurosci., 8:353. doi:10.3389/fncel.2014.00353

<http://journal.frontiersin.org/Journal/10.3389/fncel.2014.00353/abstract>

Müller SK, Bender A, Laub C, Högen T, Schlaudraff F, Liss B, Klopstock T, Elstner M:

Lewy body pathology is associated with mitochondrial DNA damage in Parkinson's disease

Neurobiol Aging. 2013 Apr 6. pii: S0197-4580(13)00116-4. doi: 10.1016/j.neurobiolaging.2013.03.016.

<http://www.sciencedirect.com/science/article/pii/S0197458013001164>

Munakata Y, Yamada T, Imai J, Takahashi K, Tsukita S, Shirai Y, Kodama S, Asai Y, Sugisawa T, Chiba Y, Kaneko K, Uno K, Sawada S, Hatakeyama H, Kanzaki M, Miyazaki JI, Oka Y, Katagiri H:

Olfactory receptors are expressed in pancreatic β -cells and promote glucose-stimulated insulin secretion

Sci Rep. 2018 Jan 24;8(1):1499. doi: 10.1038/s41598-018-19765-5.

<https://www.nature.com/articles/s41598-018-19765-5.pdf>

Murphy JL, Ratnaike TE, Shang E, Falkous G, Blakely EL, Alston CL, Taivassalo T, Haller RG, Taylor RW, Turnbull DM:

Cytochrome c oxidase-intermediate fibres: Importance in understanding the pathogenesis and treatment of mitochondrial myopathy

Neuromuscul Disord. 2012 May 28. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0960896612001204>

Mutsuga, N. and Gainer, H.:

Molecular analysis of the magnocellular neuroendocrine phenotype: from the micropunch to laser microdissection

Neurochem Res 31(2): 189-199 (2006)

<http://www.springerlink.com/content/h585v38344277w47/>

Mutsuga, N., Shahar, T., Verbalis, J.G., Brownstein, M.J., Xiang, C.C., Bonner, R.F., and Gainer, H.:

Selective gene expression in magnocellular neurons in rat supraoptic nucleus

J Neurosci 24(32): 7174-7185 (2004)

<http://www.jneurosci.org/content/24/32/7174.long>

Mutsuga, N., Shahar, T., Verbalis, J.G., Xiang, C.C., Brownstein, M.J., and Gainer, H.:

Regulation of gene expression in magnocellular neurons in rat supraoptic nucleus during sustained hypoosmolality

Endocrinology 146(3): 1254-1267 (2005)

<http://endo.endojournals.org/cgi/content/full/146/3/1254>

Nagano S, Jinno J, Abdelhamid RF, Jin Y, Shibata M, Watanabe S, Hirokawa S, Nishizawa M, Sakimura K, Onodera O, Okada H, Okada T, Saito Y, Takahashi-Fujigasaki J, Murayama S, Wakatsuki S, Mochizuki H, Araki T:

TDP-43 transports ribosomal protein mRNA to regulate axonal local translation in neuronal axons

Acta Neuropathol. 2020 Aug 16. doi: 10.1007/s00401-020-02205-y.

<https://link.springer.com/article/10.1007/s00401-020-02205-y>

Nagatoshi A, Ueda M, Ueda A, Tasaki M, Inoue Y, Ma Y, Masuda T, Mizukami M, Matsumoto S, Kosaka T, Kawano T, Ito T, Ando Y:

Serum amyloid P component: A novel potential player in vessel degeneration in CADASIL

Jns(2017), doi: 10.1016/j.jns.2017.05.033

<http://www.sciencedirect.com/science/article/pii/S0022510X17303295>

Nakanishi T, Fujita Y, Yamashita T:

Neuropilin-1-mediated pruning of corticospinal tract fibers is required for motor recovery after spinal cord injury

Cell Death Dis. 2019 Jan 25;10(2):67. doi: 10.1038/s41419-019-1338-2.

<https://www.nature.com/articles/s41419-019-1338-2.pdf>

Nakashima H, Ohkawara B, Ishigaki S, Fukudome T, Ito K, Tsushima M, Konishi H, Okuno T, Yoshimura T, Ito M, Masuda A, Sobue G, Kiyama H, Ishiguro N, Ohno K:

R-spondin 2 promotes acetylcholine receptor clustering at the neuromuscular junction via Lgr5

Sci Rep. 2016 Jun 22;6:28512. doi: 10.1038/srep28512.

<http://dx.doi.org/10.1038/srep28512>

Nakashima S, Morishita M, Ueno K, Tsukahara S:

Region-specific effects of copulation on dendritic spine morphology and gene expression related to spinogenesis in the medial preoptic nucleus of male rats

Psychoneuroendocrinology. 2019 May 29;108:1-13. doi: 10.1016/j.psyneuen.2019.05.025.

<https://www.sciencedirect.com/science/article/abs/pii/S0306453018310977#!>

Nartey MN, Peña-Castillo L, LeGrow M, Doré J, Bhattacharya S, Darby-King A, Carew SJ, Yuan Q, Harley CW, McLean JH:

Learning-induced mRNA alterations in olfactory bulb mitral cells in neonatal rats

Learn Mem. 2020 Apr 15;27(5):209-221. doi: 10.1101/lm.051177.119.

<http://learnmem.cshlp.org/content/27/5/209.full.pdf>

Nichterwitz S, Chen G, Aguila Benitez J, Yilmaz M, Storz H, Cao M, Sandberg R, Deng Q, Hedlund E:

Laser capture microscopy coupled with Smart-seq2 for precise spatial transcriptomic profiling

Nat Commun. 2016 Jul 8;7:12139. doi: 10.1038/ncomms12139.

<http://dx.doi.org/10.1038/ncomms12139>

Nichterwitz S, Nijssen J, Storz H, Schweingruber C, Comley LH, Allodi I, Lee MV, Deng Q, Sandberg R, Hedlund E:

LCM-seq reveals unique transcriptional adaptation mechanisms of resistant neurons and identifies protective pathways in spinal muscular atrophy

Genome Res. 2020 Aug;30(8):1083-1096. doi: 10.1101/gr.265017.120.

<https://genome.cshlp.org/content/early/2020/08/12/gr.265017.120.full.pdf>

Nijssen J:

Inter-and intracellular resistance and vulnerability in motor neuron diseases

Thesis, 2020

<https://openarchive.ki.se/xmlui/handle/10616/47164>

Nizzardo M, Taiana M, Rizzo F, Aguila Benitez J, Nijssen J, Allodi I, Melzi V, Bresolin N, Comi GP, Hedlund E, Corti S:

Synaptotagmin 13 is neuroprotective across motor neuron diseases

Acta Neuropathol. 2020 Feb 17. doi: 10.1007/s00401-020-02133-x.

<https://link.springer.com/article/10.1007/s00401-020-02133-x>

Northeast RC, Chrobok L, Hughes ATL, Petit C, and Piggins HD:

Keeping time in the lamina terminalis: Novel oscillator properties of forebrain sensory circumventricular organs

The FASEB Journal, 15 Oct 2019, DOI: 10.1096/fj.201901111R

<https://onlinelibrary.wiley.com/doi/pdf/10.1096/fj.201901111R>

Nuthikattu S, Milenkovic D, Rutledge JC, Villablanca AC:

Lipotoxic Injury Differentially Regulates Brain Microvascular Gene Expression in Male Mice

Nutrients. 2020 Jun 13;12(6):E1771. doi: 10.3390/nu12061771.

<https://www.mdpi.com/resolver?pii=nu12061771>

Nuthikattu S, Milenkovic D, Rutledge J, Villablanca A

The Western Diet Regulates Hippocampal Microvascular Gene Expression: An Integrated Genomic Analyses in Female Mice.

Sci Rep. 2019 Dec 13;9(1):19058. doi: 10.1038/s41598-019-55533-9.

<http://dx.doi.org/10.1038/s41598-019-55533-9>

Ohara S, Hagihara M, Hua J, Inoue M, Uchida T, Yoshinaga T, Yazaki M, Sekijima Y, Kametani F:

Recurrence of Waldenström macroglobulinemia accompanied by factor X deficiency

Rinsho Ketsueki. 2016;57(3):359-63. doi: 10.11406/rinketsu.57.359.

<http://dx.doi.org/10.11406/rinketsu.57.359>

Okada S, Hara M, Kobayakawa K, Matsumoto Y, Nakashima Y:

Astrocyte reactivity and astrogliosis after spinal cord injury

Neurosci Res. 2017 Oct 17. pii: S0168-0102(17)30592-8. doi: 10.1016/j.neures.2017.10.004. Review.

[https://linkinghub.elsevier.com/retrieve/pii/S0168-0102\(17\)30592-8](https://linkinghub.elsevier.com/retrieve/pii/S0168-0102(17)30592-8)

Okamoto K, Emura N, Sato H, Fukatsu Y, Saito M, Tanaka C, Morita Y, Nishimura K, Kuramoto E, Xu Yin D, Furutani K, Okazawa M, Kurachi Y, Kaneko T, Maeda Y, Yamashiro T, Takada K, Toyoda H, Kang Y :

The possible role of TASK channels in rank-ordered recruitment of motoneurons in the dorsolateral part of the trigeminal motor nucleus

Eneuro, 016/07/07, doi: 10.1523/ENEURO.0138-16.2016

<http://eneuro.org/content/early/2016/07/07/ENEURO.0138-16.2016.abstract>

Okaty BW, Sugino K, Nelson SB:

Cell Type-Specific Transcriptomics in the Brain

J Neurosci. 2011 May 11;31(19):6939-43

<http://www.jneurosci.org/content/31/19/6939.citation>

Okino E, Morita S, Hoshikawa Y, Tsukahara S:

The glutamatergic system in the preoptic area is involved in the retention of maternal behavior in maternally experienced female rats

Psychoneuroendocrinology. 2020 Jul 6;120:104792. doi: 10.1016/j.psyneuen.2020.104792.

<http://www.sciencedirect.com/science/article/pii/S0306453020302134>

Olmstead DN, Mesnard-Hoaglin NA, Batka RJ, Haulcomb MM, Miller WM, Jones KJ:

Facial nerve axotomy in mice: a model to study motoneuron response to injury

J Vis Exp. 2015 Feb 23;(96). doi: 10.3791/52382

<http://www.jove.com/video/52382/facial-nerve-axotomy-mice-model-to-study-motoneuron-response-to>

Ortner NJ, Bock G, Dougalis A, Kharitonova M, Duda J, Hess S, Tuluc P, Pomberger T, Stefanova N, Pitterl F, Ciossek T, Oberacher H, Draheim HJ, Kloppenburg P, Liss B, Striessnig J :

Lower affinity of isradipine for L-type Ca²⁺ channels during substantia nigra dopamine neuron-like activity: implications for neuroprotection in Parkinson's disease

J Neurosci. 2017 Jun 7. pii: 2946-16. doi: 10.1523/JNEUROSCI.2946-16.2017.

<http://www.jneurosci.org/content/early/2017/06/07/JNEUROSCI.2946-16.2017>

Oshima, H., Oshima, M., Inaba, K., and Taketo, M.M.:

Hyperplastic gastric tumors induced by activated macrophages in COX-2/mPGES-1 transgenic mice

Embo J 23(7): 1669-1678 (2004)

<http://www.nature.com/emboj/journal/v23/n7/full/7600170a.html>

Ostrem BE, Lui JH, Gertz CC, Kriegstein AR:

Control of outer radial glial stem cell mitosis in the human brain

Cell Rep. 2014 Aug 7;8(3):656-64. doi: 10.1016/j.celrep.2014.06.058.

<http://www.sciencedirect.com/science/article/pii/S2211124714005609>

Paciello O, Oliva G, Gradoni L, Manna L, Manzillo VF, Wojcik S, Trapani F, Papparella S:

Canine inflammatory myopathy associated with Leishmania Infantum infection

Neuromuscul Disord. 2009 Feb;19(2):124-30

<http://www.nmd-journal.com/article/S0960-8966%2808%2900677-9/abstract>

Pagenstecher A, Stahl S, Sure U, Felbor U:

A two-hit mechanism causes cerebral cavernous malformations: complete inactivation of CCM1, CCM2 or CCM3 in affected endothelial cells

Hum Mol Genet 18(5):911-8 (2009)

<http://hmg.oxfordjournals.org/content/18/5/911.short>

Palladino SP, Helton ES, Jain P, Dong C, Crowley MR, Crossman DK, Ubogu EE:

The Human Blood-Nerve Barrier Transcriptome

Sci Rep. 2017 Dec 12;7(1):17477. doi: 10.1038/s41598-017-17475-y.

<https://www.nature.com/articles/s41598-017-17475-y.pdf>

Paniagua-Torija B, Arevalo-Martin A, Ferrer I, Molina-Holgado E, Garcia-Ovejero D:

CB1 cannabinoid receptor enrichment in the ependymal region of the adult human spinal cord

Sci Rep. 2015 Dec 4;5:17745. doi: 10.1038/srep17745.

<http://dx.doi.org/10.1038/srep17745>

Parillaud VR, Lornet G, Monnet Y, Privat AL, Haddad AT, Brochard V, Bekaert A, de Chanville CB, Hirsch EC, Combadière C, Hunot S, Lobsiger CS:

Analysis of monocyte infiltration in MPTP mice reveals that microglial CX3CR1 protects against neurotoxic over-induction of monocyte-attracting CCL2 by astrocytes

J Neuroinflammation. 2017 Mar 21;14(1):60. doi: 10.1186/s12974-017-0830-9.

<https://jneuroinflammation.biomedcentral.com/articles/10.1186/s12974-017-0830-9>

Perier C, Bender A, García-Arumí E, Melià MJ, Bové J, Laub C, Klopstock T, Elstner M, Mounsey RB, Teismann P, Prolla T, Andreu AL, Vila M:

Accumulation of mitochondrial DNA deletions within dopaminergic neurons triggers neuroprotective mechanisms

Brain. 2013 Aug;136(Pt 8):2369-78. doi: 10.1093/brain/awt196.

<http://brain.oxfordjournals.org/cgi/lookup?view=long&pmid=23884809>

Pereira M, Birtele M, Shrigley S, Benitez JA, Hedlund E, Parmar M, Ottosson DR:

Direct Reprogramming of Resident NG2 Glia into Neurons with Properties of Fast-Spiking Parvalbumin-Containing Interneurons

Stem Cell Reports. 2017 Aug 22. pii: S2213-6711(17)30333-8. doi: 10.1016/j.stemcr.2017.07.023.

<http://www.sciencedirect.com/science/article/pii/S2213671117303338>

Phillipps HR, Ladyman SR, and Grattan DR:

Maintained expression of genes associated with metabolism in the ventromedial hypothalamic nucleus despite development of leptin resistance during pregnancy in the rat

Physiological Reports ISSN 2051-817X

<http://onlinelibrary.wiley.com/doi/10.1002/phy2.162/pdf>

Pieczora L, Stracke L, Vorgerd M, Hahn S, Theiss C, Theis V:

Unveiling of miRNA Expression Patterns in Purkinje Cells During Development

Cerebellum. 2016 Jul 7.

<http://dx.doi.org/10.1007/s12311-016-0814-9>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

Neuronal type-specific gene expression profiling and laser-capture microdissection

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Pignatelli M, Umanah GK, Ribeiro SP, Chen R, Karuppagounder SS, Yau HJ, Eacker S, Dawson VL, Dawson TM, Bonci A

Synaptic Plasticity onto Dopamine Neurons Shapes Fear Learning

Neuron. 2017 Jan 18;93(2):425-440. doi: 10.1016/j.neuron.2016.12.030

[https://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(16\)31003-0](https://linkinghub.elsevier.com/retrieve/pii/S0896-6273(16)31003-0)

Ploski, J.E., Newton, S.S., and Duman, R.S.:

Electroconvulsive seizure-induced gene expression profile of the hippocampus dentate gyrus granule cell layer

J Neurochem 99(4): 1122-1132 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.04156.x/full>

Pluchino S, Muzio L, Imitola J, Deleidi M, Alfaro-Cervello C, Salani G, Porcheri C, Brambilla E, Cavasinni F, Bergamaschi A, Garcia-Verdugo JM, Comi G, Khoury SJ, Martino G

Persistent inflammation alters the function of the endogenous brain stem cell compartment

Brain. 2008 Oct;131(Pt 10):2564-78

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=18757884>

Raasch J, Zeller N, van Loo G, Merkler D, Mildner A, Erny D, Knobloch KP, Bethea JR, Waisman A, Knust M, Del Turco D, Deller T, Blank T, Priller J, Brück W, Pasparakis M, Prinz M:

I κ B kinase 2 determines oligodendrocyte loss by non-cell-autonomous activation of NF- κ B in the central nervous system

Brain 134(Pt 4): 1184-98 (Epub 2011)

<http://brain.oxfordjournals.org/content/134/4/1184.long>

Ramirez, A., Heimbach, A., Grundemann, J., Stiller, B., Hampshire, D., Cid, L.P., Goebel, I., Mubaidin, A.F., Wriekat, A.L., Roeper, J., Al-Din, A., Hillmer, A.M., Karsak, M., Liss, B., Woods, C.G., Behrens, M.I., and Kubisch, C.:

Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Reeve AK, Krishnan KJ, Elson JL, Morris CM, Bender A, Lightowlers RN, Turnbull DM:

Nature of mitochondrial DNA deletions in substantia nigra neurons

Am J Hum Genet. 2008 Jan;82(1):228-35.

<http://www.cell.com/AJHG/retrieve/pii/S0002929707000249>

Reilly SC, Cossins AR, Quinn JP, Sneddon LU:

Discovering genes: the use of microarrays and laser capture microdissection in pain research

Brain Res Brain Res Rev. 2004 Oct;46(2):225-33

[http://linkinghub.elsevier.com/retrieve/pii/S0165-0173\(04\)00097-9](http://linkinghub.elsevier.com/retrieve/pii/S0165-0173(04)00097-9)

Rezania K, Saadat L:

Neurological Manifestations of Transthyretin-Related Amyloidosis

IntechOpen, 21 Feb 2019, DOI: 10.5772/intechopen.84470

<https://www.intechopen.com/online-first/neurological-manifestations-of-transthyretin-related-amyloidosis>

Ridder K, Keller S, Dams M, Rupp AK, Schlaudraff J, Turco DD, Starmann J, Macas J, Karpova D, Devraj K, Depboylu C, Landfried B, Arnold B, Plate KH, Höglinger G, Sülmann H, Altevogt P, Momma S:
Extracellular Vesicle-Mediated Transfer of Genetic Information between the Hematopoietic System and the Brain in Response to Inflammation

PLoS Biol. 2014 Jun 3;12(6):e1001874. doi: 10.1371/journal.pbio.1001874. eCollection 2014.

<http://www.plosbiology.org/article/info%3Adoi%2F10.1371%2Fjournal.pbio.1001874#pbio-1001874-g008>

Ripolone M, Lucchini V, Ronchi D, Fagiolari G, Bordoni A, Fortunato F, Mondello S, Bonato S, Meregalli M, Torrente Y, Corti S, Comi GP, Moggio M, Sciacco M:

Purkinje cell COX deficiency and mtDNA depletion in an animal model of spinocerebellar ataxia type 1

J Neurosci Res. 2018 Sep;96(9):1576-1585. doi: 10.1002/jnr.24263.

<https://onlinelibrary.wiley.com/doi/epdf/10.1002/jnr.24263>

Rolyan H, Scheffold A, Heinrich A, Begus-Nahrman Y, Langkopf BH, Hölter SM, Vogt-Weisenhorn DM, Liss B, Wurst W, Lie DC, Thal DR, Biber K, Rudolph KL:

Telomere shortening reduces Alzheimer's disease amyloid pathology in mice

Brain. 2011 Jul;134(Pt 7):2044-56. doi: 10.1093/brain/awr133.

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=21672962>

Root DH, Mejias-Aponte CA, Qi J, Morales M:

Role of glutamatergic projections from ventral tegmental area to lateral habenula in aversive conditioning

J Neurosci. 2014 Oct 15;34(42):13906-10. doi: 10.1523/JNEUROSCI.2029-14.2014.

<http://www.jneurosci.org/cgi/pmidlookup?view=long&pmid=25319687>

Roy A, Deng M, Aldinger KA, Glass IA, Millen KJ:

Laser Capture Micro-dissection (LCM) of Neonatal Mouse Forebrain for RNA Isolation

Bio-protocol, Vol 10, Iss 1, January 05, 2020; DOI: 10.21769/BioProtoc.3475

<https://bio-protocol.org/e3475>

Ruzicka WB, Subburaju S, Benes FM:

Variability of DNA Methylation within Schizophrenia Risk Loci across Subregions of Human Hippocampus

Genes (Basel). 2017 May 15;8(5). pii: E143. doi: 10.3390/genes8050143.

<http://www.mdpi.com/2073-4425/8/5/143/htm>

Ruzicka WB, Subburaju S, Coyle JT, Benes FM:

Location Matters: Distinct DNA Methylation Patterns in GABAergic Interneuronal Populations from Separate Microcircuits within the Human Hippocampus

Hum Mol Genet. 2017 Nov 2. doi: 10.1093/hmg/ddx395.

<https://academic.oup.com/hmg/advance-article-abstract/doi/10.1093/hmg/ddx395/4587491>

Ryan B, Logan BJ, Abraham WC, Williams JM:

MicroRNAs, miR-23a-3p and miR-151-3p, Are Regulated in Dentate Gyrus Neuropil following Induction of Long-Term Potentiation In Vivo

PLoS One. 2017 Jan 26;12(1):e0170407. doi: 10.1371/journal.pone.0170407.

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0170407>

Rygiel KA, Miller J, Grady JP, Rocha MC, Taylor RW, Turnbull DM:

Mitochondrial and inflammatory changes in sporadic Inclusion Body Myositis

Neuropathol Appl Neurobiol. 2014 Apr 18. doi: 10.1111/nan.12149.

<http://onlinelibrary.wiley.com/doi/10.1111/nan.12149/pdf>

Sada N, Fujita Y, Mizuta N, Ueno M, Furukawa T, Yamashita T:

Inhibition of HDAC increases BDNF expression and promotes neuronal rewiring and functional recovery after brain injury

Cell Death Dis. 2020 Aug 18;11(8):655. doi: 10.1038/s41419-020-02897-w.
<https://www.nature.com/articles/s41419-020-02897-w.pdf>

Sakiyama Y, Kanda N, Higuchi Yoshimura M, Wakaguri H, Takata Y, Watanabe O, Yuan J, Tashiro Y, Saigo R, Nozuma S, Yoshimura A, Arishima S, Ikeda K, Shinohara K, Arata H, Michizono K, Higashi K, Hashiguchi A, Okamoto Y, Hirano R, Shiraishi T, Matsuura E, Okubo R, Higuchi I, Goto M, Hirano H, Sano A, Iwasaki T, Matsuda F, Izumo S, Takashima H:

New type of encephalomyelitis responsive to trimethoprim/sulfamethoxazole treatment in Japan
Neurol Neuroimmunol Neuroinflamm. 2015 Aug 13;2(5):e143. doi: 10.1212/NXI.0000000000000143.
eCollection 2015.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/26309903/>

Sanna, P.P., King, A.R., van der Stap, L.D., and Repunte-Canonigo, V.:

Gene profiling of laser-microdissected brain regions and sub-regions
Brain Res Brain Res Protoc 15(2): 66-74 (2005)

<http://dx.doi.org/10.1016/j.brainresprot.2005.04.002>

Sanna PP, Repunte-Canonigo V, Guidotti A:

Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Santegoeds RG, Yakkoui Y, Jahanshahi A, Raven G, Van Overbeeke JJ, Herrler A, Temel Y:

Notochord isolation using laser capture microdissection

J Chem Neuroanat. 2016 Dec 24. pii: S0891-0618(16)30134-X

[https://linkinghub.elsevier.com/retrieve/pii/S0891-0618\(16\)30134-X](https://linkinghub.elsevier.com/retrieve/pii/S0891-0618(16)30134-X)

Satoh A, Brace CS, Ben-Josef G, West T, Wozniak DF, Holtzman DM, Herzog ED, Imai S:

SIRT1 promotes the central adaptive response to diet restriction through activation of the dorsomedial and lateral nuclei of the hypothalamus

J Neurosci. 2010 Jul 28;30(30):10220-32.

<http://www.jneurosci.org/content/30/30/10220.short>

Satoh A, Brace CS, Rensing N, Imai S:

Deficiency of Prdm13, a dorsomedial hypothalamus-enriched gene, mimics age-associated changes in sleep quality and adiposity

Aging Cell. 2014 Dec 25. doi: 10.1111/accel.12299.

<http://onlinelibrary.wiley.com/doi/10.1111/accel.12299/pdf>

Schafer, R., Dehn, D., Burbach, G.J., and Deller, T.:

Differential regulation of chondroitin sulfate proteoglycan mRNAs in the denervated rat fascia dentata after unilateral entorhinal cortex lesion

Neurosci Lett 439(1): 61-65 (2008)

<http://dx.doi.org/10.1016/j.neulet.2008.04.098>

Schiemann J, Schlaudraff F, Klose V, Bingmer M, Seino S, Magill PJ, Zaghloul KA, Schneider G, Liss B, Roeper J:

K-ATP channels in dopamine substantia nigra neurons control bursting and novelty-induced exploration

Nat Neurosci. 2012 Aug 19. doi: 10.1038/nn.3185

http://www.uni-ulm.de/fileadmin/website_uni_ulm/med.inst.010/bliss-pdf/Schiemann_NatNeurosci_2012.pdf

Schlaudraff F:

Quantitative Genexpressionsanalysen humaner dopaminerger Neurone nach Lasermikrodissektion aus post-mortem Mittelhirngewebe von Morbus Parkinson Patienten und Kontrollen

Dissertation, 2010 (German language)

http://vts.uni-ulm.de/query/longview.meta.asp?document_id=7359

Schlaudraff F, Gründemann J, Fauler M, Dragecivic E, Hardy J, and Liss B:

Orchestrated increase of dopamine and PARK mRNAs but not miR-133b in dopamine neurons in Parkinson's disease

Neurobiology of Aging, 22 March 2014, <http://dx.doi.org/10.1016/j.neurobiolaging.2014.03.016>

<http://www.sciencedirect.com/science/article/pii/S019745801400270X>

Schneider, A., Kruger, C., Steigleder, T., Weber, D., Pitzer, C., Laage, R., Aronowski, J., Maurer, M.H., Gassler, N., Mier, W., Hasselblatt, M., Kollmar, R., Schwab, S., Sommer, C., Bach, A., Kuhn, H.G., and Schabitz, W.R.:

The hematopoietic factor G-CSF is a neuronal ligand that counteracts programmed cell death and drives neurogenesis

J Clin Invest 115(8): 2083-2098 (2005)

<http://www.jci.org/articles/view/23559>

Schneider A, Rogalewski A, Wafzig O, Kirsch F, Gretz N, Krüger C, Diederich K, Pitzer C, Laage R, Plaas C, Vogt G, Minnerup J, Schäbitz WR:

Forced arm use is superior to voluntary training for motor recovery and brain plasticity after cortical ischemia in rats

Exp Transl Stroke Med. 2014 Feb 14;6(1):3.

<http://www.etsmjournal.com/content/pdf/2040-7378-6-3.pdf>

Schnorbusch K, Lembrechts R, Pintelon I, Timmermans JP, Brouns I, Adriaensen D:

GABAergic signaling in the pulmonary neuroepithelial body microenvironment: functional imaging in GAD67-GFP mice

Histochem Cell Biol. 2013 Apr 9.

<http://dx.doi.org/10.1007/s00418-013-1093-x>

Schrötter A, Oberhaus A, Kolbe K, Seger S, Mastalski T, El Magraoui F, Hoffmann-Posorske E, Bohnert M, Deckert J, Braun C, Graw M, Schmitz C, Arzberger T, Loosse C, Heinsen H, Meyer HE, Müller T
LMD proteomics provides evidence for hippocampus field-specific motor protein abundance changes with relevance to Alzheimer's disease

Biochim Biophys Acta. 2017 Apr 1. pii: S1570-9639(17)30066-3. doi: 10.1016/j.bbapap.2017.03.013.

[https://linkinghub.elsevier.com/retrieve/pii/S1570-9639\(17\)30066-3](https://linkinghub.elsevier.com/retrieve/pii/S1570-9639(17)30066-3)

Schropp V, Rohde J, Rovituso DM, Jabari S, Bharti R, Kuerten S:

Contribution of LTi and TH17 cells to B cell aggregate formation in the central nervous system in a mouse model of multiple sclerosis

J Neuroinflammation. 2019 May 28;16(1):111. doi: 10.1186/s12974-019-1500-x.

<https://jneuroinflammation.biomedcentral.com/track/pdf/10.1186/s12974-019-1500-x>

Schwarzacher, S.W., Vuksic, M., Haas, C.A., Burbach, G.J., Sloviter, R.S., and Deller, T.:

Neuronal hyperactivity induces astrocytic expression of neurocan in the adult rat hippocampus

Glia 53(7): 704-714 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20329/full>

See K, Yadav P, Giegerich M, Cheong PS, Graf M, Vyas H, Lee SG, Mathavan S, Fischer U, Sendtner M, Winkler C:

SMN-deficiency alters Nrnx2 expression and splicing in zebrafish and mouse models of Spinal Muscular Atrophy

Hum Mol Genet. 2013 Nov 11.

<http://hmg.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24218366>

Shahmoradian SH, Lewis AJ, Genoud C, Hench J, Moors TE, Navarro PP, Castaño-Díez D, Schweighauser G, Graff-Meyer A, Goldie KN, Sütterlin R, Huisman E, Ingrassia A, Gier Y, Rozemuller AJM, Wang J, Paepe A, Erny J, Staempfli A, Hoernschemeyer J, Großerüschkamp F, Niedieker D, El-Mashtoly SF, Quadri M, Van IJcken WFJ, Bonifati V, Gerwert K, Bohrmann B, Frank S, Britschgi M, Stahlberg H, Van de Berg WDJ, Lauer ME:

Lewy pathology in Parkinson's disease consists of crowded organelles and lipid membranes

Nat Neurosci. 2019 Jul;22(7):1099-1109. doi: 10.1038/s41593-019-0423-2.

<http://dx.doi.org/10.1038/s41593-019-0423-2>

Shen LH, Li Y, Chopp M:

Astrocytic endogenous glial cell derived neurotrophic factor production is enhanced by bone marrow stromal cell transplantation in the ischemic boundary zone after stroke in adult rats

Glia. 2010 Jul;58(9):1074-81. doi: 10.1002/glia.20988.

<http://dx.doi.org/10.1002/glia.20988>

Shen LH, Li Y, Gao Q, Savant-Bhonsale S, Chopp M:

Down-regulation of neurocan expression in reactive astrocytes promotes axonal regeneration and facilitates the neurorestorative effects of bone marrow stromal cells in the ischemic rat brain

Glia. 2008 Dec;56(16):1747-54. doi: 10.1002/glia.20722.

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20722/abstract>

Shen Y, Tian M, Zheng Y, Gong F, Fu AK, Ip NY:

Stimulation of the Hippocampal POMC/MC4R Circuit Alleviates Synaptic Plasticity Impairment in an Alzheimer's Disease Model

Cell Rep. 2016 Nov 8;17(7):1819-1831. doi: 10.1016/j.celrep.2016.10.043.

[http://linkinghub.elsevier.com/retrieve/pii/S2211-1247\(16\)31463-2](http://linkinghub.elsevier.com/retrieve/pii/S2211-1247(16)31463-2)

Shiga A, Ishihara T, Miyashita A, Kuwabara M, Kato T, Watanabe N, Yamahira A, Kondo C, Yokoseki A, Takahashi M, Kuwano R, Kakita A, Nishizawa M, Takahashi H, Onodera O:

Alteration of POLDIP3 Splicing Associated with Loss of Function of TDP-43 in Tissues Affected with ALS

PLoS ONE 7(8): e43120. doi:10.1371/journal.pone.0043120

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043120>

Shimizu N, Wada N, Shimizu T, Suzuki T, Takaoka EI, Kanai AJ, de Groat WC, Hirayama A, Hashimoto M, Uemura H, Yoshimura N :

Effects of nerve growth factor neutralization on TRP channel expression in laser-captured bladder afferent neurons in mice with spinal cord injury

Neurosci Lett. 2018 Jun 27. pii: S0304-3940(18)30452-X. doi: 10.1016/j.neulet.2018.06.049.

[https://linkinghub.elsevier.com/retrieve/pii/S0304-3940\(18\)30452-X](https://linkinghub.elsevier.com/retrieve/pii/S0304-3940(18)30452-X)

Silva JP, Lambert G, van Booven D, Wahlestedt C:

Epigenomic and metabolic responses of hypothalamic POMC neurons to gestational nicotine exposure in adult offspring

Genome Med. 2016 Sep 8;8(1):93. doi: 10.1186/s13073-016-0348-2.

<http://genomemedicine.biomedcentral.com/articles/10.1186/s13073-016-0348-2>

Simunovic, F., Yi, M., Wang, Y., Macey, L., Brown, L. T., Krichevsky, A. M., Andersen, S. L., Stephens, R. M., Benes, F. M., Sonntag, K. C.

Gene expression profiling of substantia nigra dopamine neurons: further insights into Parkinson's disease pathology

Brain 132 (7): 1795-1809 (2008)

<http://brain.oxfordjournals.org/content/132/7/1795.long>

Sonntag KC, Woo TW:

Laser microdissection and gene expression profiling in the human postmortem brain

Handb Clin Neurol. 2018;150:263-272. doi: 10.1016/B978-0-444-63639-3.00018-9.

<https://www.sciencedirect.com/science/article/pii/B9780444636393000189>

Solga AC, Pong WW, Walker J, Wylie T, Magrini V, Apicelli AJ, Griffith M, Griffith OL, Kohsaka S, Wu GF, Brody DL, Mardis ER, Gutmann DH:

RNA-Sequencing Reveals Oligodendrocyte and Neuronal Transcripts in Microglia Relevant to Central Nervous System Disease

Glia. 2014 Sep 24. doi: 10.1002/glia.22754.

<http://dx.doi.org/10.1002/glia.22754>

Solich J, Kolasa M, Kusmider M, Pabian P, Faron-Gorecka A, Zurawek D, Szafran-Pilch K, Kedracka-Krok S, Jankowska U, Swiderska B, Dziedzicka-Wasylewska M:

Life-long norepinephrine transporter (NET) knock-out leads to the increase in the NET mRNA in brain regions rich in norepinephrine terminals

Eur Neuropsychopharmacol. 2015 May 8. pii: S0924-977X(15)00124-8. doi: 10.1016/j.euroneuro.2015.04.019.

[http://linkinghub.elsevier.com/retrieve/pii/S0924-977X\(15\)00124-8](http://linkinghub.elsevier.com/retrieve/pii/S0924-977X(15)00124-8)

Steinecke A, Kurabayashi N, Hayano Y, Ishino Y, Taniguchi H:

In Vivo Single-Cell Genotyping of Mouse Cortical Neurons Transfected with CRISPR/Cas9

Cell Rep. 2019 Jul 9;28(2):325-331.e4. doi: 10.1016/j.celrep.2019.06.038.

[https://linkinghub.elsevier.com/retrieve/pii/S2211-1247\(19\)30804-6](https://linkinghub.elsevier.com/retrieve/pii/S2211-1247(19)30804-6)

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Subramanian N, Wetzel A, Dombert B, Yadav P, Havlicek S, Jablonka S, Nassar MA, Blum R, Sendtner M:

Role of Nav1.9 in activity-dependent axon growth in motoneurons

Hum Mol Genet. 2012 Jun 8. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/05/28/hmg.dds195.abstract>

Swieck K, Conta-Steencken A, Middleton FA, Siebert JR, Osterhout DJ, Stelzner DJ:

Effect of lesion proximity on the regenerative response of long descending propriospinal neurons after spinal transection injury

BMC Neurosci. 2019 Mar 18;20(1):10. doi: 10.1186/s12868-019-0491-y.

<https://bmcneurosci.biomedcentral.com/articles/10.1186/s12868-019-0491-y>

Takeuchi A, Takahashi Y, Iida K, Hosokawa M, Irie K, Ito M, Brown JB, Ohno K, Nakashima K, Hagiwara M:

Identification of Qk as a Glial Precursor Cell Marker that Governs the Fate Specification of Neural Stem Cells to a Glial Cell Lineage

Stem Cell Reports. 2020 Sep 7:S2213-6711(20)30341-6. doi: 10.1016/j.stemcr.2020.08.010.

<https://www.sciencedirect.com/science/article/pii/S2213671120303416>

Tan Y, Delvaux E, Nolz J, Coleman PD, Chen S, Mastroeni D:

Upregulation of HDAC2 in Laser Capture Nigral Microglia in Parkinson's Disease

Neurobiology of Aging, 2018, ISSN 0197-4580, <https://doi.org/10.1016/j.neurobiolaging.2018.02.018>.
<https://www.sciencedirect.com/science/article/pii/S0197458018300629>

Taruno A, Vingtdoux V, Ohmoto M, Ma Z, Dvoryanchikov G, Li A, Adrien L, Zhao H, Leung S, Abernethy M, Koppel J, Davies P, Civan MM, Chaudhari N, Matsumoto I, Hellekant G, Tordoff MG, Marambaud P, Foskett JK:

CALHM1 ion channel mediates purinergic neurotransmission of sweet, bitter and umami tastes

Nature. 2013 Mar 14;495(7440):223-6. doi: 10.1038/nature11906. Epub 2013 Mar 6.
<http://www.nature.com/nature/journal/v495/n7440/full/nature11906.html>

Tateno, M., Sadakata, H., Tanaka, M., Itohara, S., Shin, R.M., Miura, M., Masuda, M., Aosaki, T., Urushitani, M., Misawa, H., and Takahashi, R.:

Calcium-permeable AMPA receptors promote misfolding of mutant SOD1 protein and development of amyotrophic lateral sclerosis in a transgenic mouse model

Hum Mol Genet 13(19): 2183-2196 (2004)
<http://hmg.oxfordjournals.org/content/13/19/2183.long>

Telezhkin V, Straccia M, Yarova P, Pardo M, Yung S, Vinh NN, Hancock JM, Barriga GG, Brown DA, Rosser AE, Brown JT, Canals JM, Randall AD, Allen ND, Kemp PJ:

Kv7 channels are upregulated during striatal neuron development and promote maturation of human iPSC-derived neurons

Pflugers Arch. 2018 May 24. doi: 10.1007/s00424-018-2155-7.
<https://dx.doi.org/10.1007/s00424-018-2155-7>

Terrier B, Colombat M, Beugnet C, Quéant A, London J, Daudin JB, Le Jeune C, Mouthon L, Monnet D, Cauquil C, Lacroix C, Adams D, Brézin A, Valleix S:

Vitreous amyloidosis with autonomic neuropathy of the digestive tract associated with a novel transthyretin p.Gly87Arg variant in a Bangladeshi patient: a case report

J Med Case Rep. 2017 Aug 13;11(1):222. doi: 10.1186/s13256-017-1407-z.
<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/s13256-017-1407-z>

Thompson CL, Wisor JP, Lee CK, Pathak SD, Gerashchenko D, Smith KA, Fischer SR, Kuan CL, Sunkin SM, Ng LL, Lau C, Hawrylycz M, Jones AR, Kilduff TS, Lein ES :

Molecular and anatomical signatures of sleep deprivation in the mouse brain

Front Neurosci. 2010 Oct 21;4:165. doi: 10.3389/fnins.2010.00165.
<http://www.frontiersin.org/Neurogenomics/10.3389/fnins.2010.00165/abstract>

Tinkum KL, White LS, Marpegan L, Herzog E, Piwnicka-Worms D, Piwnicka-Worms H:

Forkhead Box O1 (FOXO1), but not p53, Contributes to Robust Induction of p21 Expression in Fasted Mice

J Biol Chem. 2013 Aug 5.
<http://www.jbc.org/cgi/pmidlookup?view=long&pmid=23918930>

Tiwari NK, Sathyanesan M, Schweinle W, Newton SS:

Carbamoylated erythropoietin induces a neurotrophic gene profile in neuronal cells

Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, ISSN 0278-5846
<https://www.sciencedirect.com/science/article/pii/S0278584618301222>

Valdés P, Mercado G, Vidal RL, Molina C, Parsons G, Court FA, Martínez A, Galleguillos D, Armentano D, Schneider BL, Hetz C:

Control of dopaminergic neuron survival by the unfolded protein response transcription factor XBP1

Proc Natl Acad Sci U S A. 2014 Apr 21.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24753614>

Vasilache, AM:

Talking to the Brain at the Blood-Brain Barrier through Inflammation-Induced Prostaglandin E₂
Doctoral thesis (English)

<http://diva-portal.org/smash/record.jsf?pid=diva2%3A789634&dswid=-5453>

Vlachos A, Ikenberg B, Lenz M, Becker D, Reifenberg K, Bas-Orth C, Deller T:

Synaptopodin regulates denervation-induced homeostatic synaptic plasticity

Proc Natl Acad Sci U S A. 2013 Apr 29.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23630268>

Vodička M, Ergang P, Mikulecká A, Řeháková L, Klusoňová P, Makal J, Soták M, Musílková J, Zach P, Pácha J:

Regulation of 11 β -Hydroxysteroid Dehydrogenase Type 1 and 7 α -Hydroxylase CYP7B1 during Social Stress

PLoS ONE 9(2): e89421. doi: 10.1371/journal.pone.0089421

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0089421#pone-0089421-g008>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wainwright DA, Xin J, Mesnard NA, Beahrs TR, Politis CM, Sanders VM, Jones KJ:

Exacerbation of facial motoneuron loss after facial nerve axotomy in CCR3-deficient mice

ASN Neuro 1(5):e00024 (2009)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2826103/>

Wainwright DA, Xin J, Mesnard NA, Sanders VM, Jones KJ:

Toll-like receptor 2 and facial motoneuron survival after facial nerve axotomy

Neurosci Lett. 2010 Feb 26;471(1):10-4

<http://dx.doi.org/10.1016/j.neulet.2009.12.076>

Wang L, Sharma K, Grisotti G, Roos RP:

The effect of mutant SOD1 dismutase activity on non-cell autonomous degeneration in familial amyotrophic lateral sclerosis

Neurobiol Dis 35(2):234-40 (2009)

<http://dx.doi.org/10.1016/j.nbd.2009.05.002>

Wang P, Li H, Barde S, Zhang MD, Sun J, Wang T, Zhang P, Luo H, Wang Y, Yang Y, Wang C, Svenningsson P, Theodorsson E, Hökfelt TG, Xu ZQ:

Depression-like behavior in rat: Involvement of galanin receptor subtype 1 in the ventral periaqueductal gray

Proc Natl Acad Sci U S A. 2016 Aug 9;113(32):E4726-35. doi: 10.1073/pnas.1609198113.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=27457954>

Wei Y, Gong J, Xu Z, Thimmulappa RK, Mitchell KL, Welsbie DS, Biswal S, Duh EJ:

Nrf2 in ischemic neurons promotes retinal vascular regeneration through regulation of semaphorin 6A

Proc Natl Acad Sci U S A. 2015 Nov 30. pii: 201512683.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=26621751>

Wienecke J, Westerdahl AC, Hultborn H, Kiehn O, Ryge J:

Global gene expression analysis of rodent motor neurons following spinal cord injury associates molecular mechanisms with development of postinjury spasticity

J Neurophysiol 103(2): 761-78 (2009)

<http://jn.physiology.org/content/103/2/761.short>

Willem M, Tahirovic S, Busche MA, Ovsepijan SV, Chafai M6, Kootar S, Hornburg D, Evans LD, Moore S, Daria A, Hampel H, Müller V, Giudici C, Nuscher B, Wenninger-Weinzierl A, Kremmer E, Heneka MT, Thal DR, Giedraitis V, Lannfelt L, Müller U, Livesey FJ, Meissner F, Herms J, Konnerth A, Marie H, Haass C:

η -Secretase processing of APP inhibits neuronal activity in the hippocampus

Nature. 2015 Oct 15;526(7573):443-7. doi: 10.1038/nature14864.

<http://dx.doi.org/10.1038/nature14864>

Willems LM, Zahn N, Ferreirós N, Scholich K, Maggio N, Deller T, Vlachos A:

Sphingosine-1-phosphate receptor inhibition prevents denervation-induced dendritic atrophy

Acta Neuropathol Commun. 2016 Mar 31;4(1):28. doi: 10.1186/s40478-016-0303-x.

<http://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-016-0303-x>

Willsey AJ, Sanders SJ, Li M, Dong S, Tebbenkamp AT, Muhle RA, Reilly SK, Lin L, Fertuzinhos S, Miller JA, Murtha MT, Bichsel C, Niu W, Cotney J, Ercan-Sencicek AG, Gockley J, Gupta AR, Han W, He X, Hoffman EJ, Klei L, Lei J, Liu W, Liu L, Lu C, Xu X, Zhu Y, Mane SM, Lein ES, Wei L, Noonan JP, Roeder K, Devlin B, Sestan N, State MW:

Coexpression networks implicate human midfetal deep cortical projection neurons in the pathogenesis of autism

Cell. 2013 Nov 21;155(5):997-1007. doi: 10.1016/j.cell.2013.10.020.

http://medicine.yale.edu/lab/sestan/resources/635_173748_willseyC13complete.pdf

Winter L, Wittig I, Peeva V, Eggers B, Heidler J, Chevessier F, Kley RA, Barkovits K, Strecker V, Berwanger C, Herrmann H, Marcus K, Kornblum C, Kunz WS, Schröder R, Clemen CS:

Mutant desmin substantially perturbs mitochondrial morphology, function and maintenance in skeletal muscle tissue

Acta Neuropathol. 2016 Jul 8.

<http://dx.doi.org/10.1007/s00401-016-1592-7>

Xin J, Wainwright DA, Mesnard NA, Serpe CJ, Sanders VM, Jones KJ:

IL-10 within the CNS is necessary for CD4+ T cells to mediate neuroprotection

Brain Behav Immun. 2010 Aug 17. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.bbi.2010.08.004>

Yagishita Y, Uruno A, Fukutomi T, Saito R, Saigusa D, Pi J, Fukamizu A, Sugiyama F, Takahashi S, Yamamoto M:

Nrf2 Improves Leptin and Insulin Resistance Provoked by Hypothalamic Oxidative Stress

Cell Rep. 2017 Feb 21;18(8):2030-2044. doi: 10.1016/j.celrep.2017.01.064.

<http://www.sciencedirect.com/science/article/pii/S2211124717301341>

Yamaguchi T, Wei D, Song SC, Lim B, Tritsch NX, Lin D:

Posterior amygdala regulates sexual and aggressive behaviors in male mice.

Nat Neurosci. 2020 Jul 27. doi: 10.1038/s41593-020-0675-x.

<https://www.nature.com/articles/s41593-020-0675-x>

Yang L, Yang Y, Yuan J, Sun Y, Dai J, Su B:

Transcriptomic Landscape of von Economo Neurons in Human Anterior Cingulate Cortex Revealed by Microdissected-Cell RNA Sequencing

Cereb Cortex. 2018 Dec 7. doi: 10.1093/cercor/bhy286.

<https://www.ncbi.nlm.nih.gov/pubmed/30535007>

Yin Z, Raj D, Saiepour N, Van Dam D, Brouwer N, Holtman IR, Eggen BJJ, Möller T, Tamm JA, Abdourahman A, Hol EM, Kamphuis W, Bayer TA, DeDeyn PP, Boddeke E:

Immune hyperreactivity of A β plaque-associated microglia in Alzheimer's disease

Neurobiology of Aging, 27 Mar 2017, ISSN 0197-4580,

<http://dx.doi.org/10.1016/j.neurobiolaging.2017.03.021>.

<http://www.sciencedirect.com/science/article/pii/S0197458017300970>

Yokota K, Kobayakawa K, Kubota K, Miyawaki A, Okano H, Ohkawa Y, Iwamoto Y, Okada S:

Engrafted Neural Stem/Progenitor Cells Promote Functional Recovery through Synapse Reorganization with Spared Host Neurons after Spinal Cord Injury

Stem Cell Reports. 2015 Jul 14. pii: S2213-6711(15)00185-X. doi: 10.1016/j.stemcr.2015.06.004.

[http://linkinghub.elsevier.com/retrieve/pii/S2213-6711\(15\)00185-X](http://linkinghub.elsevier.com/retrieve/pii/S2213-6711(15)00185-X)

Yokota K, Kubota K, Kobayakawa K, Saito T, Hara M, Kijima K, Maeda T, Katoh H, Ohkawa Y, Nakashima Y, Okada S:

Pathological changes of distal motor neurons after complete spinal cord injury

Mol Brain. 2019 Jan 9;12(1):4. doi: 10.1186/s13041-018-0422-3.

<https://link.springer.com/article/10.1186/s13041-018-0422-3>

Yoshioka W, Endo N, Kurashige A, Haijima A, Endo T, Shibata T, Nishiyama R, Kakeyama M, Tohyama C:

Fluorescence laser microdissection reveals a distinct pattern of gene activation in the mouse hippocampal region

Sci Rep. 2012;2:783. doi: 10.1038/srep00783.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23136640/>

Yu H, Sant DW, Wang G, Guy J:

Mitochondrial Transfer of the Mutant Human ND6T14484C Gene Causes Visual Loss and Optic Neuropathy

Translational Vision Science & Technology October 2020, Vol.9, 1. doi:https://doi.org/10.1167/tvst.9.11.1

<https://tvst.arvojournals.org/article.aspx?articleid=2770854>

Zeng H, Shen EH, Hohmann JG, Oh SW, Bernard A, Royall JJ, Glattfelder KJ, Sunkin SM, Morris JA, Guillozet-Bongaarts AL, Smith KA, Ebbert AJ, Swanson B, Kuan L, Page DT, Overly CC, Lein ES, Hawrylycz MJ, Hof PR, Hyde TM, Kleinman JE, Jones AR:

Large-scale cellular-resolution gene profiling in human neocortex reveals species-specific molecular signatures

Cell. 2012 Apr 13;149(2):483-96. doi: 10.1016/j.cell.2012.02.052.

[http://linkinghub.elsevier.com/retrieve/pii/S0092-8674\(12\)00348-0](http://linkinghub.elsevier.com/retrieve/pii/S0092-8674(12)00348-0)

Zhang L, Wahlin K, Li Y, Masuda T, Yang Z, Zack DJ, Esumi N:

RIT2, a neuron-specific small guanosine triphosphatase, is expressed in retinal neuronal cells and its promoter is modulated by the POU4 transcription factors

Mol Vis. 2013 Jun 17;19:1371-86. Print 2013.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23805044/>

Zhang Q, Goto H, Akiyoshi-Nishimura S, Prosselkov P, Sano C, Matsukawa H, Yaguchi K, Nakashiba T, Itohara S:

Diversification of behavior and postsynaptic properties by netrin-G presynaptic adhesion family proteins

Mol Brain. 2016 Jan 8;9(1):6. doi: 10.1186/s13041-016-0187-5.

<http://molecularbrain.biomedcentral.com/articles/10.1186/s13041-016-0187-5>

Zhou FC, Resendiz M, Lo CL, Chen Y:

Cell-Wide DNA De-Methylation and Re-Methylation of Purkinje Neurons in the Developing Cerebellum

PLoS One. 2016 Sep 1;11(9):e0162063. doi: 10.1371/journal.pone.0162063. eCollection 2016.
<http://dx.plos.org/10.1371/journal.pone.0162063>

Learn more about the benefit of Laser Microdissection in Neuroscience in one of our free Webinars:

[Webinar: Leica Microsystems Laser Microdissection – Dissection Perfection](#)

[Webinar: Laser Microdissection – Dissection Perfection](#)

[Webinar: How to Conduct Localized Proteomics of Microscopic Regions](#)