

9. Plant Research

Abbott E, Hall D, Hamberger B, Bohlmann J.:

Laser microdissection of conifer stem tissues: isolation and analysis of high quality RNA, terpene synthase enzyme activity and terpenoid metabolites from resin ducts and cambial zone tissue of white spruce (*Picea glauca*).

BMC Plant Biol 10: 106 (2010)

<http://www.biomedcentral.com/1471-2229/10/106>

Agusti J, Lichtenberger R, Schwarz M, Nehlin L, Greb T:

Characterization of transcriptome remodeling during cambium formation identifies MOL1 and RUL1 as opposing regulators of secondary growth

PLoS Genet. 2011 Feb;7(2):e1001312

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1001312>

Agustí J, Merelo P, Cercós M, Tadeo FR, Talón M:

Comparative transcriptional survey between laser-microdissected cells from laminar abscission zone and petiolar cortical tissue during ethylene-promoted abscission in citrus leaves

BMC Plant Biol. 2009 Oct 23;9:127

<http://www.biomedcentral.com/1471-2229/9/127>

Artico S, Ribeiro-Alves M, Oliveira-Neto OB, de Macedo LL, Silveira S, Grossi-de-Sa MF, Martinelli AP, Alves-Ferreira M:

Transcriptome analysis of *Gossypium hirsutum* flower buds infested by cotton boll weevil (*Anthonomus grandis*) larvae

BMC Genomics. 2014 Oct 4;15(1):854.

<http://www.biomedcentral.com/content/pdf/1471-2164-15-854.pdf>

Aubert MK, Coventry S, Shirley NJ, Betts NS, Würschum T, Burton RA, Tucker MR:

Differences in hydrolytic enzyme activity accompany natural variation in mature aleurone morphology in barley (*Hordeum vulgare* L.)

Sci Rep. 2018 Jul 23;8(1):11025. doi: 10.1038/s41598-018-29068-4.

<http://dx.doi.org/10.1038/s41598-018-29068-4>

Balestrini R, Fiorilli V:

Laser Microdissection as a Useful Tool to Study Gene Expression in Plant and Fungal Partners in AM Symbiosis

Methods Mol Biol. 2020;2146:171-184. doi: 10.1007/978-1-0716-0603-2_13.

https://link.springer.com/protocol/10.1007/978-1-0716-0603-2_13

Balestrini, R., Gomez-Ariza, J., Lanfranco, L., and Bonfante, P.:

Laser microdissection reveals that transcripts for five plant and one fungal phosphate transporter genes are contemporaneously present in arbusculated cells

Mol Plant Microbe Interact 20(9): 1055-1062 (2007)

<http://apsjournals.apsnet.org/doi/abs/10.1094/MPMI-20-9-1055>

Balestrini R, Nerva L, Sillo F, Girlanda M, Perotto S:

Plant and fungal gene expression in mycorrhizal protocorms of the orchid *Serapias vomeracea* colonized by *Tulasnella calospora*

Plant Signaling & Behavior, 2014 Nov 03, DOI: 10.4161/15592324.2014.977707

http://www.tandfonline.com/doi/abs/10.4161/15592324.2014.977707#.VGB_ycmteik

Balestrini R, Perotto S, Fiorilli V:

Laser microdissection as a tool to study fungal gene expression in mycorrhizal endosymbiosis

IJM - Italian Journal of Mycology, ISSN 2531-7342 - Vol. 50 (2021): 1-9
<https://italianmycology.unibo.it/article/view/11867>

Balestrini R, Ott T, Güther M, Bonfante P, Udvardi MK, De Tullio MC:
Ascorbate oxidase: The unexpected involvement of a 'wasteful enzyme' in the symbioses with nitrogen-fixing bacteria and arbuscular mycorrhizal fungi
Plant Physiology and Biochemistry, 2012
<http://dx.doi.org/10.1016/j.plaphy.2012.07.006>

Becker MG, Haddadi P, Wan J, Adam L, Walker P, Larkan N, Daayf F, Borhan MH, Belmonte MF :
Transcriptome analysis of Rlm2-mediated host immunity in the Brassica napus-Leptosphaeria maculans pathosystem
Mol Plant Microbe Interact. 2019 Apr 2. doi: 10.1094/MPMI-01-19-0028-R.
<https://apsjournals.apsnet.org/doi/pdfplus/10.1094/MPMI-01-19-0028-R>

Becker MG, Zhang X, Walker PL, Wan JC, Millar JL, Khan D, Granger MJ, Cavers JD, Chan AC, Fernando DW, Belmonte MF:
Transcriptome analysis of the Brassica napus - Leptosphaeria maculans pathosystem identifies receptor, signalling and structural genes underlying plant resistance
Plant J. 2017 Feb 21. doi: 10.1111/tpj.13514.
<http://dx.doi.org/10.1111/tpj.13514>

Belmondo S, Fiorilli V, Pérez-Tienda J, Ferrol N, Marmeisse R, and Lanfranco L:
A dipeptide transporter from the arbuscular mycorrhizal fungus Rhizophagus irregularis is upregulated in the intraradical phase
Front. Plant Sci. | doi: 10.3389/fpls.2014.00436
<http://journal.frontiersin.org/Journal/10.3389/fpls.2014.00436/abstract>

Belmonte MF, Kirkbride RC, Stone SL, Pelletier JM, Bui AQ, Yeung EC, Hashimoto M, Fei J, Harada CM, Munoz MD, Le BH, Drews GN, Brady SM, Goldberg RB, Harada JJ:
Comprehensive developmental profiles of gene activity in regions and subregions of the Arabidopsis seed
Proc Natl Acad Sci U S A. 2013 Jan 14.
<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23319655>

Berruti A, Bianciotto V, Borriello R, Lumini E, Scariot V, Balestrini R:
Application of laser microdissection to identify the arbuscular mycorrhizal fungi inside the root cells
Frontiers in Plant Science, Nov 2013, ISSN 1664-462X
<http://www.frontiersin.org/Journal/abstract/38008>

Berruti A, Borriello R, Lumini E, Scariot V, Bianciotto V and Balestrini R:
Application of laser microdissection to identify the mycorrhizal fungi that establish arbuscules inside root cells
Front. Plant Sci. | doi: 10.3389/fpls.2013.00135
http://www.frontiersin.org/Plant-Microbe_Interaction/10.3389/fpls.2013.00135/abstract

Bi H, Kovalchuk N, Langridge P, Tricker PJ, Lopato S, Borisjuk N:
The impact of drought on wheat leaf cuticle properties
BMC Plant Biol. 2017 May 8;17(1):85. doi: 10.1186/s12870-017-1033-3
<https://bmcpantbiol.biomedcentral.com/articles/10.1186/s12870-017-1033-3>

Bi H, Shi J, Kovalchuk N, Luang S, Bazanova N, Chirkova L, Zhang D, Shavrukov Y, Stepanenko A, Tricker P, Langridge P, Hrmova M, Lopato S, Borisjuk N:

Overexpression of the TaSHN1 transcription factor in bread wheat leads to leaf surface modifications, improved drought tolerance and no yield penalty under controlled growth conditions

Plant Cell Environ. 2018 May 14. doi: 10.1111/pce.13339.

<http://dx.doi.org/10.1111/pce.13339>

Cahill JF, Kertesz V:

Laser Capture Microdissection–Liquid Vortex Capture Mass Spectrometry Metabolic Profiling of Single Onion Epidermis and Microalgae Cells

Methods Mol Biol. 2020;2064:89-101. doi: 10.1007/978-1-4939-9831-9_7.

https://dx.doi.org/10.1007/978-1-4939-9831-9_7

Cahill JF, Kertesz V:

Automated Optically Guided System for Chemical Analysis of Single Plant and Algae Cells Using Laser Microdissection/Liquid Vortex Capture/Mass Spectrometry

Front Plant Sci. 2018 Aug 20;9:1211. doi: 10.3389/fpls.2018.01211. eCollection 2018.

<https://doi.org/10.3389/fpls.2018.01211>

Campos-Soriano L, Gomez-Ariza J, Bonfante P, San Segundo B:

A rice calcium-dependent protein kinase is expressed in cortical root cells during the presymbiotic phase of the arbuscular mycorrhizal symbiosis

BMC Plant Biol. 2011 May 19;11(1):90.

<http://www.biomedcentral.com/1471-2229/11/90/abstract>

Cañas RA, Canales J, Gómez-Maldonado J, Avila C, Cánovas FM:

Transcriptome analysis in maritime pine using laser capture microdissection and 454 pyrosequencing

Tree Physiol. 2014 Jan 3.

<http://treephys.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24391165>

Caruso M, Distefano G, La Malfa S, Gentile A, Merelo P, Tadeo FR, Talon M

Identification of candidate genes involved in the self incompatibility response in clementine

Acta Hort, 2012

http://www.actahort.org/members/showpdf?booknr=967_14

Caruso M, Merelo P, Distefano G, La Malfa S, Lo Piero AR, Tadeo FR, Talon M, Gentile A

Comparative transcriptome analysis of stylar canal cells identifies novel candidate genes implicated in the self-incompatibility response of Citrus clementina

BMC Plant Biol. 2012 Feb 14;12(1):20

<http://www.biomedcentral.com/1471-2229/12/20>

Castro-Rodríguez V, García-Gutiérrez A, Cañas RA, Pascual M, Avila C, Cánovas FM:

Redundancy and metabolic function of the glutamine synthetase gene family in poplar

BMC Plant Biol. 2015 Jan 22;15(1):20.

<http://www.biomedcentral.com/1471-2229/15/20>

Celedon JM, Yuen MMS, Chiang A, Henderson H, Reid KE, Bohlmann J:

Cell-type and tissue specific transcriptomes of the white spruce (Picea glauca) bark unmask fine-scale spatial patterns of constitutive and induced conifer defense

Plant J. 2017 Aug 30. doi: 10.1111/tpj.13673.

<http://onlinelibrary.wiley.com/doi/10.1111/tpj.13673/full>

Chandran D, Inada N, Hather G, Kleindt CK, Wildermuth MC:

Laser microdissection of Arabidopsis cells at the powdery mildew infection site reveals site-specific processes and regulators

Proc Natl Acad Sci U S A. 2010 Jan 5;107(1):460-5.

<http://www.pnas.org/content/107/1/460.abstract>

Chandran D, Inada N, Wildermuth MC:

Laser microdissection of plant-fungus interaction sites and isolation of RNA for downstream expression profiling

Methods Mol Biol 712:241-62 (2011)

<http://www.springerlink.com/content/g8x0633768v71816/#section=862301&page=1>

Chen HC, Song J, Wang JP, Lin YC, Ducoste J, Shuford CM, Liu J, Li Q, Shi R, Nepomuceno A, Isik F, Muddiman DC, Williams C, Sederoff RR, Chiang VL:

Systems Biology of Lignin Biosynthesis in Populus trichocarpa: Heteromeric 4-Coumaric Acid:Coenzyme A Ligase Protein Complex Formation, Regulation, and Numerical Modeling

Plant Cell. 2014 Mar 11.

<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=24619612>

Chen LL, Chu SS, Zhang L, Xie J, Dai M, Wu X, Peng HS:

Tissue-Specific Metabolite Profiling on the Different Parts of Bolting and Unbolting Peucedanum praeruptorum Dunn (Qianhu) by Laser Microdissection Combined with UPLC-Q/TOF-MS and HPLC-DAD

Molecules. 2019 Apr 11;24(7). pii: E1439. doi: 10.3390/molecules24071439.

<http://www.mdpi.com/resolver?pii=molecules24071439>

Chen M, Bui AQ, Goldberg RB:

Using Giant Scarlet Runner Bean (Phaseolus coccineus) Embryos to Dissect the Early Events in Plant Embryogenesis

Methods Mol Biol. 2020;2122:205-222. doi: 10.1007/978-1-0716-0342-0_15.

https://link.springer.com/protocol/10.1007/978-1-0716-0342-0_15

Chen QL, Chen YJ, Zhou SS, Yip KM, Xu J, Chen HB, Zhao ZZ:

Laser microdissection hyphenated with high performance gel permeation chromatography-charged aerosol detector and ultra performance liquid chromatography-triple quadrupole mass spectrometry for histochemical analysis of polysaccharides in herbal medicine: Ginseng, a case study

Int J Biol Macromol. 2017 Aug 31. pii: S0141-8130(17)32336-X. doi: 10.1016/j.ijbiomac.2017.08.162.

[https://linkinghub.elsevier.com/retrieve/pii/S0141-8130\(17\)32336-X](https://linkinghub.elsevier.com/retrieve/pii/S0141-8130(17)32336-X)

Chen Y, Xu L, Zhao Y, Zhao Z, Chen H, Yi T, Qin M, Liang Z:

Tissue-specific metabolite profiling and quantitative analysis of ginsenosides in Panax quinquefolium using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry

Chem Cent J. 2015; 9: 66. 2015 Dec 9. doi: 10.1186/s13065-015-0141-0

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4673779/>

Chen Z, Zhao W, Ge D, Han Y, Ning K, Luo C, Wang S, Liu R, Zhang X, Wang Q:

LCM-seq reveals the crucial role of LsSOC1 in heat-promoted bolting of lettuce (Lactuca sativa L.)

Plant J. 2018 May 17. doi: 10.1111/tbj.13968.

<https://onlinelibrary.wiley.com/doi/abs/10.1111/tbj.13968>

Chitarra W, Balestrini R, Vitali M, Pagliarani C, Perrone I, Schubert A, Lovisollo C:

Gene expression in vessel-associated cells upon xylem embolism repair in Vitis vinifera L. petioles

Planta. 2014 Jan 9.

<http://dx.doi.org/10.1007/s00425-013-2017-7>

Corradi N, Bonfante P:

The arbuscular mycorrhizal symbiosis: origin and evolution of a beneficial plant infection

PLoS Pathog. 2012 Apr;8(4):e1002600.

www.ncbi.nlm.nih.gov/pmc/articles/PMC3330121/

Day, R.C., Grossniklaus, U., and Macknight, R.C.:

Be more specific! Laser-assisted microdissection of plant cells

Trends Plant Sci 10(8): 397-406 (2005)

<http://dx.doi.org/10.1016/j.tplants.2005.06.006>

Doidy J, Grace E, Kühn C, Simon-Plas F, Casieri L, Wipf D:

Sugar transporters in plants and in their interactions with fungi

Trends Plant Sci. 2012 Apr 16.

<http://www.sciencedirect.com/science/article/pii/S1360138512000611>

Elhiti M, Wally OS, Belmonte MF, Chan A, Cao Y, Xiang D, Datla R, Stasolla C:

Gene expression analysis in microdissected shoot meristems of *Brassica napus* microspore-derived embryos with altered SHOOTMERISTEMLESS levels

Planta. 2013 Apr;237(4):1065-82. doi: 10.1007/s00425-012-1814-8.

<http://link.springer.com/article/10.1007%2Fs00425-012-1814-8>

Fang J, Ramsay A, Renouard S, Hano C, Lamblin F, Chabbert B, Mesnard F, Schneider B:

Laser Microdissection and Spatiotemporal Pinoresinol-Lariciresinol Reductase Gene Expression Assign the Cell Layer-Specific Accumulation of Secoisolariciresinol Diglucoside in Flaxseed Coats

Front Plant Sci. 2016 Nov 21;7:1743. doi: 10.3389/fpls.2016.01743. eCollection 2016.

<https://www.frontiersin.org/articles/10.3389/fpls.2016.01743/full>

Fang J, Reichelt M, Hidalgo W, Agnolet S, Schneider B:

Tissue-Specific Distribution of Secondary Metabolites in Rapeseed (*Brassica napus* L.)

PLoS ONE 7(10): e48006. doi:10.1371/journal.pone.0048006

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0048006>

Fang J, Schneider B:

Laser Microdissection: a Sample Preparation Technique for Plant Micrometabolic Profiling

Phytochem. Anal., 23 Sep 2013, 1099-1565, 10.1002/pca.2477

<http://dx.doi.org/10.1002/pca.2477>

Fernández I, Merlos M, López-Ráez JA, Martínez-Medina A, Ferrol N, Azcón C, Bonfante P, Flors V, Pozo MJ:

Defense Related Phytohormones Regulation in Arbuscular Mycorrhizal Symbioses Depends on the Partner Genotypes

J Chem Ecol. 2014 Jul 6.

<http://dx.doi.org/10.1007/s10886-014-0473-6>

Fiorilli V, Belmonte S, Khouja HR, Abbà S, Faccio A, Daghino S, Lanfranco L :

RiPEIP1, a gene from the arbuscular mycorrhizal fungus *Rhizophagus irregularis*, is preferentially expressed in planta and may be involved in root colonization

Mycorrhiza. 2016 Apr 13.

<http://dx.doi.org/10.1007/s00572-016-0697-0>

Fiorilli V, Catoni M, Miozzi L, Novero M, Accotto GP, Lanfranco L:

Global and cell-type gene expression profiles in tomato plants colonized by an arbuscular mycorrhizal fungus

New Phytol. 2009 Dec;184(4):975-87. Epub 2009 Sep 17.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2009.03031.x/full>

Fochi V, Chitarra W, Kohler A, Voyron S, Singan VR, Lindquist EA, Barry KW, Girlanda M, Grigoriev IV, Martin F, Balestrini R, Perotto S:

Fungal and plant gene expression in the *Tulasnella calospora*-*Serapias vomeracea* symbiosis provides clues about nitrogen pathways in orchid mycorrhizas

New Phytol. 2016 Nov 11. doi: 10.1111/nph.14279.

<http://onlinelibrary.wiley.com/doi/10.1111/nph.14279/abstract>

Gambetta GA, Fei J, Rost TL, Knipfer T, Matthews MA, Shackel KA, Walker MA, McElrone AJ:

Water uptake along the length of grapevine fine roots: developmental anatomy, tissue specific aquaporin expression, and pathways of water transport

Plant Physiol. 2013 Sep 18.

<http://www.plantphysiol.org/content/early/2013/09/18/pp.113.221283.long>

Giovannetti M, Balestrini R, Volpe V, Guether M, Straub D, Costa A, Ludewig U, Bonfante P:

Two putative-aquaporin genes are differentially expressed during arbuscular mycorrhizal symbiosis in *Lotus japonicus*

BMC Plant Biol. 2012 Oct 9;12(1):186.

<http://www.biomedcentral.com/1471-2229/12/186>

Giovannetti M, Tolosano M, Volpe V, Kopriva S, Bonfante P:

Identification and functional characterization of a sulfate transporter induced by both sulfur starvation and mycorrhiza formation in *Lotus japonicus*

New Phytol. 2014 Jul 31. doi: 10.1111/nph.12949.

<http://dx.doi.org/10.1111/nph.12949>

Gomez SK, Harrison MJ:

Laser microdissection and its application to analyze gene expression in arbuscular mycorrhizal symbiosis

Pest Manag Sci 65(5): 504-11 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ps.1715/full>

González-Chávez Ma. del Carmen A, Ortega-Larrocea M, Carrillo-González R, López-Meyer M, Xoconostle-Cázares B, Gomez SK, Harrison MJ, López AMF, Maldonado-Mendoza IE

Arsenate induces the expression of fungal genes involved in As transport in arbuscular mycorrhiza

Fungal Biology (2011), ISSN 1878-6146, 10.1016/j.funbio.2011.08.005.

<http://www.sciencedirect.com/science/article/pii/S1878614611001577>

Gorshkov O, Chernova T, Mokshina N, Gogoleva N, Suslov D, Tkachenko A, Gorshkova T:

Intrusive Growth of Phloem Fibers in Flax Stem: Integrated Analysis of miRNA and mRNA Expression Profiles

Plants (Basel). 2019 Feb 19;8(2). pii: E47. doi: 10.3390/plants8020047.

<http://www.mdpi.com/resolver?pii=plants8020047>

Gotté M, Bérnard M, Kiefer-Meyer MC, Jaber R, Moore JP, Vicré-Gibouin M, and Driouich A:

Endoplasmic Reticulum Body-Related Gene Expression in Different Root Zones of *Arabidopsis* Isolated by Laser-Assisted Microdissection

The Plant Genome, Vol. 9 No. 2 Jul 7 2016, doi:10.3835/plantgenome2015.08.0076

<https://dl.sciencesocieties.org/publications/tpg/articles/9/2/plantgenome2015.08.0076>

Granados JM, Ávila C, Cánovas FM, Cañas RA:

Selection and testing of reference genes for accurate RT-qPCR in adult needles and seedlings of maritime pine

Tree Genetics & Genomes, June 2016, 12:60

<http://link.springer.com/article/10.1007/s11295-016-1018-7>

Guether M, Balestrini R, Hannah M, He J, Udvardi MK, Bonfante P:
Genome-wide reprogramming of regulatory networks, transport, cell wall and membrane biogenesis during arbuscular mycorrhizal symbiosis in *Lotus japonicus*
New Phytol 182(1):200-12 (2009)
<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2008.02725.x/full>

Guether, M., Neuhäuser, B., Balestrino, R., Dynowski, M., Ludewig, U., Bonfante, P:
A Mycorrhizal-Specific Ammonium Transporter from *Lotus japonicus* Acquires Nitrogen Released by Arbuscular Mycorrhizal Fungi¹
Plant Physiology 150: 73-83 (2009)
<http://www.plantphysiol.org/content/150/1/73.long>

Guether M, Volpe V, Balestrini R, Requena N, Wipf D and Bonfante P:
LjLHT1.2—a mycorrhiza-inducible plant amino acid transporter from *Lotus japonicus*
Biol Fertil Soils, DOI 10.1007/s00374-011-0596-7 (2011)
<http://www.springerlink.com/content/j30236l28156x734/>

Hall HC, Cheung J, Ellis BE:
Immunoprofiling reveals unique cell-specific patterns of wall epitopes in the expanding *Arabidopsis* stem
Plant J. 2013 Jan 7. doi: 10.1111/tpj.12111.
<http://onlinelibrary.wiley.com/doi/10.1111/tpj.12111/abstract>

Hamberger B, Ohnishi T, Hamberger B, Seguin A, Bohlmann J:
Evolution of diterpene metabolism: Sitka spruce CYP720B4 catalyses multiple oxidations in resin acid biosynthesis of conifer defense against insects
Plant Physiol. 2011 Oct 13. [Epub ahead of print]
<http://www.plantphysiol.org/content/early/2011/10/12/pp.111.185843.abstract>

Happyana N, Agnolet S, Muntendam R, Van Dam A, Schneider B, Kayser O
Analysis of cannabinoids in laser-microdissected trichomes of medicinal *Cannabis sativa* using LCMS and cryogenic NMR
Phytochemistry. 2012 Dec 29. pii: S0031-9422(12)00475-X. doi: 10.1016/j.phytochem.2012.11.001.
[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(12\)00475-X](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(12)00475-X)

Harrop TW, Ud Din I, Gregis V, Osnato M, Jouannic S, Adam H, Kater MM:
Gene expression profiling of reproductive meristem types in early rice inflorescences by laser microdissection
Plant J. 2016 Apr;86(1):75-88. doi: 10.1111/tpj.13147.
<http://dx.doi.org/10.1111/tpj.13147>

Hartanti MD, Rosario R, Hummitzsch K, Bastian NA, Hatzirodos N, Bonner WM, Bayne RA, Irving-Rodgers HF, Anderson RA, Rodgers RJ:
Could perturbed fetal development of the ovary contribute to the development of polycystic ovary syndrome in later life?
PLoS One. 2020 Feb 20;15(2):e0229351. doi: 10.1371/journal.pone.0229351. eCollection 2020.
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0229351>

Hettenhausen C, Baldwin IT, Wu J:
Silencing MPK4 in *Nicotiana attenuata* enhances photosynthesis and seed production but compromises abscisic acid-induced stomatal closure and guard cell-mediated resistance to *Pseudomonas syringae* pv tomato DC3000
Plant Physiol. 2012 Feb;158(2):759-76. doi: 10.1104/pp.111.190074.
<http://www.plantphysiol.org/cgi/pmidlookup?view=long&pmid=22147519>

Hölscher D:

Cellular-Specific Detection of Polyphenolic Compounds by NMR-and MS-Based Techniques

Recent Advances in Polyphenol Research, 2019

<https://books.google.de/>

Hölscher D, Fuchser J, Knop K, Menezes RC, Buerkert A, Svatoš A, Schubert US, Schneider B:

High resolution mass spectrometry imaging reveals the occurrence of phenylphenalenone-type compounds in red paracytic stomata and red epidermis tissue of *Musa acuminata* ssp. *zebrina* cv. 'Rowe Red'

Phytochemistry. 2015 May 21. pii: S0031-9422(15)00147-8. doi: 10.1016/j.phytochem.2015.04.010.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(15\)00147-8](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(15)00147-8)

Hölscher, D. and Schneider, B.:

Application of laser-assisted microdissection for tissue and cell-specific analysis of RNA, proteins, and metabolites

Progress in Botany 69: 141-167 (2007)

<http://www.springerlink.com/content/m15305q9262t5776/>

Hölscher, D. and Schneider, B.:

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225(3): 763-770 (2007)

<http://www.springerlink.com/content/m5787044k63758q0/>

Hölscher, D., Shroff, R., Knop, K., Gottschaldt, M., Crecelius, A., Schneider, B., Heckel, D.G., Schubert, U.S., Svatos, A.

Matrix-free UV-laser desorption/ionization (LDI) mass spectrometric imaging at the single-cell level: distribution of secondary metabolites of *Arabidopsis thaliana* and *Hypericum* species

The Plant Journal 60 (5): 907-918 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2009.04012.x/full>

Hollender CA, Kang C, Darwish O, Geretz A, Matthews BF, Slovin J, Alkharouf N, Liu Z:

Floral transcriptomes in woodland strawberry uncover developing receptacle and anther gene networks

Plant Physiol. 2014 May 14. pii: pp.114.237529.

<http://www.plantphysiol.org/content/early/2014/05/14/pp.114.237529.full.pdf>

Huisman R, Hontelez J, Mysore KS, Wen J, Bisseling T, Limpens E:

A symbiosis-dedicated SYNTAXIN OF PLANTS 13II isoform controls the formation of a stable host-microbe interface in symbiosis

New Phytol. 2016 Apr 25. doi: 10.1111/nph.13973.

<http://dx.doi.org/10.1111/nph.13973>

Hussain A, Husna, Ullah I, Naseem M:

Plant-Associated Microbes Alter Root Growth by Modulating Root Apical Meristem

Methods Mol Biol. 2020;2094:49-58. doi: 10.1007/978-1-0716-0183-9_6

https://link.springer.com/protocol/10.1007/978-1-0716-0183-9_6

Inada, N. and Wildermuth, M.C.:

Novel tissue preparation method and cell-specific marker for laser microdissection of *Arabidopsis* mature leaf

Planta 221(1): 9-16 (2005)

<http://www.springerlink.com/content/5n2fvbd0g0ue888w/>

Ishimura T, Ida M, Hirose S, Shimamura S, Masumura T, Nishizawa NK, Nakazono M, Kondo M:

Laser microdissection-based gene expression analysis in the aleurone layer and starchy endosperm of developing rice caryopses in the early storage phase

Rice, July 2015, 8:22,

<http://link.springer.com/article/10.1186%2Fs12284-015-0057-2#>

Ishimaru T, Parween S, Saito Y, Shigemitsu T, Yamakawa H, Nakazono M, Masumura T, Nishizawa NK, Kondo M, Sreenivasulu N:

Laser microdissection-based tissue specific transcriptome analyses reveals novel regulatory network of genes involved in heat-induced grain chalk in rice endosperm

Plant Cell Physiol. 2018 Dec 4. doi: 10.1093/pcp/pcy233.

<https://academic.oup.com/pcp/article-lookup/doi/10.1093/pcp/pcy233>

Ishimaru, Y., Suzuki, M., Tsukamoto, R., Suzuki, K., Nakazono, M., Kobayashi, T., Wada, Y., Watanabe, S., Matsuhashi, S., Takahashi, M., Nakanishi, H., Mori, S., and Nishizawa, N.K.:

Rice plants take up iron as an Fe³⁺-phytosiderophore and as Fe²⁺

Plant Journal 45(3): 335-346 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2005.02624.x/full>

Jaiswal YS, Liang Z, Guo P, Ho HM, Chen HB, Zhao Z:

Tissue-specific Metabolite Profiling of *Cyperus rotundus* L. Rhizomes and (+)-Nootkatone Quantitation by Using Laser Micro Dissection, UHPLC-QTOF MS and GC-MS Techniques

J Agric Food Chem. 2014 Jun 17.

<http://pubs.acs.org/doi/abs/10.1021/jf502494z?journalCode=jafcau>

Jaiswal Y, Liang Z, Ho A, Chen H, Williams L, Zhao Z:

Tissue based metabolite profiling and qualitative comparison of two species of *Achyranthes* roots by use of UHPLC-QTOF MS and laser micro dissection

Journal of Pharmaceutical Analysis, 16 June 2017

<http://www.sciencedirect.com/science/article/pii/S2095177917300709>

Jaiswal Y, Liang Z, Ho A, Chen H, Zhao Z:

A Comparative Tissue-specific Metabolite Analysis and Determination of Protodioscin Content in *Asparagus* Species used in Traditional Chinese Medicine and Ayurveda by use of Laser Microdissection, UHPLC-QTOF/MS and LC-MS/MS

Phytochem Anal. 2014 Apr 16. doi: 10.1002/pca.2522.

<http://dx.doi.org/10.1002/pca.2522>

Jhu M-Y, Ichihashi Y, Farhi M, Wong C, Sinha NR :

CcLBD25 functions as a key regulator of haustorium development in *Cuscuta campestris*

bioRxiv, Jan 2021, doi: <https://doi.org/10.1101/2021.01.04.425251>

<https://www.biorxiv.org/content/10.1101/2021.01.04.425251v1>

Jiang, K., Zhang, S., Lee, S., Tsai, G., Kim, K., Huang, H., Chilcott, C., Zhu, T., and Feldman, L.J.:

Transcription profile analyses identify genes and pathways central to root cap functions in maize

Plant Mol Biol 60(3): 343-363 (2006)

<http://www.springerlink.com/content/t863g13256081071/>

Jyske TM, Suuronen JP, Pranovich AV, Laakso T, Watanabe U, Kuroda K, Abe H:

Seasonal variation in formation, structure, and chemical properties of phloem in *Picea abies* as studied by novel microtechniques

Planta. 2015 Sep;242(3):613-29. doi: 10.1007/s00425-015-2347-8.

<http://dx.doi.org/10.1007/s00425-015-2347-8>

Kivivirta K, Herbert D, Lange M, Beuerlein K, Altmüller J, Becker A:

A protocol for laser microdissection (LMD) followed by transcriptome analysis of plant reproductive tissue in phylogenetically distant angiosperms

Plant Methods. 2019 Dec 16;15:151. doi: 10.1186/s13007-019-0536-3. eCollection 2019.
<https://plantmethods.biomedcentral.com/articles/10.1186/s13007-019-0536-3>

Klink, V.P., Overall, C.C., Alkharouf, N.W., MacDonald, M.H., and Matthews, B.F.:

Laser capture microdissection (LCM) and comparative microarray expression analysis of syncytial cells isolated from incompatible and compatible soybean (*Glycine max*) roots infected by the soybean cyst nematode (*Heterodera glycines*)

Planta 226(6): 1389-1409 (2007)

<http://www.springerlink.com/content/427n6258j4858561/>

Lavarenne J, Gonin M, Champion A, Javelle M, Adam H, Rouster J, Conejéro G, Lartaud M, Verdeil JL, Laplaze L, Sallaud C, Lucas M, Gantet P:

Transcriptome profiling of laser-captured crown root primordia reveals new pathways activated during early stages of crown root formation in rice.

PLoS One. 2020 Nov 19;15(11):e0238736. doi: 10.1371/journal.pone.0238736. eCollection 2020.

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0238736>

Lenzi L1, Caruso C2, Bianchedi PL3, Pertot I4, Perazzolli M:

Laser microdissection of grapevine leaves reveals site-specific regulation of transcriptional response to *Plasmopara viticola*

Plant Cell Physiol. 2015 Nov 6. pii: pcv166.

<http://pcp.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=26546320>

Li CH, Liu Y, Hua J, Luo SH, Li SH:

Peltate glandular trichomes of *Colquhounia seguinii* Vaniot harbor new defensive clerodane diterpenoids

J Integr Plant Biol. 2014 Jul 22. doi: 10.1111/jipb.12242.

<http://www.jipb.net/pubsoft/content/2/10.1111/jipb.12242.pdf>

Li SH, Nagy NE, Hammerbacher A, Krokene P, Niu XM, Gershenzon J, Schneider B:

Localization of Phenolics in Phloem Parenchyma Cells of Norway Spruce (*Picea abies*)

Chembiochem. 2012 Dec 21;13(18):2707-13. doi: 10.1002/cbic.201200547. Epub 2012 Nov 13.

<http://dx.doi.org/10.1002/cbic.201200547>

Li, S-H., Schneider, B., Gershenzon, J.

Microchemical analysis of laser-microdissected stone cells of Norway spruce by cryogenic nuclear magnetic resonance spectroscopy

Planta 225(3): 771-9 (2007)

<http://www.springerlink.com/content/j81p14274x734t73/>

Liang L, Xu J, Liang ZT, Dong XP, Chen HB, Zhao ZZ:

Tissue-Specific Analysis of Secondary Metabolites Creates a Reliable Morphological Criterion for Quality Grading of *Polygoni Multiflori* Radix

Molecules. 2018 May 8;23(5). pii: E1115. doi: 10.3390/molecules23051115.

<https://europepmc.org/abstract/med/29738485>

Liang Z, Zhang J, Yang G, Chen H, Zhao Z:

Chemical profiling and histochemical analysis of *Bupleurum marginatum* roots from different growing areas of Hubei province

Acta Pharmaceutica Sinica B, 21 May 2013, ISSN 2211-3835, 10.1016/j.apsb.2013.04.002.

<http://www.sciencedirect.com/science/article/pii/S2211383513000348>

Liu C, Srividya N, Parrish AN, Yue W, Shan M, Wu Q, Lange BM:

Morphology of glandular trichomes of Japanese catnip (*Schizonepeta tenuifolia* Briquet) and developmental dynamics of their secretory activity

Phytochemistry. 2018 Mar 10;150:23-30. doi: 10.1016/j.phytochem.2018.02.018.
[https://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(18\)30056-6](https://linkinghub.elsevier.com/retrieve/pii/S0031-9422(18)30056-6)

Liu Y, Luo SH, Schmidt A, Wang GD, Sun GL, Grant M, Kuang C, Yang MJ, Jing SX, Li CH, Schneider B, Gershenzon J, Li SH:

A Geranylarnesyl Diphosphate Synthase Provides the Precursor for Sesterterpenoid (C25) Formation in the Glandular Trichomes of the Mint Species *Leucosceptrum canum*

Plant Cell. 2016 Mar;28(3):804-22. doi: 10.1105/tpc.15.00715.
<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=26941091>

López-Ráez J, Fernández I, García JM, Berrio E, Bonfante P, Walter MH, Pozo MJ:

Differential spatio-temporal expression of carotenoid cleavage dioxygenases regulates apocarotenoid fluxes during AM symbiosis

Plant Science, 2014 Nov 01, DOI: 10.1016/j.plantsci.2014.10.010
<http://www.sciencedirect.com/science/article/pii/S0168945214002519>

Losa A., Gilardetti R., Pasquini M., Sari Gorla M., Gianfranceschi L.

Morphological and molecular analysis of the interaction between Durum Wheat and Puccinia Triticina

Poster Abstract – 2.20, Proceedings of the 53rd Italian Society of Agricultural Genetics Annual Congress Torino, Italy – 16/19 September, 2009, ISBN 978-88-900622-9-2
http://www.siga.unina.it/SIGA2009/SIGA_2009/2_20.pdf

Ma L, Xin H, Qu L, Zhao J, Yang L, Zhao P, Sun M:

Transcription Profile Analysis Reveals That Zygotic Division Results in Uneven Distribution of Specific Transcripts in Apical/Basal Cells of Tobacco

PLoS One. 2011 Jan 7;6(1):e15971
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0015971>

Martin LB, Nicolas P, Matas AJ, Shinozaki Y, Catalá C, Rose JK:

Laser microdissection of tomato fruit cell and tissue types for transcriptome profiling

Nat Protoc. 2016 Dec;11(12):2376-2388. doi: 10.1038/nprot.2016.146.
<http://www.nature.com/nprot/journal/v11/n12/pdf/nprot.2016.146.pdf>

Martinez CC, Li S, Woodhouse MR, Sugimoto K, Sinha NR:

Spatial transcriptional signatures define margin morphogenesis along the proximal-distal and medio-lateral axes in tomato (*Solanum lycopersicum*) leaves

The Plant Cell, koaa012, <https://doi.org/10.1093/plcell/koaa012>
<https://academic.oup.com/plcell/advance-article/doi/10.1093/plcell/koaa012/6017183>

Masiero S, Colombo L, Grini PE, Schnittger A, Kater MM:

The Emerging Importance of Type I MADS Box Transcription Factors for Plant Reproduction

Plant Cell. 2011 Mar;23(3):865-72. Epub 2011 Mar 4.
<http://www.plantcell.org/content/23/3/865.citation>

Matas AJ, Agustí J, Tadeo FR, Talón M, Rose JK:

Tissue-specific transcriptome profiling of the citrus fruit epidermis and subepidermis using laser capture microdissection

J Exp Bot 61(12):3321-30 (2010)
<http://jxb.oxfordjournals.org/content/61/12/3321.short>

Matias-Hernandez L, Battaglia R, Galbiati F, Rubes M, Eichenberger C, Grossniklaus U, Kater MM, Colombo L:

VERDANDI is a direct target of the MADS domain ovule identity complex and affects embryo sac differentiation in Arabidopsis

Plant Cell. 2010 Jun;22(6):1702-15

<http://www.plantcell.org/content/22/6/1702.short>

Matsye PD, Kumar R, Hosseini P, Jones CM, Tremblay A, Alkharouf NW, Matthews BF, Klink VP:

Mapping cell fate decisions that occur during soybean defense responses

Plant Mol Biol. 2011 Nov;77(4-5):513-28. Epub 2011 Oct 11.

<http://www.springerlink.com/content/107x4477w8173720/>

Meng D, Zhao J, Zhao C, Luo H, Xie M, Liu R, Lai J, Zhang X, Jin W:

Sequential gene activation and gene imprinting during early embryo development in maize

Plant J. 2017 Nov 24. doi: 10.1111/tbj.13786.

<http://dx.doi.org/10.1111/tbj.13786>

Merelo P, Agusti J, Arbona V, Costa ML, Estornell LH, Gomez-Cadenas A, Coimbra SV, Gomez MD, Perez-Amador MA, Domingo C, Talon M, and Tadeo FR:

Cell Wall Remodeling In Abscission Zone Cells During Ethylene-Promoted Fruit Abscission In Citrus

Front. Plant Sci. | doi: 10.3389/fpls.2017.00126

<http://journal.frontiersin.org/article/10.3389/fpls.2017.00126/abstract>

Millar JL, Khan D, Becker MG, Chan A, Dufresne A, Sumner M, Belmonte MF:

Chalazal seed coat development in Brassica napus

Plant Science, Volume 241, December 2015, Pages 45–54

<http://www.sciencedirect.com/science/article/pii/S0168945215300765>

Millar JL, Becker MG, Belmonte MF:

Laser Microdissection of Plant Tissues

Chapter 20, Plant Microtechniques and Protocols Book

ISBN 978-3-319-19943-6, ISBN 978-3-319-19944-3 (eBook)

Mounier T, Navarro-Sanz S, Bureau C, Antoine L, Varoquaux F, Durandet F, Périn C:

A fast, efficient and high-throughput procedure involving laser microdissection and RT droplet digital PCR for tissue-specific expression profiling of rice roots

BMC Mol Cell Biol. 2020 Dec 10;21(1):92. doi: 10.1186/s12860-020-00312-y.

<https://bmcmolcellbiol.biomedcentral.com/articles/10.1186/s12860-020-00312-y>

Muñoz-Sanhueza LG, Lee Y, Tillmann M, Cohen JD, Hvoslef-Eide AK:

Auxin analysis using laser microdissected plant tissues sections

BMC Plant Biol. 2018 Jun 25;18(1):133. doi: 10.1186/s12870-018-1352-z.

<https://bmcpantbiol.biomedcentral.com/articles/10.1186/s12870-018-1352-z>

Murata, N., Masuda, K., Nishiyama, R., and Nomura, K.:

Construction of a micro-library enriched with genomic replication origins of carrot somatic embryos by laser microdissection

Plant Physiol Biochem 43(6): 513-519 (2005)

<http://dx.doi.org/10.1016/j.plaphy.2005.04.004>

Nagy NE, Sikora K, Krokene P, Hietala AM, Solheim H, and Fossdal CG:

Using laser micro-dissection and qRT-PCR to analyze cell type-specific gene expression in Norway spruce phloem

PeerJ, 2014

<https://peerj.com/articles/362/>

Nakada, M., Komatsu, M., Ochiai, T., Ohtsu, K., Nakazono, M., Nishizawa, N.K., Nitta, K., Nishiyama, R., Kamey, T., and A., K.:

Isolation of MaDEF from *Muscari armeniacum* and analysis of its expression using laser microdissection

Plant Sci. 170: 143-150 (2006)

<http://dx.doi.org/10.1016/j.plantsci.2005.08.021>

Nelson, T., Tausta, S.L., Gandotra, N., and Liu, T.:

Laser microdissection of plant tissue: what you see is what you get

Annu Rev Plant Biol 57: 181-201 (2006)

<http://www.annualreviews.org/doi/full/10.1146/annurev.arplant.56.032604.144138>

Ohtsu, K., Takahashi, H., Schnable, P.S., and Nakazono, M.:

Cell type-specific gene Expression profiling in plants by using a combination of laser microdissection and high-throughput technologies

Plant Cell Physiol. 48(1): 3-7 (2007)

<http://pcp.oxfordjournals.org/content/48/1/3.long>

Oikawa A, Saito K:

Metabolite analyses of single cells

Plant J. 2012 Apr;70(1):30-8. doi: 10.1111/j.1365-313X.2012.04967.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04967.x/full>

Okada T, Hu Y, Tucker MR, Taylor JM, Johnson SD, Spriggs A, Tsuchiya T, Oelkers K, Rodrigues JC, Koltunow AM:

Enlarging cells initiating apomixis in *Hieracium praealtum* transition to an embryo sac program prior to entering mitosis

Plant Physiol. 2013 Jul 17.

<http://www.plantphysiol.org/cgi/pmidlookup?view=long&pmid=23864557>

Ortu G, Balestrini R, Pereira PA, Becker JD, Küster H, Bonfante P:

Plant Genes Related to Gibberellin Biosynthesis and Signaling Are Differentially Regulated during the Early Stages of AM Fungal Interactions

Mol Plant. 2012 Mar 26.

<http://mplant.oxfordjournals.org/content/early/2012/03/25/mp.sss027.extract>

Osnato M, Lacchini E, Pilatone A, Dreni L, Grioni A, Chiara M, Horner D, Pelaz S, Kater MM:

Transcriptome analysis reveals rice OsMADS13 as an important repressor of the carpel development pathway in ovules

J Exp Bot. 2020 Oct 9;eraa460. doi: 10.1093/jxb/eraa460.

<https://academic.oup.com/jxb/advance-article-abstract/doi/10.1093/jxb/eraa460/5920377>

Pelletier JM, Kwong RW, Park S, Le BH, Baden R, Cagliari A, Hashimoto M, Munoz MD, Fischer RL, Goldberg RB, Harada JJ:

LEC1 sequentially regulates the transcription of genes involved in diverse developmental processes during seed development

Proc Natl Acad Sci U S A. 2017 Aug 8;114(32):E6710-E6719. doi: 10.1073/pnas.1707957114. Epub 2017 Jul 24.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=28739919>

Perazzolli M, Palmieri MC, Matafora V, Bachi A, Pertot I:

Phosphoproteomic analysis of induced resistance reveals activation of signal transduction processes by beneficial and pathogenic interaction in grapevine

J Plant Physiol. 2016 May 20;195:59-72. doi: 10.1016/j.jplph.2016.03.007.

[http://linkinghub.elsevier.com/retrieve/pii/S0176-1617\(16\)00066-3](http://linkinghub.elsevier.com/retrieve/pii/S0176-1617(16)00066-3)

Pérez-Tienda J, Testillano PS, Balestrini R, Fiorilli V, Azcón-Aguilar C, Ferrol N
GintAMT2, a new member of the ammonium transporter family in the arbuscular mycorrhizal fungus *Glomus intraradices*

Fungal Genet Biol. 2011 Aug 31. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S1087184511001575>

Perotto S, Rodda M, Benetti A, Sillo F, Ercole E, Rodda M, Girlanda M, Murat C, Balestrini R:
Gene expression in mycorrhizal orchid protocorms suggests a friendly plant-fungus relationship
Planta. 2014 Apr 24.

<http://dx.doi.org/10.1007/s00425-014-2062-x>

Popp C, Wamhoff D, Winkelmann T, Maiss E, Grunewaldt-Stöcker G:
Molecular identification of Nectriaceae in infections of apple replant disease affected roots collected by Harris Uni-Core punching or laser microdissection

Journal of Plant Diseases and Protection, 9 May 2020, <https://doi.org/10.1007/s41348-020-00333-x>

<https://link.springer.com/article/10.1007%2Fs41348-020-00333-x>

Qu LH, Zhou X, Li X, Li SS, Zhao J, Zhao P, Liu Y, Sun MX:

The autonomous cell fate specification of basal cell lineage: the initial round of cell fate specification occurs at the two-celled proembryo stage

Plant J. 2017 Jul 3. doi: 10.1111/tpj.13629.

<http://dx.doi.org/10.1111/tpj.13629>

Ragonezi C, Arnholdt-Schmitt B:

Laser Capture Microdissection for Amplification of Alternative Oxidase (AOX) Genes in Target Tissues in *Daucus carota* L.

Methods Mol Biol. 2017;1670:245-252. doi: 10.1007/978-1-4939-7292-0_21.

https://dx.doi.org/10.1007/978-1-4939-7292-0_21

Ramsay, K., Jones, M.G.K., and Wang, Z.:

Laser capture microdissection: a novel approach to microanalysis of plant-microbe interactions
Mol Plant Pathology 7(5): 429 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1364-3703.2006.00348.x/full>

Ren Y, Li M, Guo S, Sun H, Zhao J, Zhang J, Liu G, He H, Tian S, Yu Y, Gong G, Zhang H, Zhang X, Alseekh S, Fernie AR, Scheller HV, Xu Y:

Evolutionary Gain of Oligosaccharide Hydrolysis and Sugar Transport Enhanced Carbohydrate Partitioning in Sweet Watermelon Fruits

Plant Cell. 2021 Feb 11:koab055. doi: 10.1093/plcell/koab055.

<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=33570606>

Sakamoto S, Takata N, Oshima Y, Yoshida K, Taniguchi T, Mitsuda N:

Wood reinforcement of poplar by rice NAC transcription factor

Sci Rep. 2016 Jan 27;6:19925. doi: 10.1038/srep19925.

<http://dx.doi.org/10.1038/srep19925>

Sanders, P.M., Bui, A.Q., Le, B.H., and Goldberg, R.B.:

Differentiation and degeneration of cells that play a major role in tobacco anther dehiscence
Sexual Plant Reproduction 17: 219-241 (2005)

<http://www.springerlink.com/content/51p4bwj9c1p058pn/>

Schmidt A, Schmid MW, Grossniklaus U:

Analysis of plant germline development by high-throughput RNA profiling: technical advances and new insights

Plant J. 2012 Apr;70(1):18-29. doi: 10.1111/j.1365-313X.2012.04897.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04897.x/full>

Schneider, B., Hölscher, D.

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225(3): 763-770 (2006)

<http://www.springerlink.com/content/m5787044k63758q0/>

Schollaen K, Heinrich I, Helle G:

A novel approach for the preparation of high-resolution stable isotope records from tropical tree-rings

Dendrosymposium 2012/2013: In proceeding of: 11th TRACE conference, At Potsdam/Eberswalde, Germany, Volume: 11

http://www.researchgate.net/publication/255977905_A_novel_approach_for_the_preparation_of_high-resolution_stable_isotope_records_from_tropical_tree_rings

Schollaen K, Heinrich I, Helle G:

UV-laser-based microscopic dissection of tree rings – a novel sampling tool for $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ studies

New Phytol. 2013 Nov 13. doi: 10.1111/nph.12587.

<http://onlinelibrary.wiley.com/doi/10.1111/nph.12587/abstract>

Schollaen K; Heinrich I; Neuwirth B; Krusic P; D'Arrigo R; Karyanto O; Helle G:

Multiple tree-ring chronologies (ring width, $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$) reveal dry and rainy season signals in Indonesia

Geophysical Research Abstracts, Vol. 15, EGU2013-13529, 2013

<http://edoc.gfz-potsdam.de/gfz/20435>

Schollaen K; Helle G:

UV-laser microdissection system - A novel approach for the preparation of high-resolution stable isotope records ($\delta^{13}\text{C}$ / $\delta^{18}\text{O}$) from tree rings

Geophysical Research Abstracts, Vol. 15, EGU2013-1016-2, 2013

<http://edoc.gfz-potsdam.de/gfz/20434>

Shi D, Jouannet V, Agusti J, Kaul V, Levitsky V, Mironova VV, Sanchez P, Greb T :

Tissue-specific transcriptome profiling of the *Arabidopsis thaliana* inflorescence stem reveals local cellular signatures

bioRxiv, 11 Feb 2020, doi: <https://doi.org/10.1101/2020.02.10.941492>

<https://www.biorxiv.org/content/biorxiv/early/2020/02/10/2020.02.10.941492.full.pdf>

Simeoni F:

Transcriptional Regulation of Stomatal Responses to Stress: From a Model to *Vitis vinifera*

Thesis

https://air.unimi.it/retrieve/handle/2434/252354/343945/phd_unimi_R09732.pdf

Stevens ME, Woeste KE, Pijut PM:

Localized gene expression changes during adventitious root formation in black walnut (*Juglans nigra* L.)

Tree Physiol. 2018 Jan 25. doi: 10.1093/treephys/tpx175.

<https://academic.oup.com/treephys/advance-article-abstract/doi/10.1093/treephys/tpx175/4825051>

Svistoonoff, S., Creff, A., Reymond, M., Sigoillot-Claude, C., Ricaud, L., Blanchet, A., Nussaume, L., and Desnos, T.:

Root tip contact with low-phosphate media reprograms plant root architecture

Nat Genet 39(6): 792-796 (2007)

<http://www.nature.com/ng/journal/v39/n6/full/ng2041.html>

Takahashi N, Hirata Y, Aihara K, Mas P:

A Hierarchical Multi-oscillator Network Orchestrates the Arabidopsis Circadian System

Cell. 2015 Sep 24;163(1):148-59. doi: 10.1016/j.cell.2015.08.062.

[http://linkinghub.elsevier.com/retrieve/pii/S0092-8674\(15\)01114-9](http://linkinghub.elsevier.com/retrieve/pii/S0092-8674(15)01114-9)

Takahashi H, Saika H, Matsumura H, Nagamura Y, Tsutsumi N, Nishizawa NK, Nakazono M:

Cell division and cell elongation in the coleoptile of rice alcohol dehydrogenase 1-deficient mutant are reduced under complete submergence

Ann Bot. 2011 Aug;108(2):253-61

<http://aob.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=21788375>

Tan YY, Li DS, Hua J, Luo SH, Liu Y, Li SH:

Localization of a Defensive Volatile 4-Hydroxy-4-methylpentan-2-one in the Capitulate Glandular Trichomes of *Oenothera glazioviana*

Plant Diversity, 17 May 2017, ISSN 2468-2659, <https://doi.org/10.1016/j.pld.2017.05.004>.

<http://www.sciencedirect.com/science/article/pii/S2468265917300343>

Tang T, Li CH, Li DS, Jing SX, Hua J, Luo SH, Liu Y, Li SH

Peltate glandular trichomes of *Colquhounia vestita* harbor diterpenoid acids that contribute to plant adaptation to UV radiation and cold stresses

Phytochemistry. 2020 Feb 5;172:112285. doi: 10.1016/j.phytochem.2020.112285.

[https://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(19\)31021-0](https://linkinghub.elsevier.com/retrieve/pii/S0031-9422(19)31021-0)

Thakare D, Yang R, Steffen JG, Zhan J, Wang D, Clark RM, Wang X, Yadegari R:

RNA-Seq analysis of laser-capture microdissected cells of the developing central starchy endosperm of maize

Genomics Data, Volume 2, December 2014, Pages 242–245

<http://www.sciencedirect.com/science/article/pii/S2213596014000610>

Tsuji, H., Aya, K., Ueguchi-Tanaka, M., Shimada, Y., Nakazono, M., Watanabe, R., N.K., N., Gomi, K., Shimada, A., Kitano, H., Ashikari, M., and Matsuoka, M.:

GAMYB controls different sets of genes and is differentially regulated by microRNA in aleurone cells and anthers

Plant Journal 47: 427 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2006.02795.x/full>

Velada I, Menéndez E, Teixeira RT, Cardoso H, and Peixe A:

Laser Microdissection of Specific Stem-Base Tissue Types from Olive Microcuttings for Isolation of High-Quality RNA

Biology 2021, 10, 209. <https://doi.org/10.3390/biology10030209>

<https://www.mdpi.com/2079-7737/10/3/209>

Wang Y, Liu Y-C, Li W-Y, Guo K, Liu Y, Li S-H:

Antifeedant, cytotoxic, and anti-inflammatory neo-clerodane diterpenoids in the peltate glandular trichomes and fresh leaves of *Ajuga forrestii*

Phytochemistry, Volume 186, June 2021, 112731

<https://doi.org/10.1016/j.phytochem.2021.112731>

Wang Y, Luo SH, Hua J, Liu Y, Jing SX, Li XN, Li SH:

Capitate Glandular Trichomes of *Paragutzlaffia henryi* Harbor New Phytotoxic Labdane Diterpenoids

J Agric Food Chem. 2015 Oct 29.

<http://dx.doi.org/10.1021/acs.jafc.5b04113>

Xiao CJ, Liu YC, Luo SH, Hua J, Liu Y, Li SH:

Localisation of Two Bioactive Labdane Diterpenoids in the Peltate Glandular Trichomes of *Leonurus japonicus* by Laser Microdissection Coupled with UPLC-MS/MS

Phytochem Anal. 2017 May 9. doi: 10.1002/pca.2687.

<http://onlinelibrary.wiley.com/doi/10.1002/pca.2687/full>

Xie W, Zhang H, Zeng J, Chen H, Zhao Z, Liang Z:

Tissues-based chemical profiling and semi-quantitative analysis of bioactive components in the root of *Salvia miltiorrhiza* Bunge by using laser microdissection system combined with UPLC-q-TOF-MS

Chem Cent J. 2016 Jul 13;10:42. doi: 10.1186/s13065-016-0187-7. eCollection 2016.

<http://www.journal.chemistrycentral.com/content/10/42>

Yang H, Wang J, Kang X:

Meiotic chromosome preparation techniques of pollen mother cells for laser micro-dissection in *Populus* spp.

Forestry Studies in China, June 2010, Volume 12, Issue 2, pp 74-78

<http://link.springer.com/article/10.1007%2Fs11632-010-0014-5>

Yoshida M, Sato S, Kawamoto T, Kawamoto K, Saigusa D, Uruno A, Saito R, Matsuo-Ueda M, and Yamamoto H:

Cryosection preparation for histological study, gene expression analysis and imaging mass spectrometry

Journal of Plant Biology Research, 21 Mar 2019, 1(1): 1-7

<https://pdfs.semanticscholar.org/a785/4424a690a99b5e6fd25dedcc262298ae5eaf.pdf>

Zeng T, Holmer R, Hontelez J, Te Lintel-Hekkert B, Marufu L, de Zeeuw T, Wu F, Schijlen E, Bisseling T, Limpens E:

Host- and stage-dependent secretome of the arbuscular mycorrhizal fungus *Rhizophagus irregularis*

Plant J. 2018 Mar 23. doi: 10.1111/tpj.13908.

<http://dx.doi.org/10.1111/tpj.13908>

Zhan J, Thakare D, Ma C, Lloyd A, Nixon NM, Arakaki AM, Burnett WJ, Logan KO, Wang D, Wang X, Drews GN, Yadegari R:

RNA Sequencing of Laser-Capture Microdissected Compartments of the Maize Kernel Identifies Regulatory Modules Associated with Endosperm Cell Differentiation

Plant Cell. 2015 Mar 17. pii: tpc.114.135657.

<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=25783031>

Zhang B, Zhang L, Li F, Zhang D, Liu X, Wang H, Xu Z, Chu C, Zhou Y:

Control of secondary cell wall patterning involves xylan deacetylation by a GDSL esterase

Nat Plants. 2017 Mar 3;3:17017. doi: 10.1038/nplants.2017.17.

<http://dx.doi.org/10.1038/nplants.2017.17>

Zhang D, Xu, Z, Cao S, Chen K, Li S, Liu X, Gao X, Zhang B, Zhou Y:

An uncanonical CCCH-tandem zinc finger protein represses secondary wall synthesis and controls mechanical strength in rice

Molecular Plant, 1674-2052, doi.org/10.1016/j.molp.2017.11.004

<https://www.sciencedirect.com/science/article/pii/S1674205217303386>

Zhang S, Thakare D, Yadegari R:

Laser-Capture Microdissection of Maize Kernel Compartments for RNA-Seq-Based Expression Analysis

Methods Mol Biol. 2018;1676:153-163. doi: 10.1007/978-1-4939-7315-6_9.

https://dx.doi.org/10.1007/978-1-4939-7315-6_9

Zhang Y, Cheng P, Wang Y, Li Y, Su J, Chen Z, Yu X, Shen W:

Genetic elucidation of hydrogen signaling in plant osmotic tolerance and stomatal closure via hydrogen sulfide

Free Radical Biology and Medicine, 2020, ISSN 0891-5849

<https://doi.org/10.1016/j.freeradbiomed.2020.09.021>.

Zhao Y, Chu S, Gui S, Qin Y, Xu R, Shan T, Peng H:

Tissue-specific metabolite profiling of Fallopia multiflora (Heshouwu) and Fallopia multiflora var. angulata by mass spectrometry imaging and laser microdissection combined with UPLC-Q/TOF-MS

Journal of Pharmaceutical and Biomedical Analysis, Volume 200, 5 June 2021, 114070

<https://www.sciencedirect.com/science/article/abs/pii/S0731708521001813#!>

Zheng J, Xi M, Lü Y, Lu Y and Shi J:

Transcriptional Analysis Provides New Insights into Cold- and Dehydration-Tolerance Signaling Pathways and on Regulation of Stem Cell Activity in the Vascular Cambium of Poplar

Plant Molecular Biology Reporter, 2012, DOI: 10.1007/s11105-012-0478-7

<http://www.springerlink.com/content/j9m521110p310220/?MUD=MP>

Zhou W, Liang Z, Li P, Zhao Z, Chen J:

Tissue-specific chemical profiling and quantitative analysis of bioactive components of Cinnamomum cassia by combining laser-microdissection with UPLC-Q/TOF-MS

Chem Cent J. 2018 Jun 21;12(1):71. doi: 10.1186/s13065-018-0438-x.

<https://link.springer.com/content/pdf/10.1186%2Fs13065-018-0438-x.pdf>

Zhou X, Liu Z, Shen K, Zhao P, Sun MX:

Cell lineage-specific transcriptome analysis for interpreting cell fate specification of proembryos

Nat Commun. 2020 Mar 13;11(1):1366. doi: 10.1038/s41467-020-15189-w.

<http://dx.doi.org/10.1038/s41467-020-15189-w>

Zhou X, Shi C, Zhao P, Sun M:

Isolation of living apical and basal cell lineages of early proembryos for transcriptome analysis

Plant Reprod. 2018 Dec 13. doi: 10.1007/s00497-018-00353-6.

<https://link.springer.com/article/10.1007/s00497-018-00353-6>

Ziegler DJ, Khan D, Kalichuk JL, Becker MG, Belmonte MF:

Transcriptome landscape of the early Brassica napus seed

J Integr Plant Biol. 2019 Apr 2. doi: 10.1111/jipb.12812.

<https://doi.org/10.1111/jipb.12812>

Zuo Z, Zheng Y, Liang Z, Liu Y, Tang Q, Liu X, Zhao Z, Zeng J:

Tissue-specific metabolite profiling of benzylisoquinoline alkaloids in the root of Macleaya cordata by combining laser microdissection with ultra-high-performance liquid chromatography/tandem mass spectrometry

Rapid Commun Mass Spectrom. 2017 Mar 15;31(5):397-410. doi: 10.1002/rcm.7804.

<https://www.semanticscholar.org/paper/Tissue-specific-metabolite-profiling-of-alkaloids-Zuo-Zheng/0cc7e9818779d2c3ab64ece4803b1c1e5fde9d1c>

Learn more about the benefit of Laser Microdissection in Plant Research in one of our free Webinars:

From Eye to Insight



[Webinar: Leica Microsystems Laser Microdissection – Dissection Perfection](#)