

3. Proteomics, Lipidomics, Metabolomics

Abe R, Katoh N, Takahashi Y, Takasone K, Yoshinaga T, Yazaki M, Kametani F, Sekijima Y
Distribution of amyloidosis subtypes based on tissue biopsy site - Consecutive analysis of 729 patients at a single amyloidosis center in Japan

Pathol Int. 2020 Oct 28. doi: 10.1111/pin.13041.

<https://onlinelibrary.wiley.com/doi/abs/10.1111/pin.13041>

Adachi M, Kitamura M, Muta K, Maekawa A, Uramatsu T, Tadokoro M, Funakoshi S, Hisano S, Kuwahara N, Shimizu A, Mukae H, Nishino T:

IgM monoclonal gammopathy with heavy and light chain amyloidosis resembling fibrillary glomerulonephritis determined by tandem mass spectrometry: a case report

BMC Nephrol. 2020 May 24;21(1):195. doi: 10.1186/s12882-020-01851-4.

<https://bmcnephrol.biomedcentral.com/articles/10.1186/s12882-020-01851-4>

Aikawa H, Hayashi M, Ryu S, Yamashita M, Ohtsuka N, Nishidate M, Fujiwara Y, Hamada A:

Visualizing spatial distribution of alectinib in murine brain using quantitative mass spectrometry imaging

Sci Rep. 2016 Mar 30;6:23749. doi: 10.1038/srep23749.

<http://dx.doi.org/10.1038/srep23749>

Alexander MP, Dasari S, Vrana JA, Riopel J, Valeri AM, Markowitz GS, Hever A, Bijol V, Larsen CP, Cornell LD, Fidler ME, Said SM, Sethi S, Herrera Hernandez LP, Grande JP, Erickson SB, Fervenza FC, Leung N, Kurtin PJ, Nasr SH:

Congophilic Fibrillary Glomerulonephritis: A Case Series

Am J Kidney Dis. 2018 Jun 1. pii: S0272-6386(18)30604-8. doi: 10.1053/j.ajkd.2018.03.017.

[https://linkinghub.elsevier.com/retrieve/pii/S0272-6386\(18\)30604-8](https://linkinghub.elsevier.com/retrieve/pii/S0272-6386(18)30604-8)

Antoniades CG, Quaglia A, Taams LS, Mitry RR, Hussain M, Abeles R, Possamai LA, Bruce M, McPhail M, Starling C, Wagner B, Barnardo A, Pomplun S, Auzinger G, Bernal W, Heaton N, Vergani D, Thursz MR, Wendon J:

Source and characterisation of hepatic macrophages in acetaminophen-induced acute liver failure in humans

Hepatology. 2012 Feb 15. doi: 10.1002/hep.25657

<http://dx.doi.org/10.1002/hep.25657>

Aoki M, Kang D, Katayama A, Kuwahara N, Nagasaka S, Endo Y, Terasaki M, Kunugi S, Terasaki Y, Shimizu A:

Optimal conditions and the advantages of using laser microdissection and liquid chromatography tandem mass spectrometry for diagnosing renal amyloidosis

Clin Exp Nephrol. 2018 Jan 25. doi: 10.1007/s10157-018-1533-y.

<https://link.springer.com/article/10.1007/s10157-018-1533-y>

Arafah K, Kriegsmann M, Renner M, Lasitschka F, Fresnais M, Kriegsmann K, von Winterfeld M, Goeppert B, Kriegsmann J, Casadonte R, Kazdal D, Bulet P, Longuespée R:

Microproteomics and Immunohistochemistry Reveal Differences in Aldo-Keto Reductase Family 1 Member C3 (AKR1C3) in Tissue Specimens of Ulcerative Colitis and Crohn's Disease

Proteomics Clin Appl. 2020 Jan 31:e1900110. doi: 10.1002/prca.201900110.

<https://doi.org/10.1002/prca.201900110>

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:

Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis

ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545

<http://www.isrn.com/journals/mb/2012/706545/>

Arentz G, Chataway T, Price TJ, Izwan Z, Hardi G, Cummins AG, Hardingham JE:
Desmin expression in colorectal cancer stroma correlates with advanced stage disease and marks angiogenic microvessels

Clin Proteomics. 2011 Dec 5;8(1):16.

<http://www.clinicalproteomicsjournal.com/content/8/1/16/abstract>

Baldwin J:

Unravelling the mechanisms behind periosteal regeneration and its application in bone tissue engineering

Thesis, 2017

https://eprints.qut.edu.au/110638/1/Jeremy_Baldwin_Thesis.pdf

Banyersad, SM; Moon, JC; Whelan, C; Hawkins, PN; Wechalekar, AD:

Updates in Cardiac Amyloidosis: A Review

Journal of the American Heart Association. 2012; 1: e000364 doi: 10.1161/JAHA.111.000364

<http://jaha.ahajournals.org/content/1/2/e000364.full>

Baron M:

Laser microdissection in proteomic analysis

J Proteomics Bioinform 2016, 9:11(Suppl)

https://www.omicsonline.org/conference-proceedings/0974-276X.C1.091_019.pdf

Barazzone-Argiroffo C, Lascano Maillard J, Vidal I, Bochaton-Piallat ML, Blaskovic S, Donati Y, Wildhaber BE, Rougemont AL, Delacourt C, Ruchonnet-Métraiiller I:

New insights on congenital pulmonary airways malformations revealed by proteomic analyses

Orphanet J Rare Dis. 2019 Nov 28;14(1):272. doi: 10.1186/s13023-019-1192-4.

<https://link.springer.com/article/10.1186/s13023-019-1192-4>

Bateman NW, Teng PN, Hope E, Hood BL, Oliver J, Ao W, Zhou M, Wang G, Tommarello D, Wilson K, Litzky T, Conrads KA, Hamilton CA, Darcy KM, Casablanca Y, Maxwell GL, Bae-Jump V, Conrads TP:

Jupiter microtubule-associated homolog 1 (JPT1): A predictive and pharmacodynamic biomarker of metformin response in endometrial cancers

Cancer Med. 2019 Dec 6. doi: 10.1002/cam4.2729.

<https://onlinelibrary.wiley.com/doi/pdf/10.1002/cam4.2729>

Becker JS:

Imaging of metals in biological tissue by laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS): state of the art and future developments

J Mass Spectrom. 2013 Feb;48(2):255-68. doi: 10.1002/jms.3168.

<http://dx.doi.org/10.1002/jms.3168>

Blandford AD, Yordi S, Kapoor S, Yeane G, Cotta CV, Valent J, Perry JD, Singh AD:

Ocular Adnexal Amyloidosis: A Mass Spectrometric Analysis

Am J Ophthalmol. 2018 Jun 8. pii: S0002-9394(18)30266-6. doi: 10.1016/j.ajo.2018.05.032.

<https://www.sciencedirect.com/science/article/pii/S0002939418302666>

Boon BDC, Bulk M, Jonker AJ, Morrema THJ, van den Berg E, Popovic M, Walter J, Kumar S, van der Lee SJ, Holstege H, Zhu X, Van Nostrand WE, Natté R, van der Weerd L, Bouwman FH, van de Berg WDJ, Rozemuller AJM, Hoozemans JJM:

The coarse-grained plaque: a divergent A β plaque-type in early-onset Alzheimer's disease

Acta Neuropathol. 2020 Sep 14. doi: 10.1007/s00401-020-02198-8.

<https://link.springer.com/article/10.1007/s00401-020-02198-8>

Bowen K, Shah N, and Lewin M:

AL-Amyloidosis Presenting with Negative Congo Red Staining in the Setting of High Clinical Suspicion: A Case Report

Case Reports in Nephrology, Volume 2012 (2012), Article ID 593460, 4 pages, doi:10.1155/2012/593460
<http://www.hindawi.com/crim/nephrology/2012/593460/>

Cahill JF, Kertesz V:

Laser Capture Microdissection–Liquid Vortex Capture Mass Spectrometry Metabolic Profiling of Single Onion Epidermis and Microalgae Cells

Methods Mol Biol. 2020;2064:89-101. doi: 10.1007/978-1-4939-9831-9_7.
https://dx.doi.org/10.1007/978-1-4939-9831-9_7

Cahill JF, Kertesz V:

Automated Optically Guided System for Chemical Analysis of Single Plant and Algae Cells Using Laser Microdissection/Liquid Vortex Capture/Mass Spectrometry

Front Plant Sci. 2018 Aug 20;9:1211. doi: 10.3389/fpls.2018.01211. eCollection 2018.
<https://doi.org/10.3389/fpls.2018.01211>

Cahill JF, Kertesz V, Porta T, Yves LeBlanc JC, Heeren RMA, Van Berkel GJ:

Solvent Effects on Differentiation of Mouse Brain Tissue Using Laser Microdissection 'Cut and Drop' Sampling with Direct Mass Spectral Analysis

Rapid Commun Mass Spectrom. 2018 Jan 3. doi: 10.1002/rcm.8053.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.8053/full>

Cahill JF, Kertesz V, Van Berkel GJ:

Laser dissection sampling modes for direct mass spectral analysis

Rapid Commun Mass Spectrom. 2016 Mar 15;30(5):611-9. doi: 10.1002/rcm.7477.
<http://dx.doi.org/10.1002/rcm.7477>

Cahill JF, Kertesz V, Van Berkel GJ:

Characterization and Application of a Hybrid Optical Microscopy/Laser Ablation Liquid Vortex Capture/Electrospray Ionization System for Mass Spectrometry Imaging with Sub-micrometer Spatial Resolution

Anal Chem. 2015 Oct 22.
<http://dx.doi.org/10.1021/acs.analchem.5b03293>

Cahill JF, Kertesz V, Weiskittel TM, Vavrek M, Freddo C, Van Berkel GJ:

Online, Absolute Quantitation of Propranolol from Spatially Distinct 20- and 40- μ m Dissections of Brain, Liver, and Kidney Thin Tissue Sections by Laser Microdissection–Liquid Vortex Capture–Mass Spectrometry

Anal Chem. 2016 May 23.
<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.6b01155?journalCode=ancham>

Canela VH, Bledsoe S, Barwinska D, Lingeman JE, Ashkar TM, Williams JC Jr:

Laser Microdissection of Human Calcium Oxalate Monohydrate Stones Enables Structurally Specific Exploration of the Stone Proteome

The Journal of Urology, 2019, PD38-06
<https://www.auajournals.org/doi/pdf/10.1097/01.JU.0000556374.09513.de>

Canela VH, Bledsoe SB, Lingeman JE, Gerber G, Worcester EM, El-Achkar TM, Williams JC Jr:

Deminerallization and sectioning of human kidney stones: A molecular investigation revealing the spatial heterogeneity of the stone matrix

Physiol Rep. 2021 Jan;9(1):e14658. doi: 10.14814/phy2.14658.
<https://physoc.onlinelibrary.wiley.com/doi/full/10.14814/phy2.14658>

Cao JH, Goossens P, Martin-Lorenzo M, Dewez F, Claes BSR, Biessen EAL, Heeren RMA, and Balluff B:

Atheroma-specific lipids in *ldlr*^{-/-} and *apoE*^{-/-} mice using 2D and 3D matrix-assisted laser desorption/ionization mass spectrometry imaging

J. Am. Soc. Mass Spectrom., 27 Jul 2020, DOI: 10.1021/jasms.0c00070
<https://pubs.acs.org/doi/abs/10.1021/jasms.0c00070>

Catenacci DV, Liao WL, Thyparambil S, Henderson L, Xu P, Zhao L, Rambo B, Hart J, Xiao SY, Bengali K, Uzzell J, Darfler M, Krizman DB, Cecchi F, Bottaro DP, Karrison T, Veenstra TD, Hembrough T, Burrows J:

Absolute Quantitation of Met Using Mass Spectrometry for Clinical Application: Assay Precision, Stability, and Correlation with MET Gene Amplification in FFPE Tumor Tissue

PLoS One. 2014 Jul 1;9(7):e100586. doi: 10.1371/journal.pone.0100586. eCollection 2014.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0100586#pone-0100586-g001>

Caza T, Hassen S, Kuperman M, Sharma S, Dvanajscak Z, Arthur J, Edmondson R, Storey A, Herzog C, Kenan D, Larsen C:

Neural cell adhesion molecule 1 is a novel autoantigen in membranous lupus nephritis

Kidney Int. 2020 Oct 9:S0085-2538(20)31180-7. doi: 10.1016/j.kint.2020.09.016
<https://www.sciencedirect.com/science/article/pii/S0085253820311807>

Chapman JR, Liu A, Yi SS, Hernandez E, Ritorto MS, Jungbluth AA, Pulitzer M, Dogan A:

Proteomic analysis shows that the main constituent of subepidermal localised cutaneous amyloidosis is not galectin-7

Amyloid. 2020 Sep 1;1-7. doi:10.1080/13506129.2020.1811962
<https://www.tandfonline.com/doi/abs/10.1080/13506129.2020.1811962>

Chen LL, Chu SS, Zhang L, Xie J, Dai M, Wu X, Peng HS:

Tissue-Specific Metabolite Profiling on the Different Parts of Bolting and Unbolting Peucedanum praeruptorum Dunn (Qianhu) by Laser Microdissection Combined with UPLC-Q/TOF-MS and HPLC-DAD

Molecules. 2019 Apr 11;24(7). pii: E1439. doi: 10.3390/molecules24071439.
<http://www.mdpi.com/resolver?pii=molecules24071439>

Chen QL, Chen YJ, Zhou SS, Yip KM, Xu J, Chen HB, Zhao ZZ:

Laser microdissection hyphenated with high performance gel permeation chromatography-charged aerosol detector and ultra performance liquid chromatography-triple quadrupole mass spectrometry for histochemical analysis of polysaccharides in herbal medicine: Ginseng, a case study

Int J Biol Macromol. 2017 Aug 31. pii: S0141-8130(17)32336-X. doi: 10.1016/j.ijbiomac.2017.08.162.
[https://linkinghub.elsevier.com/retrieve/pii/S0141-8130\(17\)32336-X](https://linkinghub.elsevier.com/retrieve/pii/S0141-8130(17)32336-X)

Chen Y, Xu L, Zhao Y, Zhao Z, Chen H, Yi T, Qin M, Liang Z:

Tissue-specific metabolite profiling and quantitative analysis of ginsenosides in *Panax quinquefolium* using laser microdissection and liquid chromatography–quadrupole/time of flight–mass spectrometry

Chem Cent J. 2015; 9: 66. 2015 Dec 9. doi: 10.1186/s13065-015-0141-0
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4673779/>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:

Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis

Clin Cancer Res 14(2): 435-445 (2008)
<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:

Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis

J Proteome Res 7(6): 2415-2426 (2008)

<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

Cheng L, Mann SA, Lopez-Beltran A, Chovanec M, Santoni M, Wang M, Albany C, Adra N, Davidson DD, Cimadamore A, Montironi R, and Zhang S :

Molecular Characterization of Testicular Germ Cell Tumors Using Tissue Microdissection

Methods Mol Biol. 2021;2195:31-47. doi: 10.1007/978-1-0716-0860-9_3.

https://dx.doi.org/10.1007/978-1-0716-0860-9_3

Choi J, Kim DH, Jung WH, Koo JS:

Metabolic interaction between cancer cells and stromal cells according to breast cancer molecular subtype

Breast Cancer Res. 2013 Sep 10;15(5):R78.

<http://breast-cancer-research.com/content/15/5/R78>

Chu Y, Lan RS, Huang R, Feng H, Kumar R, Dayal S, Chan K-S, Dai D-F:

Glutathione peroxidase-1 overexpression reduces oxidative stress, and improves pathology and proteome remodeling in the kidneys of old mice

Aging Cell. 2020 May 13. doi: 10.1111/ace.13154.

<https://onlinelibrary.wiley.com/doi/pdf/10.1111/ace.13154>

Clotet-Freixas S, McEvoy CM, Batruch I, Van J, Pastrello C, Kotlyar M, Arambewela M, Boshart A, Farkona S, Niu Y, Li Y, Famure O, Bozovic A, Kulasingam V, Chen P, Kim J, Chan E, Moshkelgosha S, Martinu T, Juvet S, Jurisica I, Chruscinski A, John R, Konvalinka A:

Proteomics Reveals Extracellular Matrix Injury in the Glomeruli and Tubulointerstitium of Kidney Allografts with Early Antibody-Mediated Rejection

bioRxiv 2020.03.03.975672; doi: <https://doi.org/10.1101/2020.03.03.975672>

<https://www.biorxiv.org/content/10.1101/2020.03.03.975672v1.full>

Colombat M, Barres B, Renaud C, Ribes D, Pericard S, Camus M, Anesia R, van Acker N, Chauveau D, Burllet-Schiltz O, Brousset P, Valleix S:

Mass spectrometry-based proteomic analysis of parathyroid adenomas reveals PTH as a new human hormone-derived amyloid fibril protein

Amyloid. 2021 Feb 13:1-5. doi: 10.1080/13506129.2021.1885023.

<https://www.tandfonline.com/doi/abs/10.1080/13506129.2021.1885023>

Cuadrado E, Rosell A, Penalba A, Slevin M, Alvarez-Sabín J, Ortega-Aznar A, Montaner J:

Vascular MMP-9/TIMP-2 and neuronal MMP-10 up-regulation in human brain after stroke: a combined laser microdissection and protein array study

J Proteome Res. 2009 Jun;8(6):3191-7. doi: 10.1021/pr801012x.

<http://dx.doi.org/10.1021/pr801012x>

Cumming N, Dinan A, McLean CA:

Qualitative Assurance in Molecular Testing: Assessing Minimum Tumour Area Requirements for PCR Amplification and MALDI-TOF MS Using FFPE Tissues

Pathology, 2019

[https://www.pathologyjournal.rcpa.edu.au/article/S0031-3025\(18\)30908-5/pdf](https://www.pathologyjournal.rcpa.edu.au/article/S0031-3025(18)30908-5/pdf)

Dasari S, Amin MS, Kurtin PJ, Vrana JA, Theis JD, Grogg KL, Alexander MP, Nasr SH, Fervenza FC, Leung N, Sethi S:

Clinical, biopsy, and mass spectrometry characteristics of renal apolipoprotein A-IV amyloidosis

Kidney Int. 2016 Jun 2. pii: S0085-2538(16)30130-2. doi: 10.1016/j.kint.2016.04.003.

[http://www.kidney-international.org/article/S0085-2538\(16\)30130-2/fulltext](http://www.kidney-international.org/article/S0085-2538(16)30130-2/fulltext)

Dasari S, Theis JD, Vrana JA, Zenka RM, Zimmermann MT, Kocher JP, Highsmith Jr WE, Kurtin PJ, Dogan A:

Clinical proteome informatics workbench detects pathogenic mutations in hereditary amyloidoses

J Proteome Res. 2014 Mar 20.

<http://dx.doi.org/10.1021/pr4011475>

de la Cuesta F, Mourino-Alvarez L, Baldan-Martin M, Moreno-Luna R, Barderas MG:

Contribution of proteomics to the management of vascular disorders

Translational Proteomics, 2014, Oct 28, DOI: 10.1016/j.trprot.2014.10.002

<http://www.sciencedirect.com/science/article/pii/S2212963414000114>

De Souza, A.I., McGregor, E., Dunn, M.J., and Rose, M.L.:

Preparation of human heart for laser microdissection and proteomics

Proteomics 4(3): 578-586 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300660/abstract>

Del Turco D, Paul MH, Schlaudraff J, Hick M, Endres K, Müller UC, and Deller T:

Region-Specific Differences in Amyloid Precursor Protein Expression in the Mouse Hippocampus

Front. Mol. Neurosci., 29 November 2016

<http://dx.doi.org/10.3389/fnmol.2016.00134>

Dewez F, Oejten J, Henkel C, Hebel R, Neuwege H, De Pauw E, Heeren RMA, Balluff B:

MS imaging-guided microproteomics for spatial omics on a single instrument

Proteomics. 2020 Aug 7;e1900369. doi: 10.1002/pmic.201900369.

<https://doi.org/10.1002/pmic.201900369>

Dewez F, Martin-Lorenzo M, Herfs M, Baiwir D, Mazzucchelli G, De Pauw E, Heeren RMA, Balluff B:

Precise co-registration of mass spectrometry imaging, histology, and laser microdissection-based omics

Anal Bioanal Chem. 2019 Jul 1. doi: 10.1007/s00216-019-01983-z.

<https://link.springer.com/content/pdf/10.1007%2Fs00216-019-01983-z.pdf>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.-C., Fink, L.

Catabolic Properties of Microdissected Human Endosteal Bone Lining Cells

Calcif Tissue Int 84(2): 146-155 (2008)

<http://www.springerlink.com/content/a2h715150m525279/>

Djidja MC, Chang J, Hadjiprocopis A, Schmich F, Sinclair J, Mršnik M, Schoof EM, Barker HE, Linding R, Jorgensen C, Erler JT:

Identification of hypoxia-regulated proteins using MALDI-Mass Spectrometry Imaging combined with quantitative proteomics

J Proteome Res. 2014 Apr 7

<http://dx.doi.org/10.1021/pr401056c>

Dogan, A:

Classification of Amyloidosis by Mass Spectrometry-Based Proteomics

Current Clinical Pathology, 2012, Part 3, 261-272, DOI: 10.1007/978-1-60761-389-3_21

<http://www.springerlink.com/content/r61x186030018128/>

Drummond E, Nayak S, Faustin A, Pires G, Hickman RA, Askenazi M, Cohen M, Haldiman T, Kim C, Han X, Shao Y, Safar JG, Ueberheide B, Wisniewski T:

Proteomic differences in amyloid plaques in rapidly progressive and sporadic Alzheimer's disease

Acta Neuropathol. 2017 Mar 4. doi: 10.1007/s00401-017-1691-0.

<https://dx.doi.org/10.1007/s00401-017-1691-0>

Drummond E, Nayak S, Pires G, Ueberheide B, Wisniewski T:
Isolation of Amyloid Plaques and Neurofibrillary Tangles from Archived Alzheimer's Disease Tissue Using Laser-Capture Microdissection for Downstream Proteomics
Methods Mol Biol. 2018;1723:319-334. doi: 10.1007/978-1-4939-7558-7_18
https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_18

Drummond ES, Nayak S, Ueberheide B, Wisniewski T:
Proteomic analysis of neurons microdissected from formalin-fixed, paraffin-embedded Alzheimer's disease brain tissue
Sci Rep. 2015 Oct 21;5:15456. doi: 10.1038/srep15456.
<http://dx.doi.org/10.1038/srep15456>

D'Souza A, Theis J, Quint P, Kyle R, Gertz M, Zeldenrust S, Vrana J, Dogan A, Dispenzieri A:
Exploring the amyloid proteome in immunoglobulin-derived lymph node amyloidosis using laser microdissection/tandem mass spectrometry
Am J Hematol. 2013 Apr 20. doi: 10.1002/ajh.23456.
<http://dx.doi.org/10.1002/ajh.23456>

D'Souza A, Theis J, Vrana J, and Dogan A:
Drug-Induced Amyloidosis: A Proteomic Insight Into 52 Cases
Blood, October 21, 2013 vol. 122 no. 21 1871
<http://bloodjournal.hematologylibrary.org/content/122/21/1871.short>

D'Souza A, Theis JD, Vrana JA, Dogan A:
Pharmaceutical amyloidosis associated with subcutaneous insulin and enfuvirtide administration
Amyloid. 2014 Jan 22.
<http://informahealthcare.com/doi/abs/10.3109/13506129.2013.876984>

Duan K, Liu ZJ, Hu SQ, Huo HY, Xu ZR, Ruan JF, Sun Y, Dai LP, Yan CB, Xiong W, Cui QH, Yu HJ, Yu M, Qin Y:
Lactic acid induces lactate transport and glycolysis/OXPHOS interconversion in glioblastoma
Biochem Biophys Res Commun. 2018 Jun 20. pii: S0006-291X(18)31404-9. doi: 10.1016/j.bbrc.2018.06.092.
<https://www.sciencedirect.com/science/article/pii/S0006291X18314049>

Eadon M, Barwinska D, Cheng Y-H, Ferkowicz MJ, Parikh SV, Rovin BH, Shapiro JP, Dagher PC, El-Achkar TM:
Laser microdissection for regional transcriptomics and proteomics V.2
Protocols.io, 10 Apr 2020, dx.doi.org/10.17504/protocols.io.bew6jfh
<https://www.protocols.io/view/laser-microdissection-for-regional-transcriptomics-bew6jfh>

Esaka F, Lee CG, Magara M, Kimura T:
Fission track-secondary ion mass spectrometry as a tool for detecting the isotopic signature of individual uranium containing particles
Anal Chim Acta. 2012 Apr 6;721:122-8. Epub 2012 Feb 10.
<http://www.sciencedirect.com/science/article/pii/S0003267012002012>

Fang J, Ramsay A, Renouard S, Hano C, Lamblin F, Chabbert B, Mesnard F, Schneider B:
Laser Microdissection and Spatiotemporal Pinoresinol-Lariciresinol Reductase Gene Expression Assign the Cell Layer-Specific Accumulation of Secoisolariciresinol Diglucoside in Flaxseed Coats
Front Plant Sci. 2016 Nov 21;7:1743. doi: 10.3389/fpls.2016.01743. eCollection 2016.
<https://www.frontiersin.org/articles/10.3389/fpls.2016.01743/full>

Feldkirchner S, Schessl J, Müller S, Schoser B, Hanisch FG:

Patient-specific protein aggregates in myofibrillar myopathies: laser microdissection and differential proteomics for identification of plaque components

Proteomics. 2012 Dec;12(23-24):3598-609. doi: 10.1002/pmic.201100559.

<http://dx.doi.org/10.1002/pmic.201100559>

Feldkirchner S, Walter MC, Müller S, Kubny C, Krause S, Kress W, Hanisch FG, Schoser B, Schessl J:
Proteomic characterization of aggregate components in an intrafamilial variable FHL1-associated myopathy

Neuromuscul Disord. 2013 May;23(5):418-26. doi: 10.1016/j.nmd.2013.02.006.

[http://linkinghub.elsevier.com/retrieve/pii/S0960-8966\(13\)00062-X](http://linkinghub.elsevier.com/retrieve/pii/S0960-8966(13)00062-X)

Fervenza FC, Smith RJ, Sethi S:

Association of a Novel Complement Factor H Mutation With Severe Crescentic and Necrotizing Glomerulonephritis

Am J Kidney Dis. 2012 Apr 25. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0272-6386\(12\)00626-9](http://linkinghub.elsevier.com/retrieve/pii/S0272-6386(12)00626-9)

Figueroa JJ, Peter Bosch E, Dyck PJ, Singer W, Vrana JA, Theis JD, Dogan A, Klein CJ:

Amyloid-like IgM deposition neuropathy: a distinct clinico-pathologic and proteomic profile disorder

J Peripher Nerv Syst. 2012 Jun;17(2):182-90. doi: 10.1111/j.1529-8027.2012.00406.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1529-8027.2012.00406.x/abstract>

Fiorilli V, Klink VP and Balestrini R:

Proteomic Analyses of Cells Isolated by Laser Microdissection

Integrative Proteomics, ISBN: 978-953-51-0070-6

<http://www.intechopen.com/books/integrative-proteomics/proteomic-analyses-of-cells-isolated-by-laser-microdissection>

Fonseca FP, Macedo CCS, dos Santos Costa FS, Leme AFP, Rodrigues RR, Pontes HAR, Altemani A, van Heerden WFP, Martins MD, de Almeida OP, Silva ARS, Lopes MA, Vargas PA:

MASS SPECTROMETRY-BASED PROTEOME PROFILE MAY BE USEFUL TO DIFFERENTIATE ADENOID CYSTIC CARCINOMA FROM POLYMORPHOUS ADENOCARCINOMA OF SALIVARY GLANDS,

Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2019 Aug 1, ISSN 2212-4403

<http://www.sciencedirect.com/science/article/pii/S2212440319313719>

Fujii K, Miyata Y, Takahashi I, Koizumi H, Saji H, Hoshikawa M, Takagi M, Nishimura T, Nakamura H

Differential Proteomic Analysis between Small Cell Lung Carcinoma (SCLC) and Pulmonary Carcinoid Tumors Reveals Molecular Signatures for Malignancy in Lung Cancer

Proteomics Clin Appl. 2018 Nov;12(6):e1800015. doi: 10.1002/prca.201800015.

<https://onlinelibrary.wiley.com/doi/pdf/10.1002/prca.201800015>

Fukuda T, Nomura M, Kato Y, Tojo H, Fujii K, Nagao T, Bando Y, Fehniger TE, Marko-Varga G, Nakamura H, Kato H, Nishimura T:

A selected reaction monitoring mass spectrometric assessment of biomarker candidates diagnosing large-cell neuroendocrine lung carcinoma by the scaling method using endogenous references

PLoS One. 2017 Apr 27;12(4):e0176219. doi: 10.1371/journal.pone.0176219. eCollection 2017.

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0176219>

García-Berrocoso T, Giralt D, Llombart V, Bustamante A, Penalba A, Flores A, Ribó M, Molina CA, Rosell A, Montaner J:

Chemokines after human ischemic stroke: from neurovascular unit to blood using protein arrays

Translational Proteomics, 2014 12 Mar, <http://dx.doi.org/10.1016/j.trprot.2014.03.001>

<http://www.sciencedirect.com/science/article/pii/S2212963414000035>

García-Berrocoso T, Llombart V, Colàs-Campàs L, Hainard A, Licker V, Penalba A, Ramiro L, Simats A, Bustamante A, Martínez-Saez E, Canals F, Sanchez JC, Montaner J:

Single Cell Immuno-laser Microdissection Coupled to Label-free Proteomics to Reveal the Proteotypes of Human Brain Cells After Ischemia

Mol Cell Proteomics. 2017 Nov 13. pii: mcp.RA117.000419. doi: 10.1074/mcp.RA117.000419.

<http://www.mcponline.org/cgi/pmidlookup?view=long&pmid=29133510>

Gengenbacher M, Zimmerman MD, Sarathy JP, Kaya F, Wang H, Mina M, Carter C, Hossen MA, Su H, Trujillo C, Eht S, Schnappinger D, Dartois V:

Tissue distribution of doxycycline in animal models of tuberculosis

Antimicrob Agents Chemother. 2020 Feb 10. pii: AAC.02479-19. doi: 10.1128/AAC.02479-19.

<http://aac.asm.org/cgi/pmidlookup?view=long&pmid=32041718>

Gibier JB, Perbet R, Lopez B, Colombat M, Dubois R, Humez S, Terriou L, Copin MC, Gnemmi V:
Paraffin Immunofluorescence Increases Light-Chain Detection in Extra-Renal Light Chain Amyloidosis and Other Light-Chain-Associated Diseases

Arch Pathol Lab Med. 2020 Jun 15. doi: 10.5858/arpa.2020-0018-OA.

<https://www.archivesofpathology.org/doi/pdf/10.5858/arpa.2020-0018-OA>

Gilbertson JA, Theis JD, Vrana JA, Lachmann H, Wechalekar A, Whelan C, Hawkins PN, Dogan A, Gillmore JD:

A comparison of immunohistochemistry and mass spectrometry for determining the amyloid fibril protein from formalin-fixed biopsy tissue

J Clin Pathol. 2015 Jan 30. pii: jclinpath-2014-202722. doi: 10.1136/jclinpath-2014-202722.

<http://jcp.bmj.com/cgi/pmidlookup?view=long&pmid=25637636>

Goodwin RJ, Scullion P, Macintyre L, Watson DG, Pitt AR:

Use of a solvent-free dry matrix coating for quantitative matrix-assisted laser desorption ionization imaging of 4-bromophenyl-1,4-diazabicyclo(3.2.2)nonane-4-carboxylate in rat brain and quantitative analysis of the drug from laser microdissected tissue regions

Anal Chem 82(9): 3868-73 (2010)

<http://pubs.acs.org/doi/abs/10.1021/ac100398y>

Großerueschkamp F, Bracht T, Diehl HC, Kuepper C, Ahrens M, Kallenbach-Thieltges A, Mosig A, Eisenacher M, Marcus K, Behrens T, Brüning T, Theegarten D, Sitek B, Gerwert K:

Spatial and molecular resolution of diffuse malignant mesothelioma heterogeneity by integrating label-free FTIR imaging, laser capture microdissection and proteomics

Sci Rep. 2017 Mar 30;7:44829. doi: 10.1038/srep44829.

<http://dx.doi.org/10.1038/srep44829>

Grünwald BT, Devisme A, Andrieux G, Vyas F, Aliar K, McCloskey C, Macklin A, Jang GH, Denroche R, Romero JM, Bavi P, Bronsert P, Notta F, O'Kane G, Wilson J, Knox J, Tamblyn L, Radulovich N, Fischer SE, Boerries M, Gallinger S, Kislinger T, Khokha R:

Spatially confined sub-tumor microenvironments orchestrate pancreatic cancer pathobiology

bioRxiv, 19 Feb 2021, doi: <https://doi.org/10.1101/2021.02.18.431890>

<https://www.biorxiv.org/content/10.1101/2021.02.18.431890v1>

Gu-Qing Z, Ai-Lan C, Hong Y, Mao-Yu L, Guo-Qing L, Jian-Ling L, Li L:

Quantitative Proteomic Study for Various Stage Tissues of Human Bronchial Epithelial Carcinogenesis by Laser Capture Microdissection

Prog. Biochem. Biophys. 2013; 40 (6)

http://www.pibb.ac.cn/pibben/ch/reader/view_abstract.aspx?file_no=20120474&flag=2

Hamilton BR, Marshall DL, Casewell NR, Harrison RA, Blanksby SJ, and Undheim EAB:

Mapping Enzyme Activity on Tissue by Functional Mass Spectrometry Imaging

Angew Chem Int Ed Engl. 2020 Mar 2;59(10):3855-3858. doi: 10.1002/anie.201911390.

<https://onlinelibrary.wiley.com/doi/full/10.1002/anie.201911390>

Happyana N, Agnolet S, Muntendam R, Van Dam A, Schneider B, Kayser O

Analysis of cannabinoids in laser-microdissected trichomes of medicinal Cannabis sativa using LCMS and cryogenic NMR

Phytochemistry. 2012 Dec 29. pii: S0031-9422(12)00475-X. doi: 10.1016/j.phytochem.2012.11.001.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(12\)00475-X](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(12)00475-X)

Hayashi J, Kihara M, Kato H, Nishimura T:

A proteomic profile of synoviocyte lesions microdissected from formalin-fixed paraffin-embedded synovial tissues of rheumatoid arthritis.

Clin Proteomics. 2015 Aug 6;12(1):20. doi: 10.1186/s12014-015-9091-8. eCollection 2015.

<http://www.clinicalproteomicsjournal.com/content/12/1/20>

Hembrough T, Thyparambil S, Liao WL, Darfler MM, Abdo J, Bengali KM, Taylor P, Tong J, Lara-Guerra H, Waddell TK, Moran MF, Tsao MS, Krizman DB, Burrows J.:

Selected Reaction Monitoring (SRM) Analysis of Epidermal Growth Factor Receptor (EGFR) in Formalin Fixed Tumor Tissue

Clin Proteomics. 2012 May 3;9(1):5. doi: 10.1186/1559-0275-9-5.

<http://www.clinicalproteomicsjournal.com/content/9/1/5>

Herfs M, Longuespée R, Quick CM, Roncarati P, Suarez-Carmona M, Hubert P, Lebeau A, Bruyere D, Mazzucchelli G, Smargiasso N, Baiwir D, Lai K, Dunn A, Obregon F, Yang EJ, De Pauw E, Crum CP, Delvenne P:

Proteomic signatures reveal a dualistic and clinically relevant classification of anal canal carcinoma

J Pathol. 2016 Dec 15. doi: 10.1002/path.4858.

<http://dx.doi.org/10.1002/path.4858>

Hiraide T, Ikegami K, Sakaguchi T, Morita Y, Hayasaka T, Masaki N, Waki M, Sugiyama E, Shinriki S, Takeda M, Shibasaki Y, Miyazaki S, Kikuchi H, Okuyama H, Inoue M, Setou M, Konno H:

Accumulation of arachidonic acid-containing phosphatidylinositol at the outer edge of colorectal cancer

Sci Rep. 2016 Jul 20;6:29935. doi: 10.1038/srep29935.

<http://dx.doi.org/10.1038/srep29935>

Hölscher D, Fuchser J, Knop K, Menezes RC, Buerkert A, Svatoš A, Schubert US, Schneider B:

High resolution mass spectrometry imaging reveals the occurrence of phenylphenalenone-type compounds in red paracytic stomata and red epidermis tissue of Musa acuminata ssp. zebrina cv. 'Rowe Red'

Phytochemistry. 2015 May 21. pii: S0031-9422(15)00147-8. doi: 10.1016/j.phytochem.2015.04.010.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(15\)00147-8](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(15)00147-8)

Hondius DC, Eigenhuis KN, Morrema THJ, van der Schors RC, van Nierop P, Bugiani M, Li KW, Hoozemans JJM, Smit AB, Rozemuller AJM:

Proteomics analysis identifies new markers associated with capillary cerebral amyloid angiopathy in Alzheimer's disease

Acta Neuropathol Commun. 2018 Jun 4;6(1):46. doi: 10.1186/s40478-018-0540-2.

<https://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-018-0540-2>

Hondius DC, Hoozemans JJM, Rozemuller AJM, Li KW, Smit AB:

A Laser Microdissection-Liquid Chromatography-Tandem Mass Spectrometry Workflow for Post-mortem Analysis of Brain Tissue

Methods Mol Biol. 2018;1723:371-383. doi: 10.1007/978-1-4939-7558-7_21.

https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_21

Hondius DC, Hoozemans JJM, Rozemuller AJM, Li KW, Smit AB:

Laser Microdissection for Spatial Proteomics of Postmortem Brain Tissue

Neuroproteomics, 2019, Springer New York CY

https://link.springer.com/protocol/10.1007/978-1-4939-9662-9_4

Hondius DC, Koopmans F, Leistner C, Pita-Illobre D, Peferoen-Baert RM, Marbus F, Paliukhovich I, Li KW, Rozemuller AJM, Hoozemans JJM, Smit AB:

The proteome of granulovacuolar degeneration and neurofibrillary tangles in Alzheimer's disease

Acta Neuropathol. 2021 Jan 25. doi: 10.1007/s00401-020-02261-4.

<https://link.springer.com/article/10.1007/s00401-020-02261-4>

Hondius DC, van Nierop P, Li KW, Hoozemans JJ, van der Schors RC, van Haastert ES, van der Vies SM, Rozemuller AJ, Smit AB:

Profiling the human hippocampal proteome at all pathologic stages of Alzheimer's disease

Alzheimers Dement. 2016 Jun;12(6):654-68. doi: 10.1016/j.jalz.2015.11.002.

[http://linkinghub.elsevier.com/retrieve/pii/S1552-5260\(15\)02987-8](http://linkinghub.elsevier.com/retrieve/pii/S1552-5260(15)02987-8)

Hood BL, Liu B, Alkhas A, Shoji Y, Challa R, Wang G, Ferguson S, Oliver J, Mitchell D, Bateman NW, Zahn CM, Hamilton CA, Payson M, Lessey B, Fazleabas AT, Maxwell GL, Conrads TP, Risinger JI:
Proteomics of the Human Endometrial Glandular Epithelium and Stroma from the Proliferative and Secretory Phases of the Menstrual Cycle

Biol Reprod. 2015 Feb 18. pii: biolreprod.114.127217.

<http://www.biolreprod.org/cgi/pmidlookup?view=long&pmid=25695723>

Huang P, Kong Q, Gao W, Chu B, Li H, Mao Y, Cai Z, Xu R, Tian R:

Spatial Proteome Profiling by Immunohistochemistry-Based Laser Capture Microdissection and Data-Independent Acquisition Proteomics

Analytica Chimica Acta, 2020 Aug 29, doi:10.1016/j.aca.2020.06.049

<https://www.sciencedirect.com/science/article/abs/pii/S000326702030698X>

Huang P, Li H, Gao W, Cai Z, Tian R:

A Fully Integrated Spintip-Based Approach for Sensitive and Quantitative Profiling of Region-Resolved in Vivo Brain Glycoproteome

Anal Chem. 2019 Jul 16;91(14):9181-9189. doi: 10.1021/acs.analchem.9b01930.

<https://dx.doi.org/10.1021/acs.analchem.9b01930>

Hunt AL, Pierobon M, Baldelli E, Oliver J, Mitchell D, Gist G, Bateman NW, Larry Maxwell G, Petricoin EF, Conrads TP:

The impact of ultraviolet- and infrared-based laser microdissection technology on phosphoprotein detection in the laser microdissection-reverse phase protein array workflow

Clin Proteomics. 2020 Mar 9;17:9. doi: 10.1186/s12014-020-09272-z. eCollection 2020.

<https://clinicalproteomicsjournal.biomedcentral.com/track/pdf/10.1186/s12014-020-09272-z>

Hutson TH, Kathé C, Palmisano I, Bartholdi K, Hervera A, De Virgiliis F, McLachlan E, Zhou L, Kong G, Barraud Q, Danzi MC, Medrano-Fernandez A, Lopez-Atalaya J, Boutillier AL, Sinha SH, Singh AK, Chaturbedy P, Moon LDF, Kundu TK, Bixby JL, Lemmon VP, Barco A, Courtine G, and Di Giovanni S:

Environmental enrichment induces axon regeneration and recovery after peripheral and spinal injuries via activity mediated CBP-dependent histone acetylation: a druggable pathway

Researchgate, #332345556

https://www.researchgate.net/profile/Lawrence_Moon/publication/332345556_Cbp-dependent_histone_acetylation_mediates_axon_regeneration_induced_by_environmental_enrichment_in_rodent_spinal_cord_injury_models/links/5cbe2279a6fdcc1d49a86753/Cbp-dependent-histone-acetylation-mediates-axon-regeneration-induced-by-environmental-enrichment-in-rodent-spinal-cord-injury-models.pdf

Ibuki E, Shiraishi A, Sofue T, Kushida Y, Kadota K, Honda K, Kang D, Joh K, Minamino T, Haba R
Characteristic electron-microscopic features of cryofibrinogen-associated glomerulonephritis: a case report.

BMC Nephrol. 2020 Jan 29;21(1):27. doi: 10.1186/s12882-020-1696-0.

<https://www.biomedcentral.com/1471-2369/21/27>

Inoue Y, Ueda M, Tasaki M, Takeshima A, Nagatoshi A, Masuda T, Misumi Y, Kosaka T, Nomura T, Mizukami M, Matsumoto S, Yamashita T, Takahashi H, Kakita A, Ando Y:

Sushi repeat-containing protein 1: a novel disease-associated molecule in cerebral amyloid angiopathy

Acta Neuropathol. 2017 May 6. doi: 10.1007/s00401-017-1720-z.

<https://dx.doi.org/10.1007/s00401-017-1720-z>

Ivagnes A:

Valeur prédictive du récepteur NKp30 dans la réponse à l'imatinib mesylate des tumeurs stromales gastrointestinales et identification d'un nouveau mécanisme inhibiteur des cellules Natural Killer par la voie TNF α /TNFR2/BIRC3/TRAF1

Thesis (article mainly in French), Oncoimmunology

<https://tel.archives-ouvertes.fr/tel-01625085/document>

Jaillard C, Mouret A, Niepon ML, Clérin E, Yang Y, Lee-Rivera I, Aït-Ali N, Millet-Puel G, Cronin T, Sedmak T, Raffelsberger W, Kinzel B, Trembleau A, Poch O, Bennett J, Wolfrum U, Lledo PM, Sahel JA, Léveillard T:

Nxn12 splicing results in dual functions in neuronal cell survival and maintenance of cell integrity

Hum Mol Genet. 2012 Feb 15. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/02/15/hmg.dds050.abstract>

Jaiswal YS, Liang Z, Guo P, Ho HM, Chen HB, Zhao Z:

Tissue-specific Metabolite Profiling of *Cyperus rotundus* L. Rhizomes and (+)-Nootkatone Quantitation by Using Laser Micro Dissection, UHPLC-QTOF MS and GC-MS Techniques

J Agric Food Chem. 2014 Jun 17.

<http://pubs.acs.org/doi/abs/10.1021/jf502494z?journalCode=jafcau>

Jaiswal Y, Liang Z, Ho A, Chen H, Williams L, Zhao Z:

Tissue based metabolite profiling and qualitative comparison of two species of *Achyranthes* roots by use of UHPLC-QTOF MS and laser micro dissection

Journal of Pharmaceutical Analysis, 16 June 2017

<http://www.sciencedirect.com/science/article/pii/S2095177917300709>

Jaiswal Y, Liang Z, Ho A, Chen H, Zhao Z:

A Comparative Tissue-specific Metabolite Analysis and Determination of Protodioscin Content in *Asparagus* Species used in Traditional Chinese Medicine and Ayurveda by use of Laser Microdissection, UHPLC-QTOF/MS and LC-MS/MS

Phytochem Anal. 2014 Apr 16. doi: 10.1002/pca.2522.

<http://dx.doi.org/10.1002/pca.2522>

Jensen E:

Laser-Capture Microdissection

The Anatomical Record (Anat. Rec.), 2013, 1932-8494, 10.1002/ar.22791

<http://dx.doi.org/10.1002/ar.22791>

Kadota A, Iwaide S, Miyazaki S, Mitsui I, Machida N, Murakami T:
Pathology and Proteomics-Based Diagnosis of Localized Light-Chain Amyloidosis in Dogs and Cats

Veterinary Pathology. 17 Jun 2020. doi.org/10.1177/0300985820934113
<https://journals.sagepub.com/doi/abs/10.1177/0300985820934113>

Kakimoto Y, Ito S, Abiru H, Kotani H, Ozeki M, Tamaki K, Tsuruyama T:
Sorbin and SH3 domain-containing protein 2 is released from infarcted heart in the very early phase: proteomic analysis of cardiac tissues from patients.

J Am Heart Assoc. 2013 Dec 16;2(6):e000565. doi: 10.1161/JAHA.113.000565.
<http://jaha.ahajournals.org/cgi/pmidlookup?view=long&pmid=24342996>

Kanagal-Shamanna R, Xu-Monette ZY, Miranda RN, Dogan A, Zou D, Luthra R, Weber D, O'Malley DP, Jorgensen JL, Khoury JD, Bueso-Ramos CE, Orłowski RZ, Medeiros JL, Young KH:

Crystal-Storing Histiocytosis: A Clinicopathologic Study of 13 Cases

Histopathology. 2015 Jun 28. doi: 10.1111/his.12768.
<http://dx.doi.org/10.1111/his.12768>

Kato Y, Nishimura T, Matsubayashi J, Furukawa K, Nomura M, Fujii K, Nakamura H, Kato H:
An importance of clinical proteomics for personalized medicine of lung cancer subtypes

Integr Cancer Sci Therap. 3: DOI: 10.15761/ICST.1000177.
<http://oatext.com/An-importance-of-clinical-proteomics-for-personalized-medicine-of-lung-cancer-subtypes.php#Article>

Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:
Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma

J Proteomics 73(6): 1089-99 (2010)
<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kawata N, Kang D, Aiuchi T, Obama T, Yoshitake O, Shibata T, Takimoto M, Itabe H, Honda K:
Proteomics of human glomerulonephritis by laser microdissection and liquid chromatography-tandem mass spectrometry

Nephrology (Carlton). 2019 Nov 9. doi: 10.1111/nep.13676.
<https://onlinelibrary.wiley.com/doi/pdf/10.1111/nep.13676>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)
<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kim SK, Jung WH, Koo JS:

Differential expression of enzymes associated with serine/glycine metabolism in different breast cancer subtypes

PLoS One. 2014 Jun 30;9(6):e101004. doi: 10.1371/journal.pone.0101004. eCollection 2014.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0101004>

Kirana C, Peng L, Miller R, Keating JP, Glenn C, Shi H, Jordan TW, Maddern GJ, Stubbs RS:
Combination of laser microdissection, 2D-DIGE and MALDI-TOF MS to identify protein biomarkers to predict colorectal cancer spread

Clin Proteomics. 2019 Jan 22;16:3. doi: 10.1186/s12014-019-9223-7. eCollection 2019.
<https://clinicalproteomicsjournal.biomedcentral.com/articles/10.1186/s12014-019-9223-7>

Kirana C, Shi H, Laing E, Hood K, Miller R, Bethwaite P, Keating J, Jordan TW, Hayes M, and Stubbs R:
Cathepsin D Expression in Colorectal Cancer: From Proteomic Discovery through Validation Using Western Blotting, Immunohistochemistry, and Tissue Microarrays

International Journal of Proteomics, Volume 2012 (2012), Article ID 245819, 10 pages,
doi:10.1155/2012/245819

<http://www.hindawi.com/journals/ijpro/2012/245819/cta/>

Kitaoka H, Izumi C, Izumiya Y, Inomata T, Ueda M, Kubo T, Koyama J, Sano M, Sekijima Y, Tahara N, Tsukada N, Tsujita K, Tsutsui H, Tomita T, Amano M, Endo J, Okada A, Oda S, Takashio S, Baba Y, Misumi Y, Yazaki M, Anzai T, Ando Y, Isobe M, Kimura T, Fukuda K; Japanese Circulation Society Joint Working Group :

JCS 2020 Guideline on Diagnosis and Treatment of Cardiac Amyloidosis

Circ J. 2020 Aug 25;84(9):1610-1671. doi: 10.1253/circj.CJ-20-0110.

https://www.jstage.jst.go.jp/article/circj/advpub/0/advpub_CJ-20-0110/_pdf

Kennard JT, Guévremont D, Mason-Parker SE, Abraham WC, Williams JM:

Redistribution of Ionotropic Glutamate Receptors Detected by Laser Microdissection of the Rat Dentate Gyrus 48 h following LTP Induction *In Vivo*

PLoS One. 2014 Mar 25;9(3):e92972. doi: 10.1371/journal.pone.0092972. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0092972#pone-0092972-g005>

Kertesz V, Cahill JF:

Spatially resolved absolute quantitation in thin tissue by mass spectrometry

Anal Bioanal Chem. 2020 Nov 2. doi: 10.1007/s00216-020-02964-3.

<https://link.springer.com/article/10.1007/s00216-020-02964-3>

Kley RA, Maerkens A, Leber Y, Theiss V, Schreiner A, van der Ven PF, Uszkoreit J, Stephan C, Eulitz S, Euler N, Kirschner J, Mueller K, Meyer HE, Tegenthoff M, Fuerst DO, Vorgerd M, Mueller T, Marcus K:

A combined laser microdissection and mass spectrometry approach reveals new disease relevant proteins accumulating in aggregates of filaminopathy patients

Mol Cell Proteomics. 2012 Oct 31.

<http://www.mcponline.org/content/early/2012/10/31/mcp.M112.023176.abstract>

Kley RA, Maerkens A, Olive M, Claeys KG, Hanisch F, van der Ven PFM, Fuerst DO, Mueller T, Marcus K, and Vorgerd M :

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9 , Page 874, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900418-X/abstract>

Kondo, T., Seike, M., Mori, Y., Fujii, K., Yamada, T., and Hirohashi, S.:

Application of sensitive fluorescent dyes in linkage of laser microdissection and two-dimensional gel electrophoresis as a cancer proteomic study tool

Proteomics 3(9): 1758-1766 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300531/abstract>

Koob AO, Bruns L, Prassler C, Masliah E, Klopstock T, Bender A:

Protein analysis through Western blot of cells excised individually from human brain and muscle tissue

Anal Biochem. 2012 Mar 5. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0003269712001431>

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Kretschmer T, Turnwald EM, Janoschek R, Zentis P, Bae-Gartz I, van Beers T, Handwerk M, Wohlfarth M, Ghilav M, Bloch W, Hucklenbruch-Rother E, Dötsch J, Appel S:

Maternal high fat diet-induced obesity affects trophoblast differentiation and placental function in mice

Biol Reprod. 2020 Sep 11:ioaa166. doi: 10.1093/biolre/ioaa166.

<https://academic.oup.com/biolreprod/advance-article-abstract/doi/10.1093/biolre/ioaa166/5904061>

Larsen CP, Sharma SG, Caza TN, Kenan DJ, Storey AJ, Edmondson RD, Herzog C, Arthur JM:

Serum amyloid P deposition is a sensitive and specific feature of membranous-like glomerulopathy with masked IgG kappa deposits

Kidney International, 17 Oct 2019, KINT 1855, S0085-2538(19)31119-6

[https://www.kidney-international.org/article/S0085-2538\(19\)31119-6/pdf](https://www.kidney-international.org/article/S0085-2538(19)31119-6/pdf)

Le Large TY, Mantini G, Meijer LL, Pham TV, Funel N, van Grieken NC, Kok B, Knol JC, van Laarhoven HWM, Piersma SR, Jimenez CR, Kazemier G, Giovannetti E, Bijlsma MF :

Microdissected pancreatic cancer proteomes reveal tumor heterogeneity and therapeutic targets

JCI Insight. 2020 Jul 7:138290. doi: 10.1172/jci.insight.138290.

<https://doi.org/10.1172/jci.insight.138290>

Lee A, Prideaux B, Lee MH, Zimmerman M, Dolgov E, Perlin DS, Zhao Y

Tissue distribution and penetration of isavuconazole at the site of infection in Experimental Invasive Aspergillosis in Mice with underlying Chronic Granulomatous Disease

Antimicrob Agents Chemother. 2019 Apr 15. pii: AAC.00524-19. doi: 10.1128/AAC.00524-19.

<https://aac.asm.org/content/early/2019/04/09/AAC.00524-19.abstract>

Lee A, Wang N, Carter CL, Zimmerman M, Dartois V, Shaw KJ, Perlin DS, Zhao Y:

Therapeutic potential of Fosmanogepix (APX001) for intra-abdominal candidiasis: from lesion penetration to efficacy in a mouse model

Antimicrob Agents Chemother. 2021 Jan 19:AAC.02476-20. doi: 10.1128/AAC.02476-20.

<https://aac.asm.org/content/early/2021/01/14/AAC.02476-20.abstract>

Lee S, Zhao L, Rojas C, Bateman NW, Yao H, Lara OD, Celestino J, Morgan MB, Nguyen TV, Conrads KA, Rangel KM, Dood RL, Hajek RA, Fawcett GL, Chu RA, Wilson K, Loffredo JL, Viollet C, Jazaeri AA, Dalgard CL, Mao X, Song X, Zhou M, Hood BL, Banskota N, Wilkerson MD, Te J, Soltis AR, Roman K, Dunn A, Cordover D, Eterovic AK, Liu J, Burks JK, Baggerly KA, Fleming ND, Lu KH, Westin SN, Coleman RL, Mills GB, Casablanca Y, Zhang J, Conrads TP, Maxwell GL, Futreal PA, Sood AK

Molecular Analysis of Clinically Defined Subsets of High-Grade Serous Ovarian Cancer

Cell Rep. 2020 Apr 14;31(2):107502. doi: 10.1016/j.celrep.2020.03.066.

<https://www.sciencedirect.com/science/article/pii/S2211124720303922>

Leung N, Nasr SH, Sethi S:

How I diagnose amyloidosis.

Blood. 2012 Sep 4.

<http://bloodjournal.hematologylibrary.org/content/early/2012/09/04/blood-2012-03-413682.abstract>

Li, C., Hong, Y., Tan, Y.X., Zhou, H., Ai, J.H., Li, S.J., Zhang, L., Xia, Q.C., Wu, J.R., Wang, H.Y., and Zeng, R.:

Accurate qualitative and quantitative proteomic analysis of clinical hepatocellular carcinoma using laser capture microdissection coupled with isotope-coded affinity tag and two-dimensional liquid chromatography mass spectrometry

Mol Cell Proteomics 3(4): 399-409 (2004)

<http://www.mcponline.org/content/3/4/399.long>

Li CH, Liu Y, Hua J, Luo SH, Li SH:

Peltate glandular trichomes of *Colquhounia seguinii* Vaniot harbor new defensive clerodane diterpenoids

J Integr Plant Biol. 2014 Jul 22. doi: 10.1111/jipb.12242.
<http://www.jipb.net/pubsoft/content/2/10.1111/jipb.12242.pdf>

Li G, Li M, Liang X, Xiao Z, Zhang P, Shao M, Peng F, Chen Y, Li Y, Chen Z:
Identifying DCN and HSPD1 as Potential Biomarkers in Colon Cancer Using 2D-LC-MS/MS Combined with iTRAQ Technology

Journal of Cancer, 2017; 8(3): 479-489. doi: 10.7150/jca.17192
<http://jancer.org/v08p0479.pdf>

Li M, Li C, Li D, Xie Y, Shi J, Li G, Guan Y, Li M, Zhang P, Peng F, Xiao Z, Chen Z:
Periostin, a stroma-associated protein, correlates with tumor invasiveness and progression in nasopharyngeal carcinoma

Clin Exp Metastasis. 2012 Jun 17. [Epub ahead of print]
<http://dx.doi.org/10.1007/s10585-012-9465-5>

Li MX, Xiao ZQ, Chen YH, Peng F, Li C, Zhang PF, Li MY, Li F, Duan CJ, Li DJ, Yao HX, Chen ZC:
Proteomic analysis of the stroma-related proteins in nasopharyngeal carcinoma and normal nasopharyngeal epithelial tissues

Med Oncol. 2010 Mar;27(1):134-44.
<http://www.springerlink.com/content/m42pkx852hgh06n0/>

Li Y, Wang P, Ye D, Bai X, Zeng X, Zhao Q, Zhang Z:
IGHG1 induces EMT in gastric cancer cells by regulating TGF- β /SMAD3 signaling pathway

Journal of Cancer 2021, Vol. 12; 12(12): 3458-3467. doi: 10.7150/jca.56056
<https://www.jancer.org/v12p3458.pdf>

Liang L, Xu J, Liang ZT, Dong XP, Chen HB, Zhao ZZ:
Tissue-Specific Analysis of Secondary Metabolites Creates a Reliable Morphological Criterion for Quality Grading of *Polygoni Multiflori Radix*

Molecules. 2018 May 8;23(5). pii: E1115. doi: 10.3390/molecules23051115.
<https://europepmc.org/abstract/med/29738485>

Liang Z, Sham T, Yang G, Yi L, Chen H, Zhao Z:
Profiling of secondary metabolites in tissues from *Rheum palmatum* L. using laser microdissection and liquid chromatography mass spectrometry

Anal Bioanal Chem. 2013 May;405(12):4199-212. doi: 10.1007/s00216-013-6819-z.
<http://dx.doi.org/10.1007/s00216-013-6819-z>

Liang Z, Zhang J, Yang G, Chen H, Zhao Z:
Chemical profiling and histochemical analysis of *Bupleurum marginatum* roots from different growing areas of Hubei province

Acta Pharmaceutica Sinica B, 21 May 2013, ISSN 2211-3835, 10.1016/j.apsb.2013.04.002.
<http://www.sciencedirect.com/science/article/pii/S2211383513000348>

Liba A and Wanagat J:
Single Cell Multiplex Protein Measurements through Rare Earth Element Immunolabeling, Laser Capture Microdissection and Inductively Coupled Mass Spectrometry

J Cytol Histol 2014, 5:6
<http://dx.doi.org/10.4172/2157-7099.1000290>

Liebe CH:
Klinische, histopathologische und genetische Charakterisierung der Myofibrillären Myopathien
PhD thesis (German language)

<http://darwin.bth.rwth-aachen.de/opus3/volltexte/2015/5290/pdf/5290.pdf>

Liewluck T, Winder TL, Dimberg EL, Crum BA, Heppelmann CJ, Wang Y, Bergen HR 3rd, Milone M:
ANO5-muscular dystrophy: clinical, pathological and molecular findings
Eur J Neurol. 2013 May 12. doi: 10.1111/ene.12191.
<http://onlinelibrary.wiley.com/doi/10.1111/ene.12191/abstract>

Liu JY, Reeves C, Diehl B, Coppola A, Al-Hajri A, Hoskote C, Al Mughairy S, Tachrount M, Groves M, Michalak Z, Mills K, McEvoy AW, Miserocchi A, Sisodiya SM, Thom M:
Early lipofuscin accumulation in Frontal Lobe Epilepsy
Ann Neurol. 2016 Oct 20. doi: 10.1002/ana.24803
<http://onlinelibrary.wiley.com/doi/10.1002/ana.24803/epdf>

Liu PF, Cao YW, Jiang HP, Wang YH, Yang XC, Wang XS, Niu HT:
Heterogeneity research in muscle-invasive bladder cancer based on differential protein expression analysis
Med Oncol. 2014 Sep;31(9):21. doi: 10.1007/s12032-014-0021-9.
<http://link.springer.com/article/10.1007/s12032-014-0021-9>

Liu Y, Luo SH, Schmidt A, Wang GD, Sun GL, Grant M, Kuang C, Yang MJ, Jing SX, Li CH, Schneider B, Gershenzon J, Li SH:
A Geranylarnesyl Diphosphate Synthase Provides the Precursor for Sesterterpenoid (C25) Formation in the Glandular Trichomes of the Mint Species Leucosceptrum canum
Plant Cell. 2016 Mar;28(3):804-22. doi: 10.1105/tpc.15.00715.
<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=26941091>

Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:
Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma
Med Oncol. 2010 Dec 4. [Epub ahead of print]
<http://www.springerlink.com/content/1h53134871563152/>

Longuespée R, Alberts D, Baiwir D, Mazzucchelli G, Smargiasso N, De Pauw E:
MALDI Imaging Combined with Laser Microdissection-Based Microproteomics for Protein Identification: Application to Intratumor Heterogeneity Studies
Methods Mol Biol. 2017 Dec 10. doi: 10.1007/7651_2017_114.
https://link.springer.com/protocol/10.1007/7651_2017_114

Longuespée R, Alberts D, Pottier C, Smargiasso N, Mazzucchelli G, Baiwir D, Kriegsmann M, Herfs M, Kriegsmann J, Delvenne P, De Pauw E:
A laser microdissection-based workflow for FFPE tissue microproteomics: important considerations for small sample processing
Methods, 12 December 2015, ISSN 1046-2023, <http://dx.doi.org/10.1016/j.ymeth.2015.12.008>
<http://www.sciencedirect.com/science/article/pii/S1046202315301778>

Longuespée R, Baiwir D, Mazzucchelli G, Smargiasso N, De Pauw E:
Laser Microdissection-Based Microproteomics of Formalin-Fixed and Paraffin-Embedded (FFPE) Tissues
Methods Mol Biol. 2018;1723:19-31. doi: 10.1007/978-1-4939-7558-7_2.
https://link.springer.com/protocol/10.1007/978-1-4939-7558-7_2

Longuespée R, Casadonte R, Kriegsmann M, Pottier C, de Muller GP, Delvenne P, Kriegsmann J, De Pauw E:
MALDI mass spectrometry imaging: A cutting-edge tool for fundamental and clinical histopathology

Proteomics Clin Appl. 2016 May 17. doi: 10.1002/prca.201500140.

<http://dx.doi.org/10.1002/prca.201500140>

Longuespée R, Casadonte R, Kriegsmann M, Wandernoth P, Lisenko K, Mazzucchelli G, Becker M, Kriegsmann J:

Proteomic investigation of human cystic echinococcosis in the liver

Mol Biochem Parasitol. 2016 Dec 13;211:9-14. doi: 10.1016/j.molbiopara.2016.12.002.

[https://linkinghub.elsevier.com/retrieve/pii/S0166-6851\(16\)30165-7](https://linkinghub.elsevier.com/retrieve/pii/S0166-6851(16)30165-7)

Longuespée R, Casadonte R, Schwamborn K, Reuss D, Kazdal D, Kriegsmann K, von Deimling A, Weichert W, Schirmacher P, Kriegsmann J, Kriegsmann M:

Proteomics in pathology

Proteomics, 2017 Dec 13, 10.1002/pmic.201700361

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.201700361/full>

Lorenz M, Ovchinnikova OS, Kertesz V, Van Berkel GJ:

Laser microdissection and atmospheric pressure chemical ionization mass spectrometry coupled for multimodal imaging

Rapid Commun. Mass Spectrom., 2013, Vol. 27, issue 13, pp. 1097-0231, doi 10.1002/rcm.6593

<http://onlinelibrary.wiley.com/doi/10.1002/rcm.6593/abstract>

Loziuk P, Meier F, Johnson C, Ghashghaei HT, Muddiman DC:

TransOmic analysis of forebrain sections in Sp2 conditional knockout embryonic mice using IR-MALDESI imaging of lipids and LC-MS/MS label-free proteomics

Anal Bioanal Chem. 2016 Mar 4.

<http://dx.doi.org/10.1007/s00216-016-9421-3>

Maeda S1, Morikawa T, Takadate T, Suzuki T, Minowa T, Hanagata N, Onogawa T, Motoi F, Nishimura T, Unno M:

Mass spectrometry-based proteomic analysis of formalin-fixed paraffin-embedded extrahepatic cholangiocarcinoma

J Hepatobiliary Pancreat Sci. 2015 Apr 27. doi: 10.1002/jhbp.262.

<http://dx.doi.org/10.1002/jhbp.262>

Maerkens A, Kley RA, Schreiner A, Theis V, Mueller T, Vorgerd M, Marcus K:

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9, Page 821, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900249-0/abstract>

Maerkens A, Olivé M, Schreiner A, Feldkirchner S, Schessl J, Uszkoreit J, Barkovits K, Güttsches AK, Theis V, Eisenacher M, Tegenthoff M, Goldfarb LG, Schröder R, Schoser B, van der Ven PF, Fürst DO, Vorgerd M, Marcus K, Kley RA:

New insights into the protein aggregation pathology in myotilinopathy by combined proteomic and immunolocalization analyses

Acta Neuropathol Commun. 2016 Feb 3;4(1):8. doi: 10.1186/s40478-016-0280-0.

<http://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-016-0280-0>

Manabe S, Iwasaki C, Hatano M, Kametani F, Yazaki M, Nitta K, Nagata M:

AL amyloidosis with non-amyloid forming monoclonal immunoglobulin deposition; a case mimicking AHL amyloidosis

BMC Nephrol. 2018 Nov 22;19(1):337. doi: 10.1186/s12882-018-1050-y.

<https://bmcnephrol.biomedcentral.com/articles/10.1186/s12882-018-1050-y>

Matsuda A, Higashi M, Nakagawa T, Yokoyama S, Kuno A, Yonezawa S, Narimatsu H:

Assessment of tumor characteristics based on glycoform analysis of membrane-tethered MUC1

Lab Invest. 2017 Jun 5. doi: 10.1038/labinvest.2017.53.

<https://www.nature.com/labinvest/journal/vaop/ncurrent/full/labinvest201753a.html>

Merchant ML, Barati MT, Caster DJ, Hata JL, Hobeika L, Coventry S, Brier ME, Wilkey DW, Li M, Rood IM, Deegens JK, Wetzels JF, Larsen CP, Troost JP, Hodgins JB, Mariani LH, Kretzler M, Klein JB, McLeish KR:

Proteomic Analysis Identifies Distinct Glomerular Extracellular Matrix in Collapsing Focal Segmental Glomerulosclerosis

J Am Soc Nephrol. 2020 Jun 19:ASN.2019070696. doi: 10.1681/ASN.2019070696.

<http://jasn.asnjournals.org/cgi/pmidlookup?view=long&pmid=32561683>

Mereuta OM, Theis JD, Vrana JA, Law ME, Grogg KL, Dasari S, Chandan VS, Wu TT, Jimenez-Zepeda VH, Fonseca R, Dispenzieri A, Kurtin PJ, Dogan A:

Mass spectrometry-based proteomics reveals that leukocyte cell-derived chemotaxin 2 associated amyloidosis is a frequent cause of hepatic amyloidosis in the United States

Blood. 2014 Jan 10.

<http://bloodjournal.hematologylibrary.org/content/early/2014/01/10/blood-2013-07-517938.abstract>

Mesko MF, Salber D, Pozebon D, Dressler VL, Becker JS:

Evaluation of metal distributions in small samples of mouse brain lesions (hematoma) by inductively coupled plasma mass spectrometry after sampling by laser microdissection (LMD)

Int J of Mass Spec, Volume 307, Issues 1–3, 1 October 2011, Pages 137–141

<http://www.sciencedirect.com/science/article/pii/S138738061100159X>

Metzendorf C, Wineberger K, Rausch J, Cigiliano A, Calvisi DF, Peters, Sun B, Mennerich D, Kietzmann T, Dombrowski F, Ribback S:

Transcriptomic and Proteomic analysis of clear cell foci (CCF) in the human non-cirrhotic liver identifies several differentially expressed genes and proteins with functions in cancer cell biology and glycogen metabolism

bioRxiv, 10 Feb 2020, 10 Feb 2020

<https://www.biorxiv.org/content/10.1101/2020.02.10.941211v1.full>

Mezger STP, Mingels AMA, Bekers O, Heeren RMA, Cillero-Pastor B:

Mass Spectrometry Spatial-Omics on a Single Conductive Slide

Anal Chem. 2021 Jan 7. doi: 10.1021/acs.analchem.0c04572.

<https://pubs.acs.org/doi/full/10.1021/acs.analchem.0c04572>

Micanovic R, Khan S, El-Achkar TM:

Immunofluorescence laser micro-dissection of specific nephron segments in the mouse kidney allows targeted downstream proteomic analysis

Physiol Rep. 2015 Feb 12;3(2). pii: e12306. doi: 10.14814/phy2.12306.

<http://physreports.physiology.org/cgi/pmidlookup?view=long&pmid=25677553>

Mikšik I, Ergang P, Pácha J:

Proteomic analysis of chicken eggshell cuticle membrane layer

Anal Bioanal Chem. 2014 Oct 11

<http://link.springer.com/article/10.1007/s00216-014-8213-x>

Milani P, Dispenzieri A, Scott CG, Gertz MA, Perlini S, Mussinelli R, Lacy MQ, Buadi FK, Kumar S, Maurer MS, Merlini G, Hayman SR, Leung N, Dingli D, Klarich KW, Lust JA, Lin Y, Kapoor P, Go RS, Pellikka PA, Hwa YI, Zeldenrust SR, Kyle RA, Rajkumar SV, Grogan M:

Independent Prognostic Value of Stroke Volume Index in Patients With Immunoglobulin Light Chain Amyloidosis

Circ Cardiovasc Imaging. 2018 May;11(5):e006588. doi: 10.1161/CIRCIMAGING.117.006588.

<http://circimaging.ahajournals.org/content/11/5/e006588>

Miravalle, L., Calero, M., Takao, M., Roher, A.E., Ghetti, B., and Vidal, R.:

Amino-terminally truncated Abeta peptide species are the main component of cotton wool plaques

Biochemistry 44(32): 10810-10821 (2005)

<http://pubs.acs.org/doi/abs/10.1021/bi0508237>

Mitre M, Kranz TM, Marlin BJ, Schiavo JK, Erdjument-Bromage H, Zhang X, Minder J, Neubert TA, Hackett TA, Chao MV, and Froemke RC:

Sex-Specific Differences in Oxytocin Receptor Expression and Function for Parental Behavior

GENDER AND THE GENOME Volume 1, Number 4, 2017

<http://online.liebertpub.com/doi/pdfplus/10.1089/gg.2017.0017>

Mittal P, Klingler-Hoffmann M, Arentz G, Winderbaum L, Kaur G, Anderson L, Scurry J, Leung Y, Stewart CJ, Carter J, Hoffmann P, Oehler MK:

Annexin A2 and alpha actinin 4 expression correlates with metastatic potential of primary endometrial cancer

Biochim Biophys Acta. 2016 Oct 23. pii: S1570-9639(16)30221-7. doi: 10.1016/j.bbapap.2016.10.010.

[http://linkinghub.elsevier.com/retrieve/pii/S1570-9639\(16\)30221-7](http://linkinghub.elsevier.com/retrieve/pii/S1570-9639(16)30221-7)

Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:

Advances in isolation and characterization of homogeneous cell populations using laser microdissection

Histol Histopathol 20(1): 139-146 (2005)

http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm

Mukherjee S, Rodriguez-Canales J, Hanson J, Emmert-Buck MR, Tangrea MA, Prieto DA, Blonder J, Johann DJ Jr:

Proteomic analysis of frozen tissue samples using laser capture microdissection

Methods Mol Biol. 2013;1002:71-83. doi: 10.1007/978-1-62703-360-2_6

http://dx.doi.org/10.1007/978-1-62703-360-2_6

Mund A, Coscia F, Hollandi R, Kovacs F, Kriston A, Brunner A-D, Bzorek M, Naimy S, Rahbeck G, Jerdum LM, Dyring-Andersen B, Bulkescher JM, Lukas C, Gnann C, Lundberg E, Horvath P, Mann M:

AI-driven Deep Visual Proteomics defines cell identity and heterogeneity

bioRxiv, 27 Jan 2021, doi: doi: <https://doi.org/10.1101/2021.01.25.427969>

<https://www.biorxiv.org/content/10.1101/2021.01.25.427969v1>

Muñoz-Sanhueza LG, Lee Y, Tillmann M, Cohen JD, Hvoslef-Eide AK:

Auxin analysis using laser microdissected plant tissues sections

BMC Plant Biol. 2018 Jun 25;18(1):133. doi: 10.1186/s12870-018-1352-z.

<https://bmcpantbiol.biomedcentral.com/articles/10.1186/s12870-018-1352-z>

Murgia M, Tan J, Geyer PE, Doll S, Mann M, Klopstock T:

Proteomics of Cytochrome c Oxidase-Negative versus -Positive Muscle Fiber Sections in Mitochondrial Myopathy

Cell Reports, Volume 29, Issue 12, 17 Dec 2019, Pages 3825-3834.e4

<https://www.sciencedirect.com/science/article/pii/S2211124719315372>

Murray GI:

Has the proteome of formalin-fixed wax-embedded tissue been unlocked?

Nephrol Dial Transplant. 2012 Aug 1. [Epub ahead of print]

<http://ndt.oxfordjournals.org/content/early/2012/07/31/ndt.gfs342.full.pdf+html>

Nagai-Okatani C, Nagai M, Sato T, Kuno A:

An Improved Method for Cell Type-Selective Glycomic Analysis of Tissue Sections Assisted by Fluorescence Laser Microdissection

Int J Mol Sci. 2019 Feb 6;20(3). pii: E700. doi: 10.3390/ijms20030700.

<http://www.mdpi.com/resolver?pii=ijms20030700>

Nagai-Okatani C, Nishigori M, Sato T, Minamino N, Kaji H, Kuno A:

Wisteria floribunda agglutinin staining for the quantitative assessment of cardiac fibrogenic activity in a mouse model of dilated cardiomyopathy

Lab Invest. 2019 Jun 28. doi: 10.1038/s41374-019-0279-9.

<https://www.nature.com/articles/s41374-019-0279-9>

Nagatoshi A, Ueda M, Ueda A, Tasaki M, Inoue Y, Ma Y, Masuda T, Mizukami M, Matsumoto S, Kosaka T, Kawano T, Ito T, Ando Y:

Serum amyloid P component: A novel potential player in vessel degeneration in CADASIL

Jns(2017), doi: 10.1016/j.jns.2017.05.033

<http://www.sciencedirect.com/science/article/pii/S0022510X17303295>

Nakamura H, Fujii K, Gupta V, Hata H, Koizumu H, Hoshikawa M, Naruki S, Miyata Y, Takahashi I, Miyazawa T, Sakai H, Tsumoto K, Takagi M, Saji H, Nishimura T:

Identification of key modules and hub genes for small-cell lung carcinoma and large-cell neuroendocrine lung carcinoma by weighted gene co-expression network analysis of clinical tissue-proteomes

PLoS One. 2019 Jun 5;14(6):e0217105. doi: 10.1371/journal.pone.0217105. eCollection 2019.

<http://dx.plos.org/10.1371/journal.pone.0217105>

Nasr SH, Chavez O, Dasari S, Theis JD, Vrana JA, Fatima H, Fu L, Baliga RS, McPhail ED:

Donor-Derived ALECT2 Amyloidosis and Recurrent Fibrillary Glomerulonephritis in a Transplant Allograft

Kidney Medicine, 16 Feb 2021, <https://doi.org/10.1016/j.xkme.2020.11.019>

<https://www.sciencedirect.com/science/article/pii/S2590059521000236>

Nasr SH, Said SM, Valeri AM, Sethi S, Fidler ME, Cornell LD, Gertz MA, Dispenzieri A, Buadi FK, Vrana JA, Theis JD, Dogan A, Leung N:

The diagnosis and characteristics of renal heavy-chain and heavy/light-chain amyloidosis and their comparison with renal light-chain amyloidosis

Kidney Int. 2013 Jan 9. doi: 10.1038/ki.2012.414.

<http://dx.doi.org/10.1038/ki.2012.414>

Nasr SH, Vrana JA, Dasari S, Bridoux F, Fidler ME, Kaaki S, Quellard N, Rinsant A, Goujon JM, Sethi S, Fervenza FC, Cornell LD, Said SM, McPhail E, Herrera Hernandez LP, Grande JP, Hogan MC, Lieske JC, Leung N, Kurtin PJ, Alexander MP:

DNAJB9 is a Specific Immunohistochemical Marker for Fibrillary Glomerulonephritis

Kidney International Reports (31 Jul 2017), doi: 10.1016/j.ekir.2017.07.017.

[http://www.kireports.org/article/S2468-0249\(17\)30341-8/pdf](http://www.kireports.org/article/S2468-0249(17)30341-8/pdf)

Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.

Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma

Cancer Sci 100(9):1605-1611 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>

Ning X, Yin Z, Li Z, Xu J, Wang L, Shen W, Lu Y, Cai G, Zhang X, Chen X:

Comparative proteomic analysis of urine and laser microdissected glomeruli in IgA nephropathy

Clin Exp Pharmacol Physiol. 2017 Jan 21. doi: 10.1111/1440-1681.12733.

<http://dx.doi.org/10.1111/1440-1681.12733>

Nishida Y, Aida K, Kihara M, Kobayashi T:

Antibody-validated proteins in inflamed islets of fulminant type 1 diabetes profiled by laser-capture microdissection followed by mass spectrometry

PLoS One. 2014 Oct 16;9(10):e107664. doi: 10.1371/journal.pone.0107664. eCollection 2014.

<http://dx.plos.org/10.1371/journal.pone.0107664>

Nishimura T, Kato H, Ikeda N, Kihara M, Nomura M, Kato Y and Marko-Varga G:

Cancer Phenotype Diagnosis and Drug Efficacy within Japanese Health Care

International Journal of Proteomics, Volume 2012 (2012), Article ID 921901

<http://www.hindawi.com/journals/ijpro/2012/921901/>

Nishimura T, Nakamura H, Tan KT, Zhuo DW, Fujii K, Koizumi H, Naruki S, Takagi M, Furuya N, Kato Y, Chen SJ, Kato H, Saji H:

A proteogenomic profile of early lung adenocarcinomas by protein co-expression network and genomic alteration analysis

Sci Rep. 2020 Aug 12;10(1):13604. doi: 10.1038/s41598-020-70578-x.

<https://www.nature.com/articles/s41598-020-70578-x.pdf>

Nishimura T, Nakamura H, Yachie A, Hase T, Fujii K, Koizumi H, Naruki S, Takagi M, Matsuoka Y, Furuya N, Kato H, Saji H:

Disease-related cellular protein networks differentially affected under different EGFR mutations in lung adenocarcinoma

Sci Rep. 2020 Jul 2;10(1):10881. doi: 10.1038/s41598-020-67894-7.

<https://www.nature.com/articles/s41598-020-67894-7.pdf>

Nishimura T, Nomura M, Tojo H, Hamasaki H, Fukuda T, Fujii K, Mikami S, Bando Y, Kato H:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (2) MRM assay for stage-related proteins upon non-metastatic lung adenocarcinoma

J Proteomics. 2010 Apr 18;73(6):1100-10

<http://www.sciencedirect.com/science/article/pii/S187439190900342X>

Noberini R, Longuespée R, Richichi C, Pruneri G, Kriegsmann M, Pelicci G, Bonaldi T

PAT-H-MS coupled with laser microdissection to study histone post-translational modifications in selected cell populations from pathology samples

Clin Epigenetics. 2017 Jul 11;9:69. doi: 10.1186/s13148-017-0369-8. eCollection 2017.

<https://clinicalepigeneticsjournal.biomedcentral.com/articles/10.1186/s13148-017-0369-8>

Noberini R, Morales Torres C, Savoia EO, Brandini S, Jodice MG, Bertalot G, Bonizzi G, Capra M, Diaferia G, Scaffidi P, Bonaldi T:

Label-Free Mass Spectrometry-Based Quantification of Linker Histone H1 Variants in Clinical Samples

Int J Mol Sci. 2020 Oct 4;21(19):7330. doi: 10.3390/ijms21197330.

<https://www.mdpi.com/1422-0067/21/19/7330>

Noberini R, Restellini C, Oliva Savoia E, Bonaldi T:

Enrichment of histones from patient samples for mass spectrometry-based analysis of post-translational modifications

Methods. 2019 Oct 9. pii: S1046-2023(19)30136-7. doi: 10.1016/j.ymeth.2019.10.001.

[https://linkinghub.elsevier.com/retrieve/pii/S1046-2023\(19\)30136-7](https://linkinghub.elsevier.com/retrieve/pii/S1046-2023(19)30136-7)

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Nüsken E, Turnwald EM, Fink G, Voggel J, Yosy C, Kretschmer T, Handwerk M, Wohlfarth M, Weber LT, Hucklenbruch-Rother E, Dötsch J, Nüsken KD, Appel S:

Maternal High Fat Diet and in-Utero Metformin Exposure Significantly Impact upon the Fetal Renal Proteome of Male Mice

J Clin Med. 2019 May 11;8(5). pii: E663. doi: 10.3390/jcm8050663.

<http://www.mdpi.com/resolver?pii=jcm8050663>

Oberhuber M, Pecoraro M, Rusz M, Oberhuber G, Wieselberg M, Haslinger P, Gurnhofer E, Schleder M, Limberger T, Lagger S, Pencik J, Kodajova P, Högl S, Stockmaier G, Grund-Gröschke S, Aberger F, Bolis M, Theurillat JP, Wiebringhaus R, Weiss T, Haitel A, Brehme M, Wadsak W, Griss J, Mohr T, Hofer A, Jäger A, Pollheimer J, Egger G, Koellensperger G, Mann M, Hantusch B, Kenner L:

STAT3-dependent analysis reveals PDK4 as independent predictor of recurrence in prostate cancer

Mol Syst Biol. 2020 Apr;16(4):e9247. doi: 10.15252/msb.20199247.

<https://www.embopress.org/doi/epdf/10.15252/msb.20199247>

Ohara R, Michikami H, Nakamura Y, Sakata A, Sakashita S, Satomi K, Shiba-Ishii A, Kano J, Yoshikawa H, Noguchi M:

Moesin overexpression is a unique biomarker of adenomyosis

Pathol Int. 2014 Mar;64(3):115-22. doi: 10.1111/pin.12148.

<http://onlinelibrary.wiley.com/doi/10.1111/pin.12148/abstract>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

O'Malley KJ, Eisermann K, Pascal LE, Parwani AV, Majima T, Graham L, Hrebinko K, Acquafondata M, Stewart NA, Nelson JB, Yoshimura N, Wang Z:

Proteomic analysis of patient tissue reveals PSA protein in the stroma of benign prostatic hyperplasia

Prostate. 2014 Apr 7. doi: 10.1002/pros.22807.

<http://dx.doi.org/10.1002/pros.22807>

Omri S, Behar-Cohen F, Rothschild PR, Gélizé E, Jonet L, Jeanny JC, Omri B, Crisanti P:

PKC ζ Mediates Breakdown of Outer Blood-Retinal Barriers in Diabetic Retinopathy

PLoS One. 2013 Nov 29;8(11):e81600. doi: 10.1371/journal.pone.0081600.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0081600>

Pan S, Brentnall TA, Kelly K, Chen R:

Tissue proteomics in pancreatic cancer study: discovery, emerging technologies and challenges

Proteomics. 2012 Nov 2. doi: 10.1002/pmic.201200319.

<http://dx.doi.org/10.1002/pmic.201200319>

Peacock PM, Zhang WJ, Trimpin S:

Advances in Ionization for Mass Spectrometry

Anal. Chem., Nov 15; DOI: 10.1021/acs.analchem.6b04348

<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.6b04348>

Perampalam P, Hassan HM, Lilly GE, Passos DT, Torchia J, Kiser PK, Bozovic A, Kulasingam V, Dick FA.

Disrupting the DREAM transcriptional repressor complex induces apolipoprotein overexpression and systemic amyloidosis in mice

J Clin Invest. 2021 Jan 14;140903. doi: 10.1172/JCI140903.

<https://doi.org/10.1172/JCI140903>

Pignatelli M, Umanah GK, Ribeiro SP, Chen R, Karuppagounder SS, Yau HJ, Eacker S, Dawson VL, Dawson TM, Bonci A

Synaptic Plasticity onto Dopamine Neurons Shapes Fear Learning

Neuron. 2017 Jan 18;93(2):425-440. doi: 10.1016/j.neuron.2016.12.030

[https://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(16\)31003-0](https://linkinghub.elsevier.com/retrieve/pii/S0896-6273(16)31003-0)

Ramirez-Alvarado M, Barnidge DR, Murray DL, Dispenzieri A, Marin-Argany M, Dick CJ, Cooper SA, Nasr SH, Ward CJ, Dasari S, Jiménez-Zepeda VH, Leung N :

Assessment of renal response with urinary exosomes in patients with AL amyloidosis: A proof of concept

Am J Hematol. 2017 Mar 10. doi: 10.1002/ajh.24717.

<http://onlinelibrary.wiley.com/doi/10.1002/ajh.24717/full>

Reddy LA, Mikesch L, Moskaluk CA, Harvey J, Sherman N, Zigino P, Mauch C, Fox JW:

Host response to human breast in situ ductal carcinoma (IDC) as observed by changes in the stromal proteome

J Proteome Res. 2014 Sep 22

<http://dx.doi.org/10.1021/pr500620x>

Reglodi D, Jungling A, Longuespée R, Kriegsmann J, Casadonte R, Kriegsmann M, Juhasz T, Bardosi S, Tamas A, Fulop BD, Kovacs K, Nagy Z, Sparks J, Miseta A, Mazzucchelli G, Hashimoto H, Bardosi A:

Accelerated pre-senile systemic amyloidosis in PACAP knockout mice - a protective role of PACAP in age-related degenerative processes

J Pathol. 2018 May 17. doi: 10.1002/path.5100.

<http://dx.doi.org/10.1002/path.5100>

Renz M, Torres R, Dolan PJ, Tam SJ, Tapia JR, Li L, Salmans JR, Barbour RM, Shughrue PJ, Nijjar T, Schenk D, Kinney GG, Zago W:

2A4 binds soluble and insoluble light chain aggregates from AL amyloidosis patients and promotes clearance of amyloid deposits by phagocytosis †

Amyloid. 2016 Aug 5:1-10.

<http://www.tandfonline.com/doi/full/10.1080/13506129.2016.1205974>

Rezania K, Saadat L:

Neurological Manifestations of Transthyretin-Related Amyloidosis

IntechOpen, 21 Feb 2019, DOI: 10.5772/intechopen.84470

<https://www.intechopen.com/online-first/neurological-manifestations-of-transthyretin-related-amyloidosis>

Rezk:

Novel techniques in the diagnosis, monitoring and outcome of renal and cardiac amyloidosis

Thesis, 2019

<http://discovery.ucl.ac.uk/10078174/1/Novel%20techniques%20in%20the%20diagnosis%2C%20monitoring%20and%20outcomes%20of%20renal%20and%20cardiac%20amyloidosis%20PhD%20thesis%20Post%20Viva%20Corrections.pdf>

Rezk T, Gilbertson JA, Rowczenio D, Bass P, Lachmann HJ, Wechalekar AD, Fontana M, Mahmood S, Sachchithanatham S, Whelan CJ, Wong J, Rendell N, Taylor GW, Hawkins PN, and Gillmore JD:

Diagnosis, pathogenesis and outcome in leucocyte chemotactic factor 2 (ALECT2) amyloidosis

Nephrol. Dial. Transplant. (2016) doi: 10.1093/ndt/gfw375

<http://ndt.oxfordjournals.org/content/early/2016/11/09/ndt.gfw375.abstract>

Rodriguez FJ1, Gamez JD, Vrana JA, Theis JD, Giannini C, Scheithauer BW, Parisi JE, Lucchinetti CF, Pendlebury WW, Bergen HR 3rd, Dogan A

Immunoglobulin derived depositions in the nervous system: novel mass spectrometry application for protein characterization in formalin-fixed tissues

Lab Invest. 2008 Oct;88(10):1024-37. doi: 10.1038/labinvest.2008.72. Epub 2008 Aug 18.

<http://dx.doi.org/10.1038/labinvest.2008.72>

Rowczenio D, Stensland M, de Souza GA, Strøm EH, Gilbertson JA, Taylor G, Rendell N, Minogue S, Efebera YA, Lachmann HJ, Wechalekar AD, Hawkins PN, Heimdal KR, Selvig K, Lægreid IK, Gillmore JD, Wien TN:

Renal amyloidosis associated with five novel variants in the fibrinogen A-alpha chain protein

Kidney International Reports (2016), doi: 10.1016/j.ekir.2016.11.005.

<http://www.sciencedirect.com/science/article/pii/S246802491630170X>

Ruan W, Sassoon A, An F, Simko JP, Liu B:

Identification of clinically significant tumor antigens by selecting phage antibody library on tumor cells in situ using laser capture microdissection

Mol Cell Proteomics. 2006 Dec;5(12):2364-73.

<http://www.mcponline.org/cgi/pmidlookup?view=long&pmid=16982673>

Saha A, Chopra Y, Theis JD, Vrana JA, Sethi S:

AA Amyloidosis Associated With Systemic-Onset Juvenile Idiopathic Arthritis

American Journal of Kidney Diseases - 13 May 2013 (10.1053/j.ajkd.2013.02.377)

<http://www.ajkd.org/article/S0272-6386%2813%2900675-6/abstract>

Said SM, Sethi S, Valeri AM, Chang A, Nast CC, Krahl L, Molloy P, Barry M, Fidler ME, Cornell LD, Leung N, Vrana JA, Theis JD, Dogan A, Nasr SH:

Characterization and outcomes of renal leukocyte chemotactic factor 2-associated amyloidosis

Kidney Int. 2014 Jan 22. doi: 10.1038/ki.2013.558.

<http://dx.doi.org/10.1038/ki.2013.558>

Said SM, Sethi S, Valeri AM, Leung N, Cornell LD, Fidler ME, Herrera Hernandez L, Vrana JA, Theis JD, Quint PS, Dogan A, Nasr SH:

Renal Amyloidosis: Origin and Clinicopathologic Correlations of 474 Recent Cases

Clin J Am Soc Nephrol. 2013 May 23.

<http://cjasn.asnjournals.org/cgi/pmidlookup?view=long&pmid=23704299>

Saigusa D, Okudaira M, Wang J, Kano K, Kurano M, Uranbileg B, Ikeda H, Yatomi Y, Motohashi H, Aoki J:

Simultaneous Quantification of Sphingolipids in Small Quantities of Liver by LC-MS/MS

Vol. 3 (2014) No. Special_Issue_3 the 62nd MSSJ Annual Conference p. S0046

https://www.jstage.jst.go.jp/article/massspectrometry/3/Special_Issue_3/3/S0046/article

Sansonno, D., Lauletta, G., and Dammacco, F.:

Detection and quantitation of HCV core protein in single hepatocytes by means of laser capture microdissection and enzyme-linked immunosorbent assay

J Viral Hepat 11(1): 27-32 (2004)

<http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2893.2003.00474.x/full>

Schrötter A, Oberhaus A, Kolbe K, Seger S, Mastalski T, El Magraoui F, Hoffmann-Posorske E, Bohnert M, Deckert J, Braun C, Graw M, Schmitz C, Arzberger T, Loosse C, Heinsen H, Meyer HE, Müller T
LMD proteomics provides evidence for hippocampus field-specific motor protein abundance changes with relevance to Alzheimer's disease

Biochim Biophys Acta. 2017 Apr 1. pii: S1570-9639(17)30066-3. doi: 10.1016/j.bbapap.2017.03.013.

[https://linkinghub.elsevier.com/retrieve/pii/S1570-9639\(17\)30066-3](https://linkinghub.elsevier.com/retrieve/pii/S1570-9639(17)30066-3)

Schuld J, Orfanos Z, Chevessier F, Eggers B, Heil L, Uszkoreit J, Unger A, Kirfel G, van der Ven PFM, Marcus K, Linke WA, Clemen CS, Schröder R, Fürst DO:

Homozygous expression of the myofibrillar myopathy-associated p.W2710X filamin C variant reveals major pathomechanisms of sarcomeric lesion formation

Acta Neuropathol Commun. 2020 Sep 4;8(1):154. doi: 10.1186/s40478-020-01001-9.

<https://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-020-01001-9>

Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:

Proteomic signatures for histological types of lung cancer

Proteomics 5(11): 2939-2948 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>

Seldin DC and Sanchorawala V:

Amyloidomics comes of age

Blood February 23, 2012 vol. 119 no. 8 1795-1796; doi: 10.1182/blood-2011-10-381178

<http://bloodjournal.hematologylibrary.org/content/119/8/1795.full.pdf+html>

Serhatli M, Baysal K, Acilan C, Tuncer E, Bekpinar S, Baykal AT:

Proteomic Study of the Microdissected Aortic Media in Human Thoracic Aortic Aneurysms

J Proteome Res. 2014 Sep 29

<http://dx.doi.org/10.1021/pr5006586>

Sethi S, Dasari S, Plaisier E, Ronco P, Nasr SH, Brocheriou I, Theis JD, Vrana JA, Zimmermann MT, Quint PS, McPhail ED, Kurtin PJ:

Apolipoprotein CII amyloidosis associated with p.Lys41Thr mutation

Kidney International Reports (2018), doi: 10.1016/j.ekir.2018.04.009.

[http://www.kireports.org/article/S2468-0249\(18\)30102-5/pdf](http://www.kireports.org/article/S2468-0249(18)30102-5/pdf)

Sethi S, Fervenza FC, Siddiqui A, Quint PS, Pritt BS:

Leishmaniasis-associated MPGN with massive complement deposition

Kidney International Reports, doi:10.1016/j.ekir.2016.06.003

<http://www.sciencedirect.com/science/article/pii/S2468024916300298>

Sethi S, Fervenza FC, Zhang Y, Zand L, Meyer NC, Borsa N, Nasr SH, Smith RJ:

Atypical postinfectious glomerulonephritis is associated with abnormalities in the alternative pathway of complement

Kidney Int. 2012 Dec 12. doi: 10.1038/ki.2012.384.

<http://dx.doi.org/10.1038/ki.2012.384>

Sethi S, Fervenza FC, Zhang Y, Zand L, Vrana JA, Nasr SH, Theis JD, Dogan A, Smith RJ:

C3 glomerulonephritis: clinicopathological findings, complement abnormalities, glomerular proteomic profile, treatment, and follow-up

Kidney Int. 2012 Jun 6. doi: 10.1038/ki.2012.212.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2012212a.html>

Sethi S, Quint PS, O'Seaghda CM, Fervenza FC, Bijol V, Dorman A, Dasari S, Smith RJ, Kurtin PJ, Rennke HG:

C4 Glomerulopathy: A Disease Entity Associated With C4d Deposition

Am J Kidney Dis. 2016 Feb 17. pii: S0272-6386(16)00081-0. doi: 10.1053/j.ajkd.2016.01.012.

[http://linkinghub.elsevier.com/retrieve/pii/S0272-6386\(16\)00081-0](http://linkinghub.elsevier.com/retrieve/pii/S0272-6386(16)00081-0)

Sethi S, Theis JD, Leung N, Dispenzieri A, Nasr SH, Fidler ME, Cornell LD, Gamez JD, Vrana JA, Dogan A:

Mass spectrometry-based proteomic diagnosis of renal immunoglobulin heavy chain amyloidosis

Clin J Am Soc Nephrol. 2010 Dec;5(12):2180-7

<http://cjasn.asnjournals.org/content/5/12/2180.full.pdf+html>

Sethi S, Theis JD, Shiller SM, Nast CC, Harrison D, Rennke HG, Vrana JA, Dogan A:

Medullary amyloidosis associated with apolipoprotein A-IV deposition

Kidney Int. 2011 Sep 7. doi: 10.1038/ki.2011.316.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2011316a.html>

Sethi S, Theis JD, Vrana JA, Fervenza FC, Sethi A, Qian Q, Quint P, Leung N, Dogan A, Nasr SH:

Laser Microdissection and Proteomic Analysis of Amyloidosis, Cryoglobulinemic GN, Fibrillary GN, and Immunotactoid Glomerulopathy

Clin J Am Soc Nephrol. 2013 Feb 14. [Epub ahead of print]

<http://cjasn.asnjournals.org/content/early/2013/02/13/CJN.07030712.abstract>

Sethi S, Theis JD, Quint P, Maierhofer W, Kurtin PJ, Dogan A, Highsmith EW Jr:

Renal Amyloidosis Associated With a Novel Sequence Variant of Gelsolin

Am J Kidney Dis. 2012 Aug 29.

<http://www.ajkd.org/article/S0272-6386%2812%2901042-6/abstract>

Sethi S, Vrana JA, Fervenza FC, Theis JD, Sethi A, Kurtin PJ, Zhang Y, Smith RJ:

Characterization of C3 in C3 glomerulopathy

Nephrol Dial Transplant. 2016 Aug 8. pii: gfw290.

<http://ndt.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=27507892>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:

Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.

<http://dx.doi.org/10.1038/ki.2012.108>

Shahmoradian SH, Lewis AJ, Genoud C, Hench J, Moors TE, Navarro PP, Castaño-Díez D, Schweighauser G, Graff-Meyer A, Goldie KN, Sütterlin R, Huisman E, Ingrassia A, Gier Y, Rozemuller AJM, Wang J, Paepe A, Erny J, Staempfli A, Hoernschemeyer J, Großerüschkamp F, Niedieker D, El-Mashtoly SF, Quadri M, Van IJcken WFJ, Bonifati V, Gerwert K, Bohrmann B, Frank S, Britschgi M, Stahlberg H, Van de Berg WDJ, Lauer ME:

Lewy pathology in Parkinson's disease consists of crowded organelles and lipid membranes

Nat Neurosci. 2019 Jul;22(7):1099-1109. doi: 10.1038/s41593-019-0423-2.

<http://dx.doi.org/10.1038/s41593-019-0423-2>

Shimura M, Mizuma M, Takadate T, Katoh Y, Suzuki T, Iseki M, Hata T, Aoki S, Suzuki Y, Sakata N, Ohtsuka H, Hayashi H, Morikawa T, Nakagawa K, Motoi F, Naitoh T, Igarashi K, Sasano H, Unno M:

A novel liver metastasis-correlated protein of pancreatic neuroendocrine neoplasm (PanNEN) discovered by proteomic analysis

Oncotarget. 2018; 9:24291-24303.

<https://doi.org/10.18632/oncotarget.25110>

Shin E, Lee Y, Koo JS:

Differential expression of the epigenetic methylation-related protein DNMT1 by breast cancer molecular subtype and stromal histology

J Transl Med. 2016 Apr 12;14(1):87. doi: 10.1186/s12967-016-0840-x.

<http://translational-medicine.biomedcentral.com/articles/10.1186/s12967-016-0840-x>

Shintani Y, Hayasaka T, Maeda D, Masaki N, Ito TK, Sakuma K, Tanaka M, Kabashima K, Takei S, Setou M, Fukayama M:

Different desmin peptides are distinctly deposited in cytoplasmic aggregations and cytoplasm of desmin-related cardiomyopathy patients

Biochim Biophys Acta. 2017 Mar 21. pii: S1570-9639(17)30048-1. doi: 10.1016/j.bbapap.2017.03.006.
[https://linkinghub.elsevier.com/retrieve/pii/S1570-9639\(17\)30048-1](https://linkinghub.elsevier.com/retrieve/pii/S1570-9639(17)30048-1)

Sidiqi MH, McPhail ED, Theis JD, Dasari S, Vrana JA, Drosou ME, Leung N, Hayman S, Rajkumar SV, Warsame R, Ansell SM, Gertz MA, Grogan M, Dispenzieri A:

Two types of amyloidosis presenting in a single patient: a case series

Blood Cancer J. 2019 Mar 5;9(3):30. doi: 10.1038/s41408-019-0193-9.
<https://www.nature.com/articles/s41408-019-0193-9.pdf>

Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:

Proteomics of breast carcinoma

J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)
<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>

Srivastava S:

Designing and sample size calculation in presence of heterogeneity in biological studies involving high-throughput data

Thesis, Aug 2019

<https://ir.library.louisville.edu/cgi/viewcontent.cgi?article=4485&context=etd>

Srivastava S, Merchant M, Rai A, Rai SN:

Standardizing Proteomics Workflow for Liquid Chromatography-Mass Spectrometry: Technical and Statistical Considerations

J Proteomics Bioinform 12: 048-055. doi: 10.4172/0974-276X.1000496

<https://www.longdom.org/open-access/standardizing-proteomics-workflow-for-liquid-chromatography-mass-spectrometry-technical-and-statistical-considerations.pdf>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Sturtz LA, Wang G, Shah P, Searfoss R, Raj-Kumar P-K, Hooke JA, Fantacone-Campbell JL, Deyarmin B, Cutler ML, Sarangarajan R, Narain NR, Kiebish MA, Kovatich AJ, Shriver CD:

Comparative analysis of differentially abundant proteins quantified by LC-MS/MS between flash frozen and laser microdissected OCT-embedded breast tumor samples

Clin Proteom 17, 40 (7 Nov 2020).

<https://doi.org/10.1186/s12014-020-09300-y>

Sueyama Y, Kaneko T, Ito T, Kaneko R, Okiji T:

Implantation of Endothelial Cells with Mesenchymal Stem Cells Accelerates Dental Pulp Tissue Regeneration/Healing in Pulpotomized Rat Molars

J Endod. 2017 Apr 14. pii: S0099-2399(17)30150-4. doi: 10.1016/j.joen.2017.01.035.

<http://www.sciencedirect.com/science/article/pii/S0099239917301504>

Sui Y, Zhu R, Hu W, Zhang W, Zhu H, Gong M, Gao L, Cao T, Tang T, Yu B, Yang T:

Phage display screening identifies a prostate specific antigen (PSA)-/lo prostate cancer cell specific peptide to retard castration resistance of prostate cancer

Transl Oncol. 2021 Jan 25;14(3):101020. doi: 10.1016/j.tranon.2021.101020.

<https://www.sciencedirect.com/science/article/pii/S1936523321000127>

Sun W, Sun J, Zou L, Shen K, Zhong D, Zhou D, Sun W, Li J:

The Successful Diagnosis and Typing of Systemic Amyloidosis Using A Microwave-Assisted Filter-Aided Fast Sample Preparation Method and LC/MS/MS Analysis

PLoS One. 2015 May 18;10(5):e0127180. doi: 10.1371/journal.pone.0127180. eCollection 2015.

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0127180>

Sundaresan S, Meiningner CA, Kang AJ, Photenhauer AL, Hayes MM, Sahoo N, Grembecka J, Cierpicki T, Ding L, Giordano TJ, Else T, Madrigal DJ, Low MJ, Campbell F, Baker A-M, Xu H, Wright NA, Merchant JL:

Gastrin Induces Nuclear Export and Proteasome Degradation of Menin in Enteric Glial Cells

Gastroenterology (2017), doi: 10.1053/j.gastro.2017.08.038.

[https://linkinghub.elsevier.com/retrieve/pii/S0016-5085\(17\)36071-7](https://linkinghub.elsevier.com/retrieve/pii/S0016-5085(17)36071-7)

Suzuki Y, Takadate T, Mizuma M, Shima H, Suzuki T, Tachibana T, Shimura M, Hata T, Iseki M, Kawaguchi K, Aoki T, Hayashi H, Morikawa T, Nakagawa K, Motoi F, Naitoh T, Igarashi K, Unno M:
Stromal expression of hemopexin is associated with lymph-node metastasis in pancreatic ductal adenocarcinoma

PLoS One. 2020 Jul 14;15(7):e0235904. doi: 10.1371/journal.pone.0235904. eCollection 2020.

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0235904>

Tachikawa M, Sumiyoshiya Y, Saigusa D, Sasaki K, Watanabe M, Uchida Y, Terasaki T :

Liver zonation index of drug transporter and metabolizing enzyme protein expressions in mouse liver acinus

Drug Metab Dispos. 2018 Mar 5. pii: dmd.117.079244. doi: 10.1124/dmd.117.079244.

<http://dmd.aspetjournals.org/content/dmd/early/2018/03/05/dmd.117.079244.full.pdf?with-ds=yes>

Takadate T, Onogawa T, Fujii K, Motoi F, Mikami S, Fukuda T, Kihara M, Suzuki T, Takemura T, Minowa T, Hanagata N, Kinoshita K, Morikawa T, Shirasaki K, Rikiyama T, Katayose Y, Egawa S, Nishimura T and Unno M:

Nm23/Nucleoside Diphosphate Kinase-A as a Potent Prognostic marker in Invasive Pancreatic Ductal Carcinoma Identified by Proteomic Analysis of Laser Micro-dissected Formalin-Fixed Paraffin-Embedded Tissue

Clinical Proteomics 2012, 9:8 doi:10.1186/1559-0275-9-8

<http://www.clinicalproteomicsjournal.com/content/9/1/8/abstract>

Takadate T, Onogawa T, Fukuda T, Motoi F, Suzuki T, Fujii K, Kihara M, Mikami S, Bando Y, Maeda S, Ishida K, Minowa T, Hanagata N, Ohtsuka H, Katayose Y, Egawa S, Nishimura T, Unno M:

Novel prognostic protein markers of resectable pancreatic cancer identified by coupled shotgun and targeted proteomics using formalin-fixed paraffin-embedded tissues

Int J Cancer. 2012 Aug 23. doi: 10.1002/ijc.27797.

<http://dx.doi.org/10.1002/ijc.27797>

Takenami T, Maeda S, Karasawa H, Suzuki T, Furukawa T, Morikawa T, Takadate T, Hayashi H, Nakagawa K, Motoi F, Naitoh T, Unno M:

Novel biomarkers distinguishing pancreatic head Cancer from distal cholangiocarcinoma based on proteomic analysis

BMC Cancer. 2019 Apr 5;19(1):318. doi: 10.1186/s12885-019-5548-x.

<https://bmccancer.biomedcentral.com/articles/10.1186/s12885-019-5548-x>

Tan X, Liao L, Wan YP, Li MX, Chen SH, Mo WJ, Zhao QL, Huang LF, Zeng GQ:

Downregulation of selenium-binding protein 1 is associated with poor prognosis in lung squamous cell carcinoma

World J Surg Oncol. 2016 Mar 8;14(1):70. doi: 10.1186/s12957-016-0832-6.

<http://wjso.biomedcentral.com/articles/10.1186/s12957-016-0832-6>

Tang T, Li CH, Li DS, Jing SX, Hua J, Luo SH, Liu Y, Li SH

Peltate glandular trichomes of *Colquhounia vestita* harbor diterpenoid acids that contribute to plant adaptation to UV radiation and cold stresses

Phytochemistry. 2020 Feb 5;172:112285. doi: 10.1016/j.phytochem.2020.112285.

[https://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(19\)31021-0](https://linkinghub.elsevier.com/retrieve/pii/S0031-9422(19)31021-0)

Tasaki M, Ueda M, Hoshii Y, Mizukami M, Matsumoto S, Nakamura M, Yamashita T, Ueda A, Misumi Y, Masuda T, Inoue Y, Torikai T, Nomura T, Tsuda Y, Kanenawa K, Isoguchi A, Okada M, Matsui H, Obayashi K, Ando Y:

A novel age-related venous amyloidosis derived from EGF-containing fibulin-like extracellular matrix protein 1

Pathology, 22 Nv 2018, doi: 10.1002/path.5203

<https://onlinelibrary.wiley.com/doi/pdf/10.1002/path.5203>

Taylor GW, Gilbertson JA, Sayed R, Blanco A, Rendell NB, Rowczenio D, Rezk T, Mangione PP, Canetti D, Bass P, Hawkins PN, Gillmore JD:

Proteomic analysis for the diagnosis of fibrinogen A α -chain amyloidosis

Kidney International Reports (2019 Apr 15), doi: <https://doi.org/10.1016/j.ekir.2019.04.007>.

<https://www.sciencedirect.com/science/article/pii/S2468024919301548#!>

Terrier B, Colombat M, Beugnet C, Quéant A, London J, Daudin JB, Le Jeune C, Mouthon L, Monnet D, Cauquil C, Lacroix C, Adams D, Brézin A, Valleix S:

Vitreous amyloidosis with autonomic neuropathy of the digestive tract associated with a novel transthyretin p.Gly87Arg variant in a Bangladeshi patient: a case report

J Med Case Rep. 2017 Aug 13;11(1):222. doi: 10.1186/s13256-017-1407-z.

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/s13256-017-1407-z>

Theis JD, Dasari S, Vrana JA, Kurtin PJ, Dogan A:

Shotgun-proteomics-based clinical testing for diagnosis and classification of amyloidosis

J. Mass Spectrom., Volume 48, Issue 10, 1096-9888

<http://dx.doi.org/10.1002/jms.3264>

Toriu N, Sawa N, Hiramatsu R, Mizuno H, Ikuma D, Sekine A, Hayami N, Sumida K, Yamanouchi M, Hasegawa E, Hoshino J, Takaichi K, Wake A, Ohashi K, Fujii T, Ubara Y

Regression of renal amyloid deposits by VAD therapy plus autologous stem cell transplantation in a patient with primary AL amyloidosis

CEN Case Rep. 2019 Sep 14. doi: 10.1007/s13730-019-00416-1.

<https://dx.doi.org/10.1007/s13730-019-00416-1>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsuruyama T, Kakimoto Y, Yajima Y:

Application of Mass Spectrometry for Identification of Biomarkers in Formaldehyde-Fixed Paraffin Embedded Specimens

Austin Biomark Diagn. 2014;1(1): 3

<http://austinpublishinggroup.com/biomarkers/fulltext/biomarkers-v1-id1005.pdf>

Ushio-Yamana H, Minegishi S, Ishigami T, Araki N, Umemura M, Tamura K, Maeda E, Kakizoe Y, Kitamura K, Umemura S:

Renin Angiotensin Antagonists Normalize Aberrant Activation of Epithelial Sodium Channels in Sodium-Sensitive Hypertension

Nephron Exp Nephrol. 2013 Apr 9;122(3-4):95-102.

<http://www.karger.com/Article/FullText/348660>

Valleix S, Gillmore JD, Bridoux F, Mangione PP, Dogan A, Nedelec B, Boimard M, Touchard G, Goujon JM, Lacombe C, Lozeron P, Adams D, Lacroix C, Maisonobe T, Planté-Bordeneuve V, Vrana JA, Theis JD, Giorgetti S, Porcari R, Ricagno S, Bolognesi M, Stoppini M, Delpech M, Pepys MB, Hawkins PN, Bellotti V:

Hereditary systemic amyloidosis due to Asp76Asn variant β 2-microglobulin

N Engl J Med. 2012 Jun 14;366(24):2276-83

<http://www.nejm.org/doi/full/10.1056/NEJMoa1201356>

Valleix S, Verona G, Jourde-Chiche N, Nédelec B, Mangione PP, Bridoux F, Mangé A, Dogan A, Goujon JM, Lhomme M, Dauteuille C, Chabert M, Porcari R, Waudby CA, Relini A, Talmud PJ, Kovrov O, Olivecrona G, Stoppini M, Christodoulou J, Hawkins PN, Grateau G, Delpech M, Kontush A, Gillmore JD, Kalopissis AD, Bellotti V:

D25V apolipoprotein C-III variant causes dominant hereditary systemic amyloidosis and confers cardiovascular protective lipoprotein profile

Nat Commun. 2016 Jan 21;7:10353. doi: 10.1038/ncomms10353.

<http://dx.doi.org/10.1038/ncomms10353>

Vieujean S, Hu S, Bequet E, Salee C, Massot C, Bletard N, Pierre N, Quesada Calvo F, Baiwir D, Mazzucchelli G, De Pauw E, Coimbra Marques C, Delvenne P, Rieder F, Louis E, Meuwis MA:

Potential Role of Epithelial Endoplasmic Reticulum Stress and Anterior Gradient Protein 2 Homolog in Crohn's Disease Fibrosis

J Crohns Colitis. 2021 Apr 2;jjab061. doi: 10.1093/ecco-jcc/jjab061.

<https://academic.oup.com/ecco-jcc/advance-article/doi/10.1093/ecco-jcc/jjab061/6208272>

Vincenti DC and Murray GI

The proteomics of formalin-fixed wax-embedded tissue

Clinical Biochemistry, epub 9 Oct 2012, ISSN 0009-9120, 10.1016/j.clinbiochem.2012.10.002.

<http://www.sciencedirect.com/science/article/pii/S0009912012005577?v=s5>

von Eggeling F, Hoffmann F:

Microdissection – an essential prerequisite for spatial cancer omics

Proteomics. 2020 Jun 23;e2000077. doi: 10.1002/pmic.202000077.

<https://doi.org/10.1002/pmic.202000077>

Vrana JA, Gamez JD, Madden BJ, Theis JD, Bergen HR 3rd, Dogan A:

Classification of amyloidosis by laser microdissection and mass spectrometry-based proteomic analysis in clinical biopsy specimens

Blood 114(24): 4957-9 (2009)

<http://bloodjournal.hematologylibrary.org/content/114/24/4957.short>

Wagner F:

Genexpressionsstudien zur Etablierung der adulten murinen organotypischen Retinakultur als Modell für gentherapeutische Ansätze

Thesis (German language), July 2019

http://geb.uni-giessen.de/geb/volltexte/2019/14890/pdf/WagnerFranziska_2019_10_10.pdf

Wang J, Kano K, Saigusa D, Aoki J:

Measurement of the Spatial Distribution of S1P in Small Quantities of Tissues: Development and Application of a Highly Sensitive LC-MS/MS Method Combined with Laser Microdissection

Mass Spectrom (Tokyo). 2019;8(1):A0072. doi: 10.5702/massspectrometry.A0072.

https://www.jstage.jst.go.jp/article/massspectrometry/8/1/8_A0072/pdf

Wang Q, Yang Q, Li M, Zhang Y, Cai Y, Liang X, Fu Y, Xiao Z, Zhou M, Xie Z, Huang H, Huang Y, Chen Y, He Q, Peng F, Chen Z:

Quantitative proteomic profiling of tumor-associated vascular endothelial cells in colorectal cancer

bioRxiv preprint first posted online Feb. 26, 2019

<https://www.biorxiv.org/content/10.1101/561555v1>

Wang Y, Ito S, Chino Y, Goto D, Matsumoto I, Murata H, Tsutsumi A, Hayashi T, Uchida K, Usui J, Yamagata K, Sumida T:

Laser microdissection-based analysis of cytokine balance in the kidneys of patients with lupus nephritis

Clin Exp Immunol 159(1):1-10 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2009.04031.x/full>

Wang Y, Liu Y-C, Li W-Y, Guo K, Liu Y, Li S-H:

Antifeedant, cytotoxic, and anti-inflammatory neo-clerodane diterpenoids in the peltate glandular trichomes and fresh leaves of *Ajuga forrestii*

Phytochemistry, Volume 186, June 2021, 112731

<https://doi.org/10.1016/j.phytochem.2021.112731>

Wang Y, Luo SH, Hua J, Liu Y, Jing SX, Li XN, Li SH:

Capitate Glandular Trichomes of *Paragutzlaffia henryi* Harbor New Phytotoxic Labdane Diterpenoids

J Agric Food Chem. 2015 Oct 29.

<http://dx.doi.org/10.1021/acs.jafc.5b04113>

Willem M, Tahirovic S, Busche MA, Ovsepian SV, Chafai M6, Kootar S, Hornburg D, Evans LD, Moore S, Daria A, Hampel H, Müller V, Giudici C, Nuscher B, Wenninger-Weinzierl A, Kremmer E, Heneka MT, Thal DR, Giedraitis V, Lannfelt L, Müller U, Livesey FJ, Meissner F, Herms J, Konnerth A, Marie H, Haass C:

η -Secretase processing of APP inhibits neuronal activity in the hippocampus

Nature. 2015 Oct 15;526(7573):443-7. doi: 10.1038/nature14864.

<http://dx.doi.org/10.1038/nature14864>

Wilson, K.E., Marouga, R., Prime, J.E., Pashby, D.P., Orange, P.R., Crosier, S., Keith, A.B., Lathe, R., Mullins, J., Estibeiro, P., Bergling, H., Hawkins, E., and Morris, C.M.:

Comparative proteomic analysis using samples obtained with laser microdissection and saturation dye labelling

Proteomics 5(15): 3851-3858 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401255/abstract>

Winter L, Wittig I, Peeva V, Eggers B, Heidler J, Chevessier F, Kley RA, Barkovits K, Strecker V, Berwanger C, Herrmann H, Marcus K, Kornblum C, Kunz WS, Schröder R, Clemen CS:

Mutant desmin substantially perturbs mitochondrial morphology, function and maintenance in skeletal muscle tissue

Acta Neuropathol. 2016 Jul 8.

<http://dx.doi.org/10.1007/s00401-016-1592-7>

Xiao CJ, Liu YC, Luo SH, Hua J, Liu Y, Li SH:

Localisation of Two Bioactive Labdane Diterpenoids in the Peltate Glandular Trichomes of *Leonurus japonicus* by Laser Microdissection Coupled with UPLC-MS/MS

Phytochem Anal. 2017 May 9. doi: 10.1002/pca.2687.

<http://onlinelibrary.wiley.com/doi/10.1002/pca.2687/full>

Xie W, Zhang H, Zeng J, Chen H, Zhao Z, Liang Z:

Tissues-based chemical profiling and semi-quantitative analysis of bioactive components in the root of *Salvia miltiorrhiza* Bunge by using laser microdissection system combined with UPLC-q-TOF-MS

Chem Cent J. 2016 Jul 13;10:42. doi: 10.1186/s13065-016-0187-7. eCollection 2016.

<http://www.journal.chemistrycentral.com/content/10/42>

Xuan Y, Bateman NW, Gallien S, Goetze S, Zhou Y, Navarro P, Hu M, Parikh N, Hood BL, Conrads KA, Loosse C, Kitata RB, Piersma SR, Chiasserini D, Zhu H, Hou G, Tahir M, Macklin A, Khoo A, Sun X, Crossett B, Sickmann A, Chen YJ, Jimenez CR, Zhou H, Liu S, Larsen MR, Kislinger T, Chen Z, Parker BL, Cordwell SJ, Wollscheid B, Conrads TP:

Standardization and harmonization of distributed multi-center proteotype analysis supporting precision medicine studies

Nat Commun. 2020 Oct 16;11(1):5248. doi: 10.1038/s41467-020-18904-9.

<https://www.nature.com/articles/s41467-020-18904-9>

Yagishita Y, Uruno A, Fukutomi T, Saito R, Saigusa D, Pi J, Fukamizu A, Sugiyama F, Takahashi S, Yamamoto M:

Nrf2 Improves Leptin and Insulin Resistance Provoked by Hypothalamic Oxidative Stress

Cell Rep. 2017 Feb 21;18(8):2030-2044. doi: 10.1016/j.celrep.2017.01.064.

<http://www.sciencedirect.com/science/article/pii/S2211124717301341>

Yamada K, Nishimura T, Wakiya M, Satoh E, Fukuda T, Amaya K, Bando Y, Hirano H, Ishikawa T:

Protein co-expression networks identified from HOT lesions of ER+HER2-Ki-67high luminal breast carcinomas

Sci Rep. 2021 Jan 18;11(1):1705. doi: 10.1038/s41598-021-81509-9.

<https://www.nature.com/articles/s41598-021-81509-9#Sec10>

Yanagisawa A, Ueda M, Sueyoshi T, Nakamura E, Tasaki M, Suenaga G, Motokawa H, Toyoshima R, Kinoshita Y, Misumi Y, Yamashita T, Sakaguchi M, Westermarck P, Mizuta H, Ando Y:

Knee osteoarthritis associated with different kinds of amyloid deposits and the impact of aging on type of amyloid

Amyloid. 2015 Dec 24:1-7.

<http://www.tandfonline.com/doi/full/10.3109/13506129.2015.1115758>

Yao H, Zhang Z, Xiao Z, Chen Y, Li C, Zhang P, Li M, Liu Y, Guan Y, Yu Y, Chen Z:

Identification of metastasis associated proteins in human lung squamous carcinoma using two-dimensional difference gel electrophoresis and laser capture microdissection

Lung Cancer. 2009 Jul;65(1):41-8. doi: 10.1016/j.lungcan.2008.10.024.

[http://linkinghub.elsevier.com/retrieve/pii/S0169-5002\(08\)00530-8](http://linkinghub.elsevier.com/retrieve/pii/S0169-5002(08)00530-8)

Yasuno K, Araki S, Sakashita H, Kobayashi R, Baba T, Kawakami H, Kamiie J, Ogihara K, Shirota K:
Development of Podocyte Injuries in Osborne-Mendel Rats is Accompanied by Reduced Expression of Podocyte Proteins

J Comp Pathol. 2013 Apr 10. pii: S0021-9975(13)00029-7. doi: 10.1016/j.jcpa.2013.01.012.

<http://www.sciencedirect.com/science/article/pii/S0021997513000297>

Ye D, Li Y, Zhang H, Zhou Z, Tang Y, Wu P, Zhao Q, and Zhang Z :

Silencing PRSS1 suppresses the growth and proliferation of gastric carcinoma cells via the ERK pathway

International Journal of Biological Sciences; 2021; 17(4): 957-971. doi: 10.7150/ijbs.52591

<https://www.ijbs.com/v17p0957.pdf>

Yi L, Liang ZT, Peng Y, Yao X, Chen HB, Zhao ZZ:

Tissue-specific metabolite profiling of alkaloids in *Sinomenii* Caulis using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry

J Chromatogr A. 2012 Jul 27;1248:93-103.

<http://www.sciencedirect.com/science/article/pii/S002196731200787X>

Yonemori H, Kubota D, Taniguchi H, Tsuda H, Fujita S, Murakami Y, and Kondo T:

Laser microdissection and two-dimensional difference gel electrophoresis with alkaline isoelectric point immobilized gel reveals proteomic intra-tumor heterogeneity in colorectal cancer

EuPA Open Proteomics, online 31 August 2013, ISSN 2212-9685,

<http://dx.doi.org/10.1016/j.euprot.2013.08.002>.

Yoshinaga T, Katoh N, Yazaki M, Sato M, Kametani F, Yasuda H, Watanabe K, Kawata K, Nakagawa M, Sekijima Y:

Giant Hepatomegaly with Spleno-testicular Enlargement in a Patient with Apolipoprotein A-I Amyloidosis: An Uncommon Type of Amyloidosis in Japan

Intern Med. 2020 Sep 30. doi: 10.2169/internalmedicine.5126-20.

https://www.jstage.jst.go.jp/article/internalmedicine/advpub/0/advpub_5126-20/article

Zaccaria A, Malaspina PA, Licker V, Kovari E, Lobrinus JA, Burkhard PR:

Polyomic analyses of dopaminergic neurons isolated from human substantia nigra in Parkinson's disease: An exploratory study

Research Square, 12 Feb 2021, DOI: 10.21203/rs.3.rs-182873/v1

<https://www.researchsquare.com/article/rs-182873/v1>

Zen Y, Britton D, Mitra V, Brand A, Jung S, Loessner C, Ward M, Pike I, Heaton N, Quaglia A:

Protein expression profiles of chemo-resistant mixed phenotype liver tumors using laser microdissection and LC-MS/MS proteomics

EuPA Open Proteomics, Available online 16 November 2013, ISSN 2212-9685

<http://dx.doi.org/10.1016/j.euprot.2013.10.001>

Zeng GQ, Yi H, Zhang PF, Li XH, Hu R, Li MY, Li C, Qu JQ, Deng X, and Xiao ZQ:

The Function and Significance of SELENBP1 Downregulation in Human Bronchial Epithelial Carcinogenic Process

PLoS ONE 8(8): e71865. doi:10.1371/journal.pone.0071865

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071865>

Zhang C, Arentz G, Winderbaum L, Lokman NA, Klingler-Hoffmann M, Mittal P, Carter C, Oehler MK, Hoffmann P:

MALDI Mass Spectrometry Imaging Reveals Decreased CK5 Levels in Vulvar Squamous Cell Carcinomas Compared to the Precursor Lesion Differentiated Vulvar Intraepithelial Neoplasia

Int J Mol Sci. 2016 Jul 8;17(7). pii: E1088. doi: 10.3390/ijms17071088.

<http://www.mdpi.com/resolver?pii=ijms17071088>

Zhang HL, Liu CY, Ma W, Huang L, Li CJ, Li CS, Zhang ZW:

Identification of differentially expressed proteins in the gastric mucosal atypical hyperplasia tissue microenvironment

Oncol Lett. 2018 Aug;16(2):2355-2365. doi: 10.3892/ol.2018.8941.

<https://www.spandidos-publications.com/ol/16/2/2355>

Zhang Q, Goto H, Akiyoshi-Nishimura S, Prosselkov P, Sano C, Matsukawa H, Yaguchi K, Nakashiba T, Itohara S:

Diversification of behavior and postsynaptic properties by netrin-G presynaptic adhesion family proteins

Mol Brain. 2016 Jan 8;9(1):6. doi: 10.1186/s13041-016-0187-5.

<http://molecularbrain.biomedcentral.com/articles/10.1186/s13041-016-0187-5>

Zhang Y, Xu B, Kinoshita N, Yoshida Y, Tasaki M, Fujinaka H, Magdeldin S, Yaoita E, Yamamoto T:

Datasets from label-free quantitative proteomic analysis of human glomeruli with sclerotic lesions

Data in Brief, Volume 4, September 2015, Pages 180–185

<http://www.sciencedirect.com/science/article/pii/S2352340915000815>

Zhao J, Li X, Luo Q, Chen L, Chai L, Huang Y, and Fang L:

Screening of surface markers on rat intestinal mucosa microfold cells by using laser capture microdissection combined with protein chip technology

Int J Clin Exp Med 2014;7(4):932-939; www.ijcem.com, /ISSN:1940-5901/IJCEM1401061

<http://www.ijcem.com/files/ijcem1401061.pdf>

Zhao Y, Chu S, Gui S, Qin Y, Xu R, Shan T, Peng H:

Tissue-specific metabolite profiling of Fallopi multiflora (Heshouwu) and Fallopi multiflora var. angulata by mass spectrometry imaging and laser microdissection combined with UPLC-Q/TOF-MS

Journal of Pharmaceutical and Biomedical Analysis, Volume 200, 5 June 2021, 114070

<https://www.sciencedirect.com/science/article/abs/pii/S0731708521001813#!>

Zhou W, Liang Z, Li P, Zhao Z, Chen J:

Tissue-specific chemical profiling and quantitative analysis of bioactive components of Cinnamomum cassia by combining laser-microdissection with UPLC-Q/TOF-MS

Chem Cent J. 2018 Jun 21;12(1):71. doi: 10.1186/s13065-018-0438-x.

<https://link.springer.com/content/pdf/10.1186%2Fs13065-018-0438-x.pdf>

Zhu Y, Piehowski PD, Zhao R, Chen J, Shen Y, Moore RJ, Shukla AK, Petyuk VA, Campbell-Thompson M, Mathews CE, Smith RD, Qian WJ, Kelly RT

Nanodroplet processing platform for deep and quantitative proteome profiling of 10-100 mammalian cells

Nat Commun. 2018 Feb 28;9(1):882. doi: 10.1038/s41467-018-03367-w.

<https://www.nature.com/articles/s41467-018-03367-w.pdf>

Zimmerman M, Blanc L, Chen PY, Dartois V, Prideaux B:

Spatial Quantification of Drugs in Pulmonary Tuberculosis Lesions by Laser Capture Microdissection Liquid Chromatography Mass Spectrometry (LCM-LC/MS)

J Vis Exp. 2018 Apr 18;(134). doi: 10.3791/57402.

<https://www.jove.com/video/57402/spatial-quantification-drugs-pulmonary-tuberculosis-lesions-laser>

Zimmerman M, Lestner J, Prideaux B, O'Brien P, Freedman I, Chen C, Dietzold J, Daudelin I, Kaya F, Blanc L, Chen PY, Park S, Salgame P, Sarathy J, Dartois V:

Ethambutol partitioning in tuberculous pulmonary lesions explains its clinical efficacy

Antimicrob Agents Chemother. 2017 Jul 10. pii: AAC.00924-17. doi: 10.1128/AAC.00924-17.

<http://aac.asm.org/content/early/2017/07/04/AAC.00924-17.full.pdf>

Zou X, Yoshida M, Nagai-Okatani C, Iwaki J, Matsuda A, Tan B, Hagiwara K, Sato T, Itakura Y, Noro E, Kaji H, Toyoda M, Zhang Y, Narimatsu H, Kuno A:

A standardized method for lectin microarray-based tissue glycome mapping

Sci Rep. 2017 Mar 6;7:43560. doi: 10.1038/srep43560

<http://dx.doi.org/10.1038/srep43560>

Zuo Z, Zheng Y, Liang Z, Liu Y, Tang Q, Liu X, Zhao Z, Zeng J:

Tissue-specific metabolite profiling of benzylisoquinoline alkaloids in the root of Macleaya cordata by combining laser microdissection with ultra-high-performance liquid chromatography/tandem mass spectrometry

Rapid Commun Mass Spectrom. 2017 Mar 15;31(5):397-410. doi: 10.1002/rcm.7804.

<https://www.semanticscholar.org/paper/Tissue-specific-metabolite-profiling-of-alkaloids-Zuo-Zheng/0cc7e9818779d2c3ab64ece4803b1c1e5fde9d1c>

From Eye to Insight



Learn more about the benefit of Laser Microdissection for Proteomics Research in our free Webinar:

[Webinar: How to Conduct Localized Proteomics of Microscopic Regions](#)